

# A FULL STACK DEVELOPMENT CAPSTONE PROJECT



(Source Code)

## • Version History:


1.	<b>Author Name</b>	Cherala Ramani
2.	<b>Purpose</b>	Source Code
3.	<b>Date</b>	25 April 2022

4.	<b>Version</b>	1.0
5.	<b>Contact</b>	<u><a href="mailto:Ramanicherala999@gmail.com">Ramanicherala999@gmail.com</a></u>

## Contents.

1. User Flow Chart Diagram.....	3
2. GitHub Link.....	4
3. Database Design .....	4
4. Folder Structure .....	6
5. Project Files .....	13


## 1. User Flow Chart Diagram.



## *2. GitHub Link.*

Repository Name.	FoodBox-Capstone-Project
GitHub Link.	<a href="https://github.com/ramani04/simplilern/tree/main/PHASE%206/FoodBox">https://github.com/ramani04/simplilern/tree/main/PHASE%206/FoodBox</a>

## *3. Database Design.*



## Data Result Set:

customer x

Limit to 1000 rows

1 • `SELECT * FROM foodbox.product;`

Result Grid

	id	actual_price	avail	category	des	discount	imagepath	name	price
▶	15719	435	yes	Italian	Pasta with Tomato and oregano	0	./assets/images/redPasta.jpg	Red Sause Pasta	435
	31975	350	yes	Indian	Chicken infused with butter and spices	0	./assets/images/ButterChicken.png	Butter Chicken	350
	34849	120	yes	Indian	Served Hot and Fresh	0	./assets/images/ChickenLollipop.jpg	Chicken Lollipop	120
	36686	435	yes	Italian	Pizza topped with cotted cheese and vegies	0	./assets/images/paneerpizza.jpg	Paneer Pizza	435
	41733	365	yes	Indian	Rice Steamed with Chicken and spices	10	./assets/images/biryani.jpg	Chicken Biryani	328.5
	47670	250	yes	Chinese	Steamed Bun with lamb mince	20	./assets/images/buns.jpg	Steamed Mince Bun	200
	49544	95	yes	Chinese	Rice with Egg and Chinese sauses	5	./assets/images/EggfriedRice.jpg	Egg Fried Rice	90.25
	75300	180	yes	Mexican	Corn topped with cream cheese and spice	7	./assets/images/elote.jpg	Elote de Corn	167.4
	89164	350	yes	Mexican	Wrapped Tortilla with Meat mince and Mayo	0	./assets/images/Burrito.jpg	Burrito	350
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

customer x

Limit to 1000 rows

1 • `SELECT * FROM foodbox.customer;`


Result Grid

	email	address	contact	name	password
▶	pranaliroswal1999@gmail.com	Khandala	9607045645	Pranali Oswal	password
	tusharkhillare2015@gmail.com	House no. 163 Tungarli lonavala	+918805364132	Tushar Ashok khillare	password
*	NULL	NULL	NULL	NULL	NULL

## 1. *Folder Structure.*

### (Back End Development)

#### Spring Project Structure



## pom.xml

```
foodbox/pom.xml
1 <?xml version="1.0" encoding="UTF-8"?>
2 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3     xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
4     <modelVersion>4.0.0</modelVersion>
5     <parent>
6         <groupId>org.springframework.boot</groupId>
7         <artifactId>spring-boot-starter-parent</artifactId>
8         <version>2.5.5</version>
9         <relativePath/> <!-- lookup parent from repository -->
10    </parent>
11    <groupId>com</groupId>
12    <artifactId>foodbox</artifactId>
13    <version>0.0.1-SNAPSHOT</version>
14    <name>Foodbox-Spring</name>
15    <description>Capstone project for simplilearn</description>
16    <properties>
17        <java.version>1.8</java.version>
18    </properties>
19    <dependencies>
20        <dependency>
21            <groupId>org.springframework.boot</groupId>
22            <artifactId>spring-boot-starter-data-jpa</artifactId>
23        </dependency>
24        <dependency>
25            <groupId>org.springframework.boot</groupId>
26            <artifactId>spring-boot-starter-web</artifactId>
27        </dependency>
28
29        <dependency>
30            <groupId>org.springframework.boot</groupId>
31            <artifactId>spring-boot-devtools</artifactId>
32            <scope>runtime</scope>
33            <optional>true</optional>
34        </dependency>
35        <dependency>
36            <groupId>mysql</groupId>
37            <artifactId>mysql-connector-java</artifactId>
38            <scope>runtime</scope>
39        </dependency>
40        <dependency>
41            <groupId>org.springframework.boot</groupId>
42            <artifactId>spring-boot-starter-test</artifactId>
43            <scope>test</scope>
44        </dependency>
45    </dependencies>
46
47    <build>
48        <plugins>
49            <plugin>
50                <groupId>org.springframework.boot</groupId>
51                <artifactId>spring-boot-maven-plugin</artifactId>
52            </plugin>
53        </plugins>
54    </build>
55
56 </project>
57
```



## FoodSpringApplication.Java

```
package com.foodbox;

import org.springframework.boot.SpringApplication;

@SpringBootApplication
public class FoodboxSpringApplication {

    public static void main(String[] args) {
        SpringApplication.run(FoodboxSpringApplication.class, args);
    }

}
```

## FoodboxSpringApplicationTests.Java

```
package com.foodbox;

import org.junit.jupiter.api.Test;

@SpringBootTest
class FoodboxSpringApplicationTests {

    @Test
    void contextLoads() {}

}
```

Rest of the files are present in the given GitHub link kindly refer this...

<https://github.com/ramani04/simplilern/tree/main/PHASE%206/FoodBox>



Spring Output:

```
[INFO] Scanning for projects...
[INFO] -----< com:foodbox >-----
[INFO] Building Foodbox-Spring 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ foodbox ---
[INFO] Deleting C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-Spring\target
[INFO] --- maven-resources-plugin:3.2.0:resources (default-resources) @ foodbox ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
[INFO] Copying 1 resource
[INFO] Copying 0 resource
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ foodbox ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 18 source files to C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-Spring\target\classes
[INFO] --- maven-resources-plugin:3.2.0:testResources (default-testResources) @ foodbox ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
[INFO] skip non existing resourceDirectory C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-Spring\src\test\resources
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ foodbox ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-Spring\target\test-classes
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ foodbox ---
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.foodbox.FoodboxSpringApplicationTests
23:15:30.482 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating CacheAwareContextLoaderDelegate from class [org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
23:15:30.555 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating BootstrapContext using constructor [public org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class, java.util.Properties)]
23:15:30.741 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating TestContextBootstrapper for test class [com.foodbox.FoodboxSpringApplicationTests] from class [org.springframework.test.context.support.DefaultTestContextBootstrapper]
23:15:30.797 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class [com.foodbox.FoodboxSpringApplicationTests], using SpringBootContextBootstrapper
23:15:30.814 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.foodbox.FoodboxSpringApplicationTests]: no resource found for suffixes [-context.xml, -Context.xml]
23:15:30.820 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class [com.foodbox.FoodboxSpringApplicationTests]: no resource found for suffixes [-context.xml, -Context.xml]
23:15:30.821 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class [com.foodbox.FoodboxSpringApplicationTests]: no resource found for suffixes [-context.xml, -Context.xml]
23:15:30.825 [main] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class [com.foodbox.FoodboxSpringApplicationTests]: no configuration classes found in package [com.foodbox]
23:15:31.167 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type [org.springframework.test.context.ActiveProfiles], using default names
23:15:31.606 [main] DEBUG org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file [C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-Spring\target\test-classes\com\foodbox\FoodboxSpringApplicationTests.class]
23:15:31.612 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootConfiguration com.foodbox.FoodboxSpringApplication for test
23:15:32.175 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class [com.foodbox.FoodboxSpringApplicationTests], using defaults
23:15:32.177 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]: [org.springframework.test.context.web.ServletTestExecutionListener, org.springframework.test.context.support.DependencyInjectionTestExecutionListener, org.springframework.test.context.support.DirtiesContextTestExecutionListener, org.springframework.test.context.support.SpringJUnit4ClassRunner$TestExecutionNotifier, org.springframework.test.context.support.MethodOutputTestExecutionListener]
23:15:32.260 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Using TestExecutionListeners: [org.springframework.test.context.web.ServletTestExecutionListener@47a5b70d, org.springframework.test.context.support.DependencyInjectionTestExecutionListener@47a5b70d, org.springframework.test.context.support.DirtiesContextTestExecutionListener@47a5b70d, org.springframework.test.context.support.SpringJUnit4ClassRunner$TestExecutionNotifier@47a5b70d, org.springframework.test.context.support.MethodOutputTestExecutionListener@47a5b70d]
23:15:32.287 [main] DEBUG org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test class: context [DefaultTestContext@47a5b70d testCl
23:15:32.496 [main] DEBUG org.springframework.test.context.support.TestPropertySourceUtils - Adding inlined properties to environment: {spring.jmx.enabled=false, org.springfra
```

[illegible]

```

  ____
 /  _ \
(  )_/
V  _/
  _/
 /___ \
/_____\

=====
:: Spring Boot ::
(v2.5.5)

```


```

002-02-25 23:15:34.137 INFO 492 --- [main] c.foodbox.FoodboxSpringApplicationTests : Starting FoodboxSpringApplicationTests using Java 15.0.2 on LAPTOP-H1J0K8S8 with PID 492 (started by Lenovo in C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-spring)
002-02-25 23:15:34.150 INFO 492 --- [main] c.foodbox.FoodboxSpringApplicationTests : No active profile set, falling back to default profiles: default
002-02-25 23:15:38.269 INFO 492 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.
002-02-25 23:15:38.683 INFO 492 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 370 ms. Found 5 JPA repository interfaces.
002-02-25 23:15:42.147 INFO 492 --- [main] o.hibernate.jpa.internal.util.LogHelper : HH000204: Processing PersistenceUnitInfo [name: default]
002-02-25 23:15:42.499 INFO 492 --- [main] org.hibernate.Version : HH000412: Hibernate ORM core version 5.4.32.Final
002-02-25 23:15:43.075 INFO 492 --- [main] o.hibernate.annotations.common.Version : HCA000001: Hibernate Commons Annotations {5.1.2.Final}
002-02-25 23:15:44.046 INFO 492 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
002-02-25 23:15:47.417 INFO 492 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
002-02-25 23:15:47.785 INFO 492 --- [main] org.hibernate.dialect.Dialect : HH000400: Using dialect: org.hibernate.dialect.MySQLInnoDBDialect
002-02-25 23:15:54.739 INFO 492 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HH000490: Using JtaPlatform implementation: [org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
002-02-25 23:15:54.791 INFO 492 --- [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
002-02-25 23:16:05.421 WARN 492 --- [main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to false to suppress this warning.
002-02-25 23:16:10.132 INFO 492 --- [main] c.foodbox.FoodboxSpringApplicationTests : Started FoodboxSpringApplicationTests in 37.605 seconds (JVM running for 43.224)
INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 41.353 s - in com.foodbox.FoodboxSpringApplicationTests
002-02-25 23:16:11.514 INFO 492 --- [jionShutdownHook] j.LocalContainerEntityManagerFactoryBean : Closing JPA EntityManagerFactory for persistence unit 'default'
002-02-25 23:16:11.535 INFO 492 --- [jionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated...
002-02-25 23:16:11.643 INFO 492 --- [jionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.
INFO]
INFO] Results:
INFO]
INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
INFO]
INFO]
INFO] --- maven-jar-plugin:3.2.0:jar (default-jar) @ foodbox ---
INFO] Building jar: C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-spring\target\foodbox-0.0.1-SNAPSHOT.jar
INFO]
INFO] --- spring-boot-maven-plugin:2.5.5:repackage (repackage) @ foodbox ---
INFO] Replacing main artifact with repackaged archive
INFO]
INFO] --- maven-install-plugin:2.5.2:install (default-install) @ foodbox ---
INFO] Installing C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-spring\target\foodbox-0.0.1-SNAPSHOT.jar to C:\Users\Lenovo\.m2\repository\com\foodbox\0.0.1-SNAPSHOT\foodbox-0.0.1-SNAPSHOT.jar
INFO] Installing C:\Users\Lenovo\Downloads\Foodbox-Capstone-master\foodbox-spring\pom.xml to C:\Users\Lenovo\.m2\repository\com\foodbox\0.0.1-SNAPSHOT\foodbox-0.0.1-SNAPSHOT.pom
INFO]
INFO] BUILD SUCCESS
INFO]
INFO] Total time: 01:34 min
INFO] Finished at: 2022-02-25T23:16:30+05:30
INFO]

```

## (Front End Development)

Angular Project Structure:





```
TS app.component.ts
TS app.module.ts
> assets
> environments
🔗 custom-theme.scss
★ favicon.ico
<> index.html
TS main.ts
TS polyfills.ts
# styles.css
TS test.ts
≡ .browserslistrc
⚙️ .editorconfig
🔒 .gitignore
{} angular.json
K karma.conf.js
{} package-lock.json
{} package.json
📖 README.md
{} tsconfig.app.json
TS tsconfig.json
{} tsconfig.spec.json
{} tslint.json
```

## 2. Project Files.

### Index.html

```
index.html • order-summary.component.html README.md
src > index.html > html > head > link
1 <!doctype html>
2 <html lang="en">
3
4 <head>
5   <meta charset="utf-8">
6   <title>Foodbox-most trusted</title>
7   <base href="/">
8   <meta name="viewport" content="width=device-width, initial-scale=1">
9   <link rel="icon" type="image/x-icon" href="favicon.ico">
10  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css"
11    integrity="sha384-B0vP5xmATw1+K9KRQjQERjvTumQW0nPEzvF6L/Z6nronJ3oUOFUfPcJEUQouq2+1" crossorigin="anonymous">
12  <script src="https://kit.fontawesome.com/3fe90d9367.js" crossorigin="anonymous"></script>
13  <link rel="preconnect" href="https://fonts.googleapis.com">
14  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
15  <link href="https://fonts.googleapis.com/css2?family=WindSong&display=swap" rel="stylesheet">
16  <link href="https://fonts.googleapis.com/css?family=Roboto:300,400,500&display=swap" rel="stylesheet">
17  <link href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet">
18 </head>
19
20 <body class="mat-typography">
21   <app-root></app-root>
22   <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
23     integrity="sha384-Dfxdz2htPH0lsSSs5nCtpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
24     crossorigin="anonymous"></script>
25   <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js"
26     integrity="sha384-Piv4xVNRyMGpqsS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns"
27     crossorigin="anonymous"></script>
28   <hr>
29   <section class="section py-5 bg-white">
30     <div class="container">
31       <div class="row">
32         <div class="col-sm-6 col-md-4 mb-2">
33           <div class="text-center features-card">
34             <i data-feather="truck" class="text-info"></i>
35             <marquee width="100%" direction="up" scrollamount="3" height="100px"><h2><i>Free & Fast Shipping</i></h2>
36             <p>Our Super fast delivery partner make sure you get fastest and free doorstep delivery.</p>
37             </marquee>
```

```

80     <a href="javascript:void(0)" class="list-group-item list-group-item-action">Delivery</a>
81     <a href="javascript:void(0)" class="list-group-item list-group-item-action">How to return</a>
82     <a href="javascript:void(0)" class="list-group-item list-group-item-action">Payment Method</a>
83     <a href="javascript:void(0)" class="list-group-item list-group-item-action">Shipping Method</a>
84 </div>
85 </div>
86 <div class="col-6 col-lg-3 pl-3">
87     <h4 class="font-weight-bold">FoodBox App</h4>
88     <div class="list-group list-group-flush list-group-no-border list-group-sm">
89         <a href="javascript:void(0)" class="list-group-item list-group-item-action">About Us</a>
90         <a href="javascript:void(0)" class="list-group-item list-group-item-action">Terms and Conditions</a>
91         <a href="javascript:void(0)" class="list-group-item list-group-item-action">Privacy Policy</a>
92         <a href="javascript:void(0)" class="list-group-item list-group-item-action">FAQs</a>
93         <a href="javascript:void(0)" class="list-group-item list-group-item-action">Our Story</a>
94         <a href="javascript:void(0)" class="list-group-item list-group-item-action">Services</a>
95     </div>
96 </div>
97 <div class="col-sm-6 col-lg-3 pl-3">
98     <h4 class="font-weight-bold">Contact us</h4>
99     <div class="list-group list-group-flush list-group-no-border list-group-sm">
100         <span class="list-group-item"><strong>Phone:</strong> +91 8805364132</span>
101         <span class="list-group-item"><strong>Email:</strong> FoodBox@gmail.com</span>
102         <span class="list-group-item"><strong>Mon-Fri:</strong> 9.00 am - 8.00 pm</span>
103         <span class="list-group-item"><strong>Saturday:</strong> 10.00 am - 6.00 pm</span>
104     </div>
105 </div>
106 </div>
107 </div>
108 </div>
109 <hr>
110 </div>

```

test.ts:

```
src > TS test.ts > ...
1  // This file is required by karma.conf.js and loads recursively
2
3  import 'zone.js/dist/zone-testing';
4  import { getTestBed } from '@angular/core/testing';
5  import {
6    BrowserDynamicTestingModule,
7    platformBrowserDynamicTesting
8  } from '@angular/platform-browser-dynamic/testing';
9
10 declare const require: {
11   context(path: string, deep?: boolean, filter?: RegExp): {
12     keys(): string[];
13     <T>(id: string): T;
14   };
15 };
16
17 // First, initialize the Angular testing environment.
18 getTestBed().initTestEnvironment(
19   BrowserDynamicTestingModule,
20   platformBrowserDynamicTesting()
21 );
22 // Then we find all the tests.
23 const context = require.context('./', true, /\.spec\.ts$/);
24 // And load the modules.
25 context.keys().map(context);
26
```

Rest of the files are present in the given GitHub link kindly refer this...

<https://github.com/ramani04/simplilern/tree/main/PHASE%206/FoodBox>



## Package.json:

```
package.json > ...
1 {
2   "name": "foodbox-angular",
3   "version": "0.0.0",
4   ▶ Debug
5   "scripts": {
6     "ng": "ng",
7     "start": "ng serve",
8     "build": "ng build",
9     "test": "ng test",
10    "lint": "ng lint",
11    "e2e": "ng e2e"
12  },
13  "private": true,
14  "dependencies": {
15    "@angular/animations": "~10.2.4",
16    "@angular/cdk": "^10.2.7",
17    "@angular/common": "~10.2.4",
18    "@angular/compiler": "~10.2.4",
19    "@angular/core": "~10.2.4",
20    "@angular/forms": "~10.2.4",
21    "@angular/material": "^10.2.7",
22    "@angular/platform-browser": "~10.2.4",
23    "@angular/platform-browser-dynamic": "~10.2.4",
24    "@angular/router": "~10.2.4",
25    "rxjs": "~6.6.0",
26    "tslib": "^2.0.0",
27    "zone.js": "~0.10.2"
28  },
29  "devDependencies": {
30    "@angular-devkit/build-angular": "~0.1002.1",
31    "@angular/cli": "~10.2.1",
32    "@angular/compiler-cli": "~10.2.4",
33    "@types/node": "^12.11.1",
34    "@types/jasmine": "~3.5.0",
35    "@types/jasminewd2": "~2.0.3",
36    "codelyzer": "^6.0.0",
37    "jasmine-core": "~3.6.0",
38    "jasmine-spec-reporter": "~5.0.0",
39  },
40}
```

```
41  "devDependencies": {
42    "@angular-devkit/build-angular": "~0.1002.1",
43    "@angular/cli": "~10.2.1",
44    "@angular/compiler-cli": "~10.2.4",
45    "@types/node": "^12.11.1",
46    "@types/jasmine": "~3.5.0",
47    "@types/jasminewd2": "~2.0.3",
48    "codelyzer": "^6.0.0",
49    "jasmine-core": "~3.6.0",
50    "jasmine-spec-reporter": "~5.0.0",
51    "karma": "~5.0.0",
52    "karma-chrome-launcher": "~3.1.0",
53    "karma-coverage-istanbul-reporter": "~3.0.2",
54    "karma-jasmine": "~4.0.0",
55    "karma-jasmine-html-reporter": "^1.5.0",
56    "protractor": "~7.0.0",
57    "ts-node": "~8.3.0",
58    "tslint": "~6.1.0",
59    "typescript": "~4.0.2"
60  }
61}
```

## Angular Outputs:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Try the new cross-platform PowerShell https://aka.ms/pscore6

PS E:\Capstone Project(FoodBox)\FoodBox FrontEnd(Angular)> ng serve
Your global Angular CLI version (13.1.1) is greater than your local version (10.2.3). The local Angular CLI version is used.

To disable this warning use "ng config -g cli.warnings.versionMismatch false".
10% building 3/3 modules 0 active(node:10904) [DEP0111] DeprecationWarning: Access to process.binding('http_parser') is deprecated.
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:10904) [DEP0148] DeprecationWarning: Use of deprecated folder mapping "." in the "exports" field module resolution of the package
\node_modules\tslib\package.json.
Update this package.json to use a subpath pattern like "./*".

chunk {main} main.js, main.js.map (main) 248 kB [initial] [rendered]
chunk {polyfills} polyfills.js, polyfills.js.map (polyfills) 141 kB [initial] [rendered]
chunk {runtime} runtime.js, runtime.js.map (runtime) 6.15 kB [entry] [rendered]
chunk {styles} styles.js, styles.js.map (styles) 413 kB [initial] [rendered]
chunk {vendor} vendor.js, vendor.js.map (vendor) 3.96 MB [initial] [rendered]
Date: 2022-02-25T18:26:16.365Z - Hash: 710b31d48af36f661dae - Time: 68067ms
** Angular Live Development Server is listening on localhost:4200, open your browser on http://localhost:4200/ **
: Compiled successfully.
```

**THANK YOU.....**

FoodBox