

Exp no:7

Establishing Metrics (KPIs and KRIs)

Aim:

To configure a risk measurement method in Eramba and establish measurable risk indicators using Likelihood, Impact, and Risk Score.

Procedure:

Step 1 — Go to Calculation Method

In Eramba, open:

Risk Management → Settings

Then find:

Calculation Method

Step 2 — Open Threshold

You should see the calculation methods.

Select:

Threshold

Then click/edit it.

Step 3 — Enable Threshold

Inside the Threshold configuration:

Enable → ON

Step 4 — Check the calculation matrix

You should see:

Likelihood × Impact

Edit Action

Threshold

Numerical

Enable

☒

Method Name

Threshold

Settings

Likelihood × Impact

[Default Threshold] Not configured	Likelihood (Low)	Likelihood (Medium)	Likelihood (High)	Likelihood (Very High)
Impact (Very High)	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix
Impact (High)	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix
Impact (Medium)	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix
Impact (Low)	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix	Threshold is not configured, eramba will use default threshold configuration for this matrix

Close

Save

Step 5 — Verify classifications

Make sure these classifications exist:

Likelihood

- Low
- Medium
- High
- Very High

Impact

- Low
- Medium
- High
- Very High

The manual specifically says to ensure the required Likelihood and Impact classifications are configured.

Step 6 — Open System Downtime

Go to:

Risk Management → **System Downtime**

Step 7— Open the risk

The manual specifically uses:

System Downtime

Open that risk.

Step 9 — Open Analysis

Inside Business Interruption, open:

Analysis

Look for:

Risk Analysis Classification

and

Risk Analysis Score

Analysis	
Applicable Business Units	Operations
Processes	
Threat Tags	
Threat Description	
Vulnerability Tags	
Vulnerability Description	
Risk Analysis Classification	Likelihood (Medium) Impact (High)
Risk Analysis Score	5
Risk Analysis Threshold	
Treatment	

Step 10 — Verify the values

According to the manual's result:

None

Likelihood = Medium

Impact = Very High

Risk Analysis Score = 6

Result

The risk measurement system was successfully established. For the selected Business Risk, the configured Likelihood and Impact classifications were used to produce the Risk Analysis Score.