

# DDL COMMANDS

## QUESTION 1 - CREATE TABLE

The screenshot displays the SQL Server Enterprise Manager interface. The left pane shows the 'Navigation' tree with 'Server Status', 'Client Connections', 'Users and Privileges', 'Status and System Variables', 'Data Export', and 'Data Import/Restore' under 'MANAGEMENT'. The 'INSTANCE' section includes 'Startup / Shutdown', 'Server Logs', and 'Options File'. The 'PERFORMANCE' section includes 'Dashboard', 'Performance Reports', and 'Performance Schema Setup'. The 'Administration' tab is selected, showing 'Schemas'. The 'Information' pane shows 'No object selected'. The 'Query 1' window contains the following SQL script:

```
1 CREATE DATABASE Bhanupriyasec13_2520090171;
2 USE Bhanupriyasec13_2520090171;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
```

The 'SQL Additions' pane shows a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.' The 'Output' pane shows the execution results:

| # | Time     | Action                                                                                        | Message           | Duration / Fetch |
|---|----------|-----------------------------------------------------------------------------------------------|-------------------|------------------|
| 1 | 19:58:13 | CREATE DATABASE Bhanupriyasec13_2520090171                                                    | 1 row(s) affected | 0.031 sec        |
| 2 | 19:58:55 | USE Bhanupriyasec13_2520090171                                                                | 0 row(s) affected | 0.000 sec        |
| 3 | 19:59:08 | CREATE TABLE bank_transactions ( txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch... | 0 row(s) affected | 0.015 sec        |

## QUESTION 2 - ALTER TABLE ADD COLUMN

The screenshot displays the SQL Server Enterprise Manager interface. The left pane shows the 'Navigation' tree with 'Server Status', 'Client Connections', 'Users and Privileges', 'Status and System Variables', 'Data Export', and 'Data Import/Restore' under 'MANAGEMENT'. The 'INSTANCE' section includes 'Startup / Shutdown', 'Server Logs', and 'Options File'. The 'PERFORMANCE' section includes 'Dashboard', 'Performance Reports', and 'Performance Schema Setup'. The 'Administration' tab is selected, showing 'Schemas'. The 'Information' pane shows 'No object selected'. The 'Query 1' window contains the following SQL script:

```
1 CREATE DATABASE Bhanupriyasec13_2520090171;
2 USE Bhanupriyasec13_2520090171;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 ALTER TABLE bank_transactions
12 ADD account_no VARCHAR(20);
13
```

The 'SQL Additions' pane shows a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.' The 'Output' pane shows the execution results:

| # | Time     | Action                                                                                        | Message                                                | Duration / Fetch |
|---|----------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------|------------------|
| 1 | 19:58:13 | CREATE DATABASE Bhanupriyasec13_2520090171                                                    | 1 row(s) affected                                      | 0.031 sec        |
| 2 | 19:58:55 | USE Bhanupriyasec13_2520090171                                                                | 0 row(s) affected                                      | 0.000 sec        |
| 3 | 19:59:08 | CREATE TABLE bank_transactions ( txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch... | 0 row(s) affected                                      | 0.015 sec        |
| 4 | 20:02:50 | ALTER TABLE bank_transactions ADD account_no VARCHAR(20)                                      | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0 | 0.031 sec        |

## QUESTION 3 - ALTER TABLE MODIFY COLUMN

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1

```

1 CREATE DATABASE Bhanupriyasec13_2520090171;
2 USE Bhanupriyasec13_2520090171;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 ALTER TABLE bank_transactions
12 ADD account_no VARCHAR(20);
13 ALTER TABLE bank_transactions
14 MODIFY customer_name VARCHAR(100);
15

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

| # | Time     | Action                                                                                        | Message                                                | Duration / Fetch |
|---|----------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------|------------------|
| 1 | 19:58:13 | CREATE DATABASE Bhanupriyasec13_2520090171                                                    | 1 row(s) affected                                      | 0.031 sec        |
| 2 | 19:58:55 | USE Bhanupriyasec13_2520090171                                                                | 0 row(s) affected                                      | 0.000 sec        |
| 3 | 19:59:08 | CREATE TABLE bank_transactions ( txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch... | 0 row(s) affected                                      | 0.015 sec        |
| 4 | 20:02:50 | ALTER TABLE bank_transactions ADD account_no VARCHAR(20)                                      | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0 | 0.031 sec        |
| 5 | 20:03:33 | ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)                               | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0 | 0.031 sec        |
| 6 | 20:03:33 | ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)                               | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0 | 0.093 sec        |

## QUESTION 4 - RENAME TABLE

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1

```

1 CREATE DATABASE Bhanupriyasec13_2520090171;
2 USE Bhanupriyasec13_2520090171;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 ALTER TABLE bank_transactions
12 ADD account_no VARCHAR(20);
13 ALTER TABLE bank_transactions
14 MODIFY customer_name VARCHAR(100);
15 RENAME TABLE bank_transactions
16 TO customer_transactions;
17

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

| # | Time     | Action                                                                                        | Message                                                                                                        | Duration / Fetch |
|---|----------|-----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|
| 2 | 19:58:55 | USE Bhanupriyasec13_2520090171                                                                | 0 row(s) affected                                                                                              | 0.000 sec        |
| 3 | 19:59:08 | CREATE TABLE bank_transactions ( txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch... | 0 row(s) affected                                                                                              | 0.015 sec        |
| 4 | 20:02:50 | ALTER TABLE bank_transactions ADD account_no VARCHAR(20)                                      | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                         | 0.031 sec        |
| 5 | 20:03:33 | ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)                               | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                         | 0.093 sec        |
| 6 | 20:04:14 | RENAME bank_transactions TO customer_transactions                                             | Error Code: 1064: You have an error in your SQL syntax; check the manual that corresponds to your MySQL ser... | 0.000 sec        |
| 7 | 20:05:17 | RENAME TABLE bank_transactions TO customer_transactions                                       | 0 row(s) affected                                                                                              | 0.078 sec        |

## QUESTION 5 - TRUNCATE TABLE

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

Query 1

```

1 CREATE DATABASE Bhanupriyasec13_2520090171;
2 USE Bhanupriyasec13_2520090171;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11 ALTER TABLE bank_transactions
12 ADD account_no VARCHAR(20);
13 ALTER TABLE bank_transactions
14 MODIFY customer_name VARCHAR(100);
15 RENAME TABLE bank_transactions
16 TO customer_transactions;
17 TRUNCATE TABLE customer_transactions;
18

```

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

| # | Time     | Action                                                          | Message                                                                                                        | Duration / Fetch |
|---|----------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|
| 4 | 20:02:50 | ALTER TABLE bank_transactions ADD account_no VARCHAR(20)        | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                         | 0.031 sec        |
| 5 | 20:03:33 | ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100) | 0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0                                                         | 0.093 sec        |
| 6 | 20:04:14 | RENAME bank_transactions TO customer_transactions               | Error Code: 1064: You have an error in your SQL syntax; check the manual that corresponds to your MySQL ser... | 0.000 sec        |
| 7 | 20:05:17 | RENAME TABLE bank_transactions TO customer_transactions         | 0 row(s) affected                                                                                              | 0.078 sec        |
| 8 | 20:06:01 | TRUNCATE TABLE bank_transactions                                | Error Code: 1146: Table 'Bhanupriyasec13_2520090171.bank_transactions' doesn't exist                           | 0.000 sec        |
| 9 | 20:06:32 | TRUNCATE TABLE customer_transactions                            | 0 row(s) affected                                                                                              | 0.078 sec        |

QUESTION 6 - DROP TABLE

MANAGEMENT

Server Status

Client Connections

Users and Privileges

Status and System Variables

Data Export

Data Import/Restore

INSTANCE

Startup / Shutdown

Server Logs

Options File

PERFORMANCE

Dashboard

Performance Reports

Performance Schema Setup

Administration

Schemas

Information

No object selected

SQL Editor

1 CREATE DATABASE Bhanupriyasec13\_2520090171;

2 USE Bhanupriyasec13\_2520090171;

3 CREATE TABLE bank\_transactions (

4   txn\_id INT PRIMARY KEY,

5   customer\_name VARCHAR(50),

6   branch\_name VARCHAR(50),

7   transaction\_type VARCHAR(20),

8   amount DECIMAL(10,2),

9   transaction\_date DATE

10 );

11 ALTER TABLE bank\_transactions

12 ADD account\_no VARCHAR(20);

13 ALTER TABLE bank\_transactions

14 MODIFY customer\_name VARCHAR(100);

15 RENAME TABLE bank\_transactions

16 TO customer\_transactions;

17 TRUNCATE TABLE customer\_transactions;

18 DROP TABLE IF EXISTS bank\_backup;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Output

#

Time

Action

Message

Duration / Fetch

7

20:05:17

RENAME TABLE bank\_transactions TO customer\_transactions

0 row(s) affected

0.078 sec

8

20:06:01

TRUNCATE TABLE bank\_transactions

Error Code: 1146: Table 'bhanupriyasec13\_2520090171.bank\_transactions' doesn't exist

0.000 sec

9

20:06:32

TRUNCATE TABLE customer\_transactions

0 row(s) affected

0.078 sec

10

20:07:05

DROP TABLE bank\_backup

Error Code: 1051: Unknown table 'bhanupriyasec13\_2520090171.bank\_backup'

0.016 sec

11

20:07:30

DROP TABLE IF EXISTS bank\_backup

0 row(s) affected, 1 warning(s): 1051 Unknown table 'bhanupriyasec13\_2520090171.bank\_backup'

0.032 sec

12

20:07:46

DROP TABLE IF EXISTS bank\_backup

0 row(s) affected, 1 warning(s): 1051 Unknown table 'bhanupriyasec13\_2520090171.bank\_backup'

0.031 sec

Object Info

Session