

SECTION-1

```
MySQL 8.0 Command Line Cli  X  +  v

Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 10
Server version: 8.0.22 MySQL Community Server - GPL

Copyright (c) 2000, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE bankdb;
ERROR 1007 (HY000): Can't create database 'bankdb'; database exists
mysql> USE bankdb;
Database changed
mysql> CREATE TABLE bank_transactions (
  ->   txn_id INT PRIMARY KEY,
  ->   customer_name VARCHAR(50),
  ->   branch_name VARCHAR(50),
  ->   transaction_type VARCHAR(20),
  ->   amount DECIMAL(10,2),
  ->   transaction_date DATE
  -> );
Query OK, 0 rows affected (0.13 sec)

mysql> SHOW TABLES;
+-----+
| Tables_in_bankdb |
+-----+
| bank_transactions |
+-----+
1 row in set (0.05 sec)

mysql> DESCRIBE bank_transactions;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| txn_id         | int           | NO   | PRI | NULL    |       |
| customer_name  | varchar(50)   | YES  |     | NULL    |       |
| branch_name    | varchar(50)   | YES  |     | NULL    |       |
| transaction_type | varchar(20)   | YES  |     | NULL    |       |
| amount         | decimal(10,2) | YES  |     | NULL    |       |
| transaction_date | date          | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
6 rows in set (0.02 sec)
```

```
mysql> ALTER TABLE bank_transactions
-> ADD account_no VARCHAR(20);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE bank_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(50)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_no	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> |
```

```
7 rows in set (0.00 sec)
```

```
mysql> ALTER TABLE bank_transactions
-> MODIFY customer_name VARCHAR(100);
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESCRIBE bank_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(100)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_no	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> RENAME TABLE bank_transactions
-> TO customer_transactions;
ERROR 1050 (42S01): Table 'customer_transactions' already exists
mysql> DESCRIBE customer_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(100)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_no	varchar(20)	YES		NULL	

7 rows in set (0.00 sec)

```
ERROR 1146 (42S02): Table 'bankdb.bank_transactions' doesn't exist
mysql> TRUNCATE TABLE customer_transactions;
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> DESCRIBE customer_transactions;
```

Field	Type	Null	Key	Default	Extra
txn_id	int	NO	PRI	NULL	
customer_name	varchar(100)	YES		NULL	
branch_name	varchar(50)	YES		NULL	
transaction_type	varchar(20)	YES		NULL	
amount	decimal(10,2)	YES		NULL	
transaction_date	date	YES		NULL	
account_no	varchar(20)	YES		NULL	

7 rows in set (0.00 sec)

```
mysql>
```

```
mysql> DROP TABLE bank_backup;
Query OK, 0 rows affected (0.03 sec)
```

```
mysql>
mysql> SHOW TABLES;
+-----+
| Tables_in_bankdb |
+-----+
| customer_transactions |
+-----+
1 row in set (0.00 sec)
```

```
mysql> |
```

SECTION-2

```
mysql> INSERT INTO customer_transactions
-> (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date)
-> VALUES
-> (101, 'Ravi', 'Hyderabad', 'Deposit', 5000, '2024-01-05'),
-> (102, 'Sita', 'Hyderabad', 'Withdrawal', 2000, '2024-01-06'),
-> (103, 'Kiran', 'Vijayawada', 'Deposit', 12000, '2024-01-08'),
-> (104, 'Anil', 'Vizag', 'Deposit', 8000, '2024-01-10'),
-> (105, 'Priya', 'Hyderabad', 'Withdrawal', 3500, '2024-01-11'),
-> (106, 'Ramesh', 'Vizag', 'Deposit', 15000, '2024-01-12'),
-> (107, 'Keerthi', 'Vijayawada', 'Withdrawal', 1000, '2024-01-13'),
-> (108, 'Rahul', 'Hyderabad', 'Deposit', 9000, '2024-01-14'),
-> (109, 'Sneha', 'Vizag', 'Withdrawal', 4000, '2024-01-15'),
-> (110, 'Madhu', 'Vijayawada', 'Deposit', 11000, '2024-01-16');
Query OK, 10 rows affected (0.02 sec)
Records: 10 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM customer_transactions;
+-----+-----+-----+-----+-----+-----+-----+
| txn_id | customer_name | branch_name | transaction_type | amount | transaction_date | account_no |
+-----+-----+-----+-----+-----+-----+-----+
| 101 | Ravi | Hyderabad | Deposit | 5000.00 | 2024-01-05 | NULL |
| 102 | Sita | Hyderabad | Withdrawal | 2000.00 | 2024-01-06 | NULL |
| 103 | Kiran | Vijayawada | Deposit | 12000.00 | 2024-01-08 | NULL |
| 104 | Anil | Vizag | Deposit | 8000.00 | 2024-01-10 | NULL |
| 105 | Priya | Hyderabad | Withdrawal | 3500.00 | 2024-01-11 | NULL |
| 106 | Ramesh | Vizag | Deposit | 15000.00 | 2024-01-12 | NULL |
| 107 | Keerthi | Vijayawada | Withdrawal | 1000.00 | 2024-01-13 | NULL |
| 108 | Rahul | Hyderabad | Deposit | 9000.00 | 2024-01-14 | NULL |
| 109 | Sneha | Vizag | Withdrawal | 4000.00 | 2024-01-15 | NULL |
| 110 | Madhu | Vijayawada | Deposit | 11000.00 | 2024-01-16 | NULL |
+-----+-----+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql>
mysql> INSERT INTO customer_transactions
-> (txn_id, customer_name, branch_name, transaction_type, amount, transaction_date)
-> VALUES
-> (111, 'Venu', 'Vizag', 'Desposit', 7000, '2024-01-18');
Query OK, 1 row affected (0.01 sec)
```

```
1> UPDATE customer_transactions
```

```
mysql> UPDATE customer_transactions
      -> SET amount = 5000
      -> WHERE txn_id = 105;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> DELETE FROM customer_transactions
      -> WHERE txn_id = 111;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> SELECT * FROM customer_transactions;
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date	account_no
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05	NULL
102	Sita	Hyderabad	Withdrawal	2000.00	2024-01-06	NULL
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08	NULL
104	Anil	Vizag	Deposit	8000.00	2024-01-10	NULL
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11	NULL
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12	NULL
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13	NULL
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14	NULL
109	Sneha	Vizag	Withdrawal	4000.00	2024-01-15	NULL
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16	NULL

```
10 rows in set (0.00 sec)

mysql> |
```

```
mysql> SELECT * FROM customer_transactions
      -> WHERE transaction_type = 'Deposit';
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date	account_no
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05	NULL
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08	NULL
104	Anil	Vizag	Deposit	8000.00	2024-01-10	NULL
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12	NULL
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14	NULL
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16	NULL

```
6 rows in set (0.01 sec)
```

```
mysql> SELECT * FROM customer_transactions
-> ORDER BY amount DESC;
```

txn_id	customer_name	branch_name	transaction_type	amount	transaction_date	account_no
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12	NULL
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08	NULL
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16	NULL
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14	NULL
104	Anil	Vizag	Deposit	8000.00	2024-01-10	NULL
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05	NULL
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11	NULL
109	Sneha	Vizag	Withdrawal	4000.00	2024-01-15	NULL
102	Sita	Hyderabad	Withdrawal	2000.00	2024-01-06	NULL
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13	NULL

```
10 rows in set (0.01 sec)
```

SECTION-3

```
ERROR 1410 (42000): You are not allowed to create a user with GRANT
mysql> CREATE USER 'Auditor01'@'localhost' IDENTIFIED BY 'password123';
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> GRANT SELECT ON customer_transactions TO 'Auditor01'@'localhost';
ERROR 1410 (42000): You are not allowed to create a user with GRANT
mysql> GRANT SELECT
-> ON bank_transactions
-> TO Auditor01;
ERROR 1410 (42000): You are not allowed to create a user with GRANT
mysql> GRANT SELECT ON customer_transactions TO 'Auditor01'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> CREATE USER 'BranchManager'@'localhost'
-> IDENTIFIED BY 'password123';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> GRANT ALL
-> ON customer_transactions
-> TO 'BranchManager'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> REVOKE SELECT ON customer_transactions FROM Auditor01;
ERROR 1147 (42000): There is no such grant defined for user 'Auditor01' on host '%' on table 'customer_transactions'
mysql> REVOKE SELECT
-> ON customer_transactions
-> FROM 'Auditor01'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> REVOKE ALL
-> ON customer_transactions
-> FROM 'BranchManager'@'localhost';
Query OK, 0 rows affected (0.01 sec)

mysql>
```

SECTION-4

```
mysql> UPDATE customer_transactions
      -> SET amount=6000
      -> WHERE txn_id=101;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> |
```

```
mysql> SAVEPOINT Beefor_update;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> UPDATE customer_transactions
      -> SET amount=9999
      -> WHERE txn_id=102;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
mysql> SAVEPOINT SP1;
Query OK, 0 rows affected (0.00 sec)

mysql>
mysql> UPDATE bank_transactions
      -> SET amount=9000
      -> WHERE txn_id=102;
Query OK, 0 rows affected (0.01 sec)
Rows matched: 0  Changed: 0  Warnings: 0
```