

```
rbhanu_priya@LAPTOP-7PGTCMPB:~$ mkdir OSLab
mkdir: OSLab: File exists
rbhanu_priya@LAPTOP-7PGTCMPB:~$ cd OSLab
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ nano permission.c
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ gcc permission.c -o permission
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ./permission
File created successfully.
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls
Notes OSLab fork permission permission.c process.c sample.txt shell shell.c
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

1) Give Read and Write only to the owner

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 600 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw----- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Nothing = 0

Others - Nothing = 0

2) Give Read and Write to the owner and group

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 660 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Read + Write = 4 + 2 = 6

Others - Nothing = 0

3) Only owner can read and write

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 600 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw----- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Nothing = 0

Others - Nothing = 0

4) Owner read/write, everyone else read-only

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 644 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw-r--r-- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Read = 4

Others - Read = 4

- 5) Owner can do everything, others can only read and execute

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 755 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rwxr-xr-x 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Read = 4

Others - Read = 4

- 6) Owner and group can read/write

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 660 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
-rw-rw---- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Read + Write = 4 + 2 = 6

Group - Read + Write = 4 + 2 = 6

Others - Nothing = 0

- 7) Only owner can execute

```
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ chmod 100 sample.txt
rbhanu_priya@LAPTOP-7PGTCMPB:~/OSLab$ ls -l sample.txt
---x----- 1 rbhanu_priya rbhanu_priya 28 Aug 18 02:51 sample.txt
```

Owner - Execute = 1

Group - Nothing = 0

Others - Nothing = 0

- 8) Owner: read + write; Group: nothing; Others: nothing

Owner - 4 + 2 = 6

Group - 0

Others - 0

Answer=600

9) Owner: read + write; Group: read; Others: read

Owner - 4 + 2 = 6

Group - 4

Others - 4

Answer = 644

10) Owner: read + write + execute; Group: read + execute; Others: read + execute

Owner - 4+2+1=7

Group - 4+1=5

Others -4+1=5

Answer = 755

11) Owner: read + write; Group: read + write; Others: nothing

Owner - 4 + 2 = 6

Group - 4 + 2 = 6

Others - 0

Answer = 660

12) Everyone: read only

Owner - 4

Group - 4

Others - 4

Answer = 444