

COLLECTIONS

GenAI-Jul-HomeAssignment

POST S01-Text to Audio

POST S02- MultiLingual

POST S03-GenerateAPITestcasesFromSwag...

LLM API Learning

GET Generate Testcases

My Collection

ENVIRONMENTS

SPECS

FLOWS

GenAI-Jul-HomeAssignment > S01-Text to Audio

POST https://api.groq.com/openai/v1/audio/speech

Docs Params Authorization Headers 11 Body Scripts Settings

raw JSON Schema

```
1 {
2   "model": "canopylabs/orpheus-v1-english",
3   "input": "[Cheerful] vanakkam. I am a language model created by Groq. I am here
4   to help you with any questions you may have. How can I assist you today?",
5   "voice": "diana",
6   "response_format": "wav"
7 }
```

Body 200 OK 1.50 s 402.04 KB Save Response

Hex Preview Visualize

0:08 / 0:08

COLLECTIONS

GenAI-Jul-HomeAssignment

POST S01-Text to Audio

POST S02- MultiLingual

POST S03-GenerateAPITestcasesFromSwag...

LLM API Learning

GET Generate Testcases

My Collection

ENVIRONMENTS

SPECS

FLOWS

GenAI-Jul-HomeAssignment > S02- MultiLingual

POST https://api.groq.com/openai/v1/chat/completions

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

raw JSON Schema Beautify

```
4 {
5   "role": "system",
6   "content": "You are an API Specialist. Always respond in the same
7   language as the user."
8 },
9 {
10  "role": "user",
11  "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று
12  சொல்லுங்கள்."
13 }
```

Body 200 OK 2.51 s 1.57 KB Save Response

{ JSON Preview Visualize

```
7 {
8   "index": 0,
9   "message": {
10    "role": "assistant",
11    "content": "நன்றி! இந்த API-ஐ பயன்படுத்துவது எளிதானது. நீங்கள்
12    முதலில் ஒரு கணக்கை உருவாக்க வேண்டும், பின்னர் உங்கள் API கீழை
13    பெற வேண்டும். அதன் பிறகு, நீங்கள் உங்கள் தேவைக்கேற்ப API
14    எண்ட்பாயிண்டுகளை அணுகலாம்.\n\nஇந்த API பயன்படுத்துவதற்கு சில
15    படிகள் இதோ:\n\n1. **கணக்கு உருவாக்கு**:  
முதலில், நீங்கள் ஒரு
16    கணக்கை உருவாக்க வேண்டும். இதற்கு, நீங்கள் ஒரு மெயில் முகவரி
17    மற்றும் ஒரு கடவுச்சொல் தேவை.\n\n2. **API கீ பெறு**:  
கணக்கு
18    உருவாக்கிய பிறகு, நீங்கள் உங்கள் API கீயைப் பெறலாம். இந்த கீ
```

Connect Git Console Terminal 0 0 Import Complete

+

...

COLLECTIONS

GenAI-Jul-HomeAssignment

POST S01-Text to Audio

POST S02- MultiLingual

POST S03-GenerateAPITestcasesFromSwag...

LLM API Learning

GET Generate Testcases

My Collection

ENVIRONMENTS

SPECS

FLOWS

GenAI-Jul-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

Save

Share

POST

https://api.groq.com/openai/v1/chat/completions

Send

Docs

Params

Authorization

Headers 9

Body

Scripts

Settings

Cookies

raw

JSON

Schema

Beautify

7

8

9

10

```
{,
{
  "role": "user",
  "content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger
Petstore APIs.\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.
\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG
as the test runner.\n4) Use meaningful class, method, and variable names.
\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6)
Use reusable base URI setup.\n7) Cover CRUD operations for Pet resource.
\n8) Add assertions for status code and important response fields.\n9) Keep
the code clean, executable, and production-style.\n10) Do NOT use
placeholder comments.\n\nC - CONTEXT\nThe code will be used by QA engineers
```

Body

200 OK

3.22 s

2.61 KB

Save Response

JSON

Preview

Visualize

resource. Use request body creation (JSON). Use assertions for
status code and important response fields. Use meaningful names.
No placeholder comments.\n\nWe'll write a class e.g.,
PetApiTest. In @BeforeClass set baseURI. Use static variable for
petId (maybe generate random). For each test method, use
dependsOnMethods to enforce order.\n\nImplementation steps:\n\n-
createPet: POST /pet with JSON body. Use given().contentType
(\"application/json\").body(petJson).post(\"/pet\").assert
status 200 and id matches. Save petId.\n\n- getPetById: GET /pet/
{petId}. Validate status 200, name matches.\n\n- updatePet: PUT /
pet with updated JSON (maybe change name). Validate status 200,
name updated.\n\n- deletePet: DELETE /pet/{petId}. Validate