Config options (can be changed in /configs/config.php)

```
define('LANGUAGE', 'EN');
// NL, EN, FR, DE, ES, PL
// if admin has set a language in the settings form, this setting will be
used when ALLOW_ACCESS_BY is free.
$current_languages = array( 'EN' => 'English',
                            'NL' => 'Dutch'
                            'DE' => 'German'
                            'FR' => 'French',
                            'PL' => 'Polish',
                            'ES' => 'Spanish',
                            'NO' => 'Norwegian');
// used to set the languages in the dropdownlists
define('ALLOW_ACCESS_BY', 'login');
// ip, free or login. If `ip` then users get user_id 1000000.
define('ADMIN_USER_ID', 1);
// only used when you didn't do the insert queries from the sql file. You
can put the ID of one or more users here. When you did do the query, the
admin_user_id is taken from the row where user_type is 'admin'. More than 1
ID is also possible. Example: 1,2
REMOVED define('ONLY_ADMIN_CAN_ADD_AND_EDIT', false);
// only the admin can add and edit events. People who visit the calendar
can only view
define('ADMIN_HAS_FULL_CONTROL', false);
// when true the calendar options (like can-add and can-edit) are ignored
* ACCESS TYPE 'IP' OPTIONS
define('CAL_IP', '111.222.333.444');
// ip of the calendar user. CAL_IP IS NEEDED WHEN ALLOW_ACCESS_BY IS `IP`!
 * ACCESS TYPE 'IP' AND 'FREE' OPTIONS
define('IP_AND_FREE_ACCESS_SAVED_USER_ID', 1000000);
// 1000000 or another user_id
 * ACCESS TYPE 'FREE' OPTIONS
define('ADMIN_CAN_LOGIN_FROM_ADMIN_URL', false);
```

```
// true: the admin can login from ../admin url. When set to true,
ALLOW_ACCESS_BY must be 'free', Otherwise it doesn't work.
define('SHOW_SMALL_LOGIN_LINK', true);
// true: a login link is visible above the calendar.
// false: depends on ALLOW_ACCESS_BY what happens: When ALLOW_ACCESS_BY is
'free' then visitors will see the calendar, when ALLOW_ACCESS_BY is 'login'
visitors will be redirected to the login page.
/**
 * ACCESS TYPE 'LOGIN' AND 'FREE' OPTIONS
REMOVED (is settled by share_type of the calendar now, public or private)
define('USERS_CAN_SEE_ITEMS_FROM_OTHERS', true);
// Shared calendar: Users can see items from others.
REMOVED (can be set separately for each calendar now)
define('USERS_CAN_CHANGE_ITEMS_FROM_OTHERS', false);
// Shared calendar: Users can also change items from others.
REMOVED (can be set separately for each calendar now)
define('USERS_CAN_DELETE_ITEMS_FROM_OTHERS', false);
// Shared calendar: Users can also delete items from others.
/**
* ACCESS TYPE 'LOGIN' OPTIONS
define('USERS_CAN_REGISTER', true);
// A new user can register by clicking on the register button in the login
screen.
define('SEND_ACTIVATION_MAIL', true);
// true, an email is send to the new user with an activation link. The user
is activated after click on activation link and filling in a password on
the webpage the link goes to.
// false, the user is immediately activated, password is in register form,
when SHOW_CREATED_PASSWORD_WHEN_ADMIN_ADDS_USER is set to true. (or in the
email when admin registers a user with add_user form)
define('ACTIVATION MAIL SUBJECT', 'Welcome %USERNAME%');
// The subject of the activation mail.
// %USERNAME% will be replaced by the actual username of the user.
define('RESET_PASSWORD_MAIL_SUBJECT', 'Reset your password');
// The subject of the reset password mail
/**
* MAIL
define('FROM_EMAILADDRESS', 'your_emailaddress');
// used as 'from' address when mails are send to users.
define('ADMIN_EMAILADDRESS', '');
// used mail address to send the copy of the add_user mail.
```

```
define('IGNORE_TIMEZONE', false);
// If you or users have problems with timezone or daylight saving and have
time issues in the calendar, you can set this to false or if you or your
users are all in the same country/area, you can set your TIMEZONE. Problems
can occur when the calendar in on a server in another country and you or
users are in a country with daylight saving time.
// OPTIONAL
define('TIMEZONE', '');
// example: America/New_York, if left empty the clients timezone will be
 * CALENDAR OPTIONS
define('SHOW_WEEKNUMBERS', true);
// In the first column of the calendar the weeknumber is visible
define('SHOW_MONTH_VIEW_BUTTON', true);
// The `month` button will be visible
define('SHOW_WEEK_VIEW_BUTTON', true);
// The `week` button will be visible
define('SHOW_DAY_VIEW_BUTTON', true);
// The `day` button will be visible
define('SHOW_AGENDA_VIEW_BUTTON', true);
// The `list` button will be visible
define('WEEK_VIEW_TYPE', 'agendaWeek');
// basicWeek or agendaWeek
define('DAY_VIEW_TYPE', 'agendaDay');
// basicDay or agendaDay
define('DEFAULT_VIEW', 'month');
// month, basicWeek, agendaWeek, basicDay, agendaDay, agendaList
define('SHOW_TITLE_FIRST', false);
// true: the title will be in front of the time. event1 10:00-11:00
// false: the time will be in front of the title.
                                                     10:00-11:00 event1
define('SORT_ALL_CALENDARS_BY_CALENDARID', true);
                                                  // if true, when
clicked on 'Show all', the events are sorted by calendarID
define('SHOW_NOTALLOWED_MESSAGES', false);
// if true, a message will be shown when someone tries to add or edit an
event, but has no rights to do so
```

```
define('SHOW_SEARCH_BOX', true);
// if true, a search box is visible to search items in the calendar
define('ONLY_SHOW_CALENDAR', false);
// if true, calendar is visible and logout link when ALLOW ACCESS BY is
login
define('ONLY_ADMIN_CAN_SEE_DRAG_DROP_ITEMS', false);
* EDIT DIALOG
REMOVED (can be set separately for each calendar now)
define('SHOW_COLOR_SELECTION', true);
// if true the user can give a custom color to an item
define('SHOW_DESCRIPTION_FIELD', true);
// if true the user can give a description to an item
define('SHOW_LOCATION_FIELD', false);
// if true the user can give a location to an item
define('SHOW_PHONE_FIELD', false);
// if true the user can give a phone number to an item
define('EDITDIALOG_COLORPICKER_TYPE', 'evol');
// evol or simple
define('DATEPICKER_DATEFORMAT', 'mm/dd/yy');
// dd/mm/yy or 'mm/dd/yy'
define('SHORT_DATEFORMAT', 'mm/dd/yyyy');
// dd-mm-yyyy or 'mm/dd/yyyy'
define('TWELVE_TWENTYFOUR_HOURS', 12);
// 12 or 24
define('DIALOGS_RESIZABLE', true);
define('DEFAULT_TIME_FOR_EVENT', '09:00');
// leave empty ('') if you want the current time to be set when adding an
event and allday checkbox is unchecked
define('SHOW_VIEW_TYPE', 'mouseover'); // mouseover or none
define('MOUSEOVER_WIDTH', 250);
define('SHOW_PHONE_IN_MOUSEOVER', false);
define('ONLY_SHOW_MOUSEOVER_IN_MONTH_VIEW', true);
```

```
// TIMEPICKER
define('MINHOUR', 5);
// the earliest hour that will be showed in the timepicker
define('MAXHOUR', 23);
// the latest hour that will be showed in the timepicker
define('MINUTE_INTERVAL', 5);
// the interval, the precision by minutes the user can use when creating a
calendar item. For example 5 minutes, 10 minutes or 15 minutes
define('SHOW_AM_PM', false);
// true: In the timepicker and the calendar events is AM/PM visible
define('SIMPLE_TIME_SELECT', false);
// if true then a simple smarty time_select combo is used
// if false a jQuery timepicker will be used
* ADD USER FORM and profile form
define('SHOW_USERNAME_IN_FORM', true);
define('SHOW_INFIX_IN_FORM', false);
define('SHOW_CHECKBOX_COPY_TO_ADMIN', true);
/**
* ADD USER THROUGH ADD USER DIALOG (ONLY ADMIN CAN DO THIS)
define('SHOW_CREATED_PASSWORD_WHEN_ADMIN_ADDS_USER', false);
// password will be shown so the admin knows it
/**
* CALENDAR ITEMS
define('DEFAULT_COLOR', '#3366cc');
define('SHOW_MOUSEOVER_DELETE_BUTTON', false);
// show an icon on mouseover for quick deleting an event
define('TRUNCATE_TITLE', true);
// show part of the title in the calendar
define('TRUNCATE_LENGTH', 20);
// the color of added events
```

```
define('SCHEDULE_SQLDUMP', 86400);
// a backup of the database is automatically made (this code does the
magic: Schedule::run();)
// for \overline{\text{example}}: 3600 = 1 hour, 86400 = 1 day, 604800 = 1 week
define('LOGINSESSION_NOT_EXPIRES', false);
define('HOURCALCULATION_DEFAULT_PERIOD', 6);
                                                // months
define('HOURCALCULATION_WORKDAY_HOURS', 8); // hours
define('USERS_CAN_ADD_CALENDARS', true);
// users can add public calendars or private calendars (not private group
(yet))
define('SHOW_PUBLIC_AND_PRIVATE_SEPARATELY', true);
// to show the calendar buttons (left side) sorted by public and private or
define('SHOW_DESCRIPTION_IN_WDL_VIEW', true);
// show description in weekview, dayview and listview
define('SHOW_LOCATION_IN_WDL_VIEW', true);
// show location in weekview, dayview and listview
define('SHOW_PHONE_IN_WDL_VIEW', true);
// show phone in weekview, dayview and listview
define('MASK_UNALTERABLE_DAYS', true);
// the days that can not be altered (setting for every calendar) are gray -
// could be a little slower, because the dayRender function is called ofter
// fill in these 3 values to be able to see the mailbutton in the event
edit dialog. Also fill in the emailaddress for the calendar in the admin
define('MAIL_EVENT_MAILADDRESS', '');
define('MAIL_EVENT_MAILSUBJECT', 'Event notification');
define('MAIL_EVENT_MAILBODY', 'Employee: %FIRSTNAME% %INFIX% %LASTNAME
%<br />'
                . 'Title: %TITLE%<br />'
                . 'Description: %DESCRIPTION%<br />'
                . 'Location: %LOCATION%<br />'
                . 'Phone: %PHONE%<br />'
                . 'Startdate: %STARTDATE%<br />'
                 . 'Enddate: %ENDDATE%<br />');
```

```
/**
  * WORDCLOUD
  */
REMOVED (Hour calculation part made this annecessary and unused)

// words that won't show up in the wordcloud

$EXCLUDED_WORDS_WORDCLOUD = array(' the ',' is ',
  '!','.',','':',""\n","\n","\r","\t",''\t",'-','>>','<<','&laquo;','&raquo;','&nbsp
;','(',')','"','[',']','&#;');
// you can add more words here

/*
  * if ONLY_SHOW_CALENDAR is false you can define which left blocks you want
to be visible
  * if you only want to show the calendar and the logout button above the
calendar, set these 2 to false
  */
define('SHOW_SMALL_CLOUD', true);
// to show the small cloud next to the calendar, set ONLY_SHOW_CALENDAR to
false

define('SHOW_LINK_TO_CLOUD', true);
// to show the link to the big cloud (opens in new tab), set
ONLY_SHOW_CALENDAR to false</pre>
```