

Add a field to the edit dialog

All the blue parts are parts that has to be added.

in view/dlg_event_edit.html:

```
<?smarty if $smarty.const.SHOW_PHONE_FIELD ?>
    <label id="phone_label_id">Phone: </label><input type="text" id="edited_phone" /><br />
<?smarty /if ?>
```

In view/cal.html:

```
MyCalendar.showPhoneField = '<?smarty $smarty.const.SHOW_PHONE_FIELD ?>';
```

in configs/config.php:

```
define('SHOW_PHONE_FIELD', true);
```

in script/script.js:

in onSelectEvent()

```
if(MyCalendar.showLocationField) {
    $('#edited_location')[0].value = "";
}
if(MyCalendar.showDescriptionField) {
    $('#edited_description')[0].value = "";
}
if(MyCalendar.showPhoneField) {
    $('#edited_phone')[0].value = "";
}
```

AND:

```
$('#phone_label_id').html(Lang.Popup.EventPhone);
```

In onClickEvent() // FORM LABELS section

```
if(MyCalendar.showLocationField) {  
    $('#edited_location')[0].value = event.location;  
}  
if(MyCalendar.showDescriptionField) {  
    $('#edited_description')[0].value = event.description;  
}  
if(MyCalendar.showPhoneField) {  
    $('#edited_phone')[0].value = event.phone;  
}
```

AND:

```
$('#phone_label_id').html(Lang.Popup.EventPhone);
```

In addEvent()

at the top

```
if($('#edited_phone') !== undefined) {  
    var phone = $('#edited_phone').val();  
}
```

And:

```
var data = {  
    interval: interval,  
    title: title,  
    location: location,  
    description: description,  
    phone: phone,  
    allDay: allDay,  
    date_start: startdate,  
    date_end: enddate,  
    color: MyCalendar.eventColor,  
    weekdays: weekdays,  
    monthday: monthday  
};
```

In updateEvent()

at the top

```
if($('#edited_phone') !== undefined) {  
    var phone = $('#edited_phone').val();  
}
```

AND:

```
if(title != null && title != '') {  
    event.title = title;  
    event.location = location;  
    event.description = description;  
    event.phone = phone;
```

AND:

```
var data = {  
    event_id: event.event_id,  
    rep_event_id: event.rep_event !== undefined ? event.rep_event.rep_event_id : 0,  
    repair_pattern: bln_repair_pattern,  
    allDay: event.allDay,  
    interval: interval,  
    title: event.title,  
    location: event.location,  
    description: event.description,  
    phone: event.phone,  
    date_start: startdate,  
    date_end: enddate,  
    color: MyCalendar.defaultEventColor,  
    weekdays: weekdays,  
    monthday: monthday  
};
```

in the language files:

```
Lang.Popup.EventPhone = 'Phone';
```

In command/cal events.php:

In addEvent and updateEvent

```
array('phone', 'string', false, ''),
```

for integer fields use 'int' instead of 'string'. (look for other types in include/validate_functions.php)

In the event table add the phone field (varchar 25)

Or do this query:

```
ALTER TABLE `events` ADD `phone` VARCHAR( 25 ) NULL AFTER `description` ;
```

In model/events.class.php:

In insertEvent()

```
$str_query = 'INSERT INTO events ( title, location, description, phone, repeating_event_id, user_id, color, date_start, time_start, date_end, time_end, create_date, allDay) ' .
```

```
    'VALUES ('.$frm_submitted['title'].',' .
        '."'.'.$frm_submitted['location'].',' .
        '."'.'.$frm_submitted['description'].',' .
        '."'..$frm_submitted['phone'].',' .
    (!empty($frm_submitted['rep_event_id']) ? $frm_submitted['rep_event_id'] : 0).',' .
    $_SESSION['calendar-uid']['uid'].',' .
    '."'.'.$frm_submitted['color'].',' .
    '."' .date('Y-m-d', $frm_submitted['date_start']).',' .
    '."' .date('H:i:s', $frm_submitted['date_start']).',' .
    '."' .date('Y-m-d', $frm_submitted['date_end']).',' .
    '."' .date('H:i:s', $frm_submitted['date_end']).',' .
    '."' .date('Y-m-d H:i:s').'"'.
    ((date('H:i:s', $frm_submitted['date_start']) == '00:00:00' && date('H:i:s',
$frm_submitted['date_end']) == '00:00:00') || $frm_submitted['allDay'] == 1 ? ',1' : ',0').')';
```

In updateEvent()

```
$str_query = 'UPDATE events SET date_start = "' .date('Y-m-d', $frm_submitted['date_start']).'" ' .
    (!empty($frm_submitted['title']) ? ', title = "' . $frm_submitted['title'].'"' : '').
    (!empty($frm_submitted['description']) ? ', description = "' . $frm_submitted['description'].'"' : '').
    (!empty($frm_submitted['location']) ? ', location = "' . $frm_submitted['location'].'"' : '').
    (!empty($frm_submitted['phone']) ? ', phone = "' . $frm_submitted['phone'].'"' : '').
    (isset($frm_submitted['color']) && $frm_submitted['color'] != 'undefined' ? ', color =
'.'.$frm_submitted['color'].'"' : '').
```

```

        , date_end = "'.date('Y-m-d', $frm_submitted['date_end'])."' .
        , time_start = "'.(isset($frm_submitted['allDay']) && $frm_submitted['allDay'] ? '00:00:00' :
date('H:i:s', $frm_submitted['date_start']))."' .
        , time_end = "'.(isset($frm_submitted['allDay']) && $frm_submitted['allDay'] ? '00:00:00' :
date('H:i:s', $frm_submitted['date_end']))."' .
        , create_date = "'.date('Y-m-d H:i:s')."' .
        ((isset($frm_submitted['allDay']) && $frm_submitted['allDay']) || (date('H:i:s',
$frm_submitted['date_start']) == '00:00:00' && date('H:i:s', $frm_submitted['date_end']) == '00:00:00') ? '
,allDay = 1' : ' ,allDay = 0'). ' WHERE event_id = '.$frm_submitted['event_id'];

```

In insertRepeatingEvent()

```

$str_query_r = 'INSERT INTO events ( title, location, description, phone, repeating_event_id, user_id, color,
date_start, time_start, date_end, time_end, allday) VALUES ';

```

```

        foreach($arr_dates as $key=>$date) {
            if($key != 0) {
                $str_query_r .= ',';
            }
            $str_query_r .= '("' . $frm_submitted['title'] . "', '
                ' . $frm_submitted['location'] . "', '
                ' . $frm_submitted['description'] . "', '
                ' . $frm_submitted['phone'] . "', '
                $int_rep_event_id . ',
                $_SESSION['calendar-uid']['uid'] . ',
                ' . $frm_submitted['color'] . "', '
                ' . $date . "', '
                ' . date('H:i:s', $frm_submitted['date_start']) . "', '
                ' . $date . "', '
                ' . date('H:i:s', $frm_submitted['date_end']) . ')"
                ((date('H:i:s', $frm_submitted['date_start']) == '00:00:00' &&
date('H:i:s', $frm_submitted['date_end']) == '00:00:00') || $frm_submitted['allDay'] == 1 ? ',1' : ',0').');
        }

```

In updateRepeatingEvent()

```

// update events
$str_update_events_query = 'UPDATE `events` SET title = "'.$frm_submitted['title'].'", '
        . "`location` = "'.$frm_submitted['location'].'", '
        . "`description` = "'.$frm_submitted['description'].'", '
        . "`phone` = "'.$frm_submitted['phone'].'", '
        . "`time_start` = ".date('H:i:s', $frm_submitted['date_start']).", '
        . "`time_end` = ".date('H:i:s', $frm_submitted['date_end']).", '
        . "`allDay` = '.(date('H:i:s', $frm_submitted['date_start']) == '00:00:00' &&
date('H:i:s', $frm_submitted['date_end']) == '00:00:00' ? '1' : '0' ).
        ' WHERE `repeating_event_id` = ' . $frm_submitted['rep_event_id'];
$res = mysqli_query($obj_db, $str_update_events_query);

```