


Home Assignment 1:


Practice the Code Reviewer Agent, Langflow API, and Input Schema.

Code Reviewer Agent

While practicing I have added Text Output in Langflow



OUTPUT



****Code Review Summary****

Parameter Scores

Parameter	Description	Score (out of 20)
Code Readability	Clear naming conventions and indentation; lacks comments and documentation.	17
Code Efficiency	Simple Selenium usage; no major inefficiencies observed.	18

Error Handling	No try-catch blocks; potential exceptions not handled.	8
Maintainability	Class is minimal but not modularized for future extensions.	15
Best Practices & Standards	Lacks input validation, logging, and unit tests; uses deprecated imports.	12

Overall Score: 70 / 100

Improvement Areas:

1. ****Add comments and JavaDoc documentation****: Include explanations for complex logic and method purposes.
2. ****Implement try-catch blocks for exception handling****: Handle potential Selenium exceptions and provide meaningful error messages.
3. ****Introduce logging****: Use a logging framework (e.g., Log4j) to track important events and errors.
4. ****Modularize the class****: Break down the class into smaller, reusable methods for better maintainability.
5. ****Use up-to-date imports and dependencies****: Remove deprecated imports and ensure dependencies are current.

Summary:

The code functions correctly but lacks robustness, documentation, and adherence to best practices. Minor improvements can enhance production readiness and maintainability.

Detailed Review

Code Readability (17/20)

- * Clear naming conventions and indentation.
- * Lacks comments and JavaDoc documentation.

Code Efficiency (18/20)

- * Simple Selenium usage; no major inefficiencies observed.
- * Consider using a more efficient locator strategy.

Error Handling (8/20)

- * No try-catch blocks; potential exceptions not handled.
- * Consider adding try-catch blocks for Selenium exceptions.

Maintainability (15/20)

- * Class is minimal but not modularized for future extensions.
- * Consider breaking down the class into smaller, reusable methods.

Best Practices & Standards (12/20)

- * Lacks input validation, logging, and unit tests.
- * Uses deprecated imports; consider updating dependencies.

Code Refactoring Suggestions

```
```java
package org.testleaf.week5.day1;

import java.time.Duration;
import java.util.logging.Logger;

import org.openqa.selenium.By;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;

/**
 * LearnNestedFrame class.
 */
public class LearnNestedFrame {

 private static final Logger LOGGER = Logger.getLogger(LearnNestedFrame.class.getName());

 public static void main(String[] args) {
 // Launch the browser
 ChromeDriver driver = new ChromeDriver();
```

```

try {
 // Load the URL
 driver.get("https://leafground.com/frame.xhtml");

 // Maximize the browser
 driver.manage().window().maximize();

 // Add implicit wait
 driver.manage().timeouts().implicitlyWait(Duration.ofSeconds(15));

 // Switch inside the outer frame
 WebElement outerFrame = driver.findElement(By.xpath("//h5[text()=' Click Me (Inside Nested
frame)]/following-sibling::iframe"));
 driver.switchTo().frame(outerFrame);

 // Switch inside the inner frame
 driver.switchTo().frame(0);

 // Click the button
 WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));
 wait.until(ExpectedConditions.elementToBeClickable(By.id("Click")));
 driver.findElement(By.id("Click")).click();

 // Switch to the main page
 driver.switchTo().defaultContent();


 // Switch back to the immediate parent frame
 driver.switchTo().parentFrame();
} catch (Exception e) {
 LOGGER.severe("Error occurred: " + e.getMessage());
} finally {
 // Close the browser
 driver.quit();
}
}
}

```


Note: The refactored code includes basic exception handling, logging, and improved code structure. However, further improvements can be made to enhance maintainability, readability, and adherence to best practices.

# Langflow API, and Input Schema for Testcase Generator


Open TestCase Generator Langflow → click “Share” → Click “API Access”




## Created the LangFlow API KEY




Copied the Langflow API URL :



Changed the URL and added x-api-key in Postman



Added the payload and input value in PostMan




```

{
 "output_type": "chat",
 "input_type": "chat",
 "input_value": "generate the testcases for Personal Loan Request"
}

```

## Output had been Generated

Testcases had been generated for Personal Loan Request



```

{
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "outputs": [
 {
 "inputs": {
 "input_value": "generate the testcases for Personal Loan Request"
 },
 "outputs": [
 {
 "results": {
 "message": f
 }
 }
]
 }
]
}

```

```

"inputs": {
 "input_value": "generate the testcases for Personal Loan Request"
},
"outputs": [
 {
 "results": {
 "message": {
 "text_key": "text",
 "data": {
 "timestamp": "2026-05-09 13:25:12 UTC",
 "sender": "Machine",
 "sender_name": "AI",
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "context_id": "",
 "text": "Test Case ID: TC_PL_001 \nTitle: Successful personal loan application\nwithin eligibility criteria \nPreconditions: User is logged in; user profile meets minimum income and credit score requirements; required documents uploaded. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter loan amount within allowed range (e.g., $15,000). \n4. Select loan tenure (e.g., 36 months). \n5. Review pre-filled personal and employment details. \n6. Submit the application. \n7. Receive OTP on registered mobile, enter OTP and confirm. \nExpected Result: Application is accepted, loan eligibility is confirmed, and a confirmation screen with application reference number is displayed. \n\nTest Case ID: TC_PL_002 \nTitle: Application rejected due to income below minimum threshold \nPreconditions: User is logged in; user's reported monthly income is below the minimum required for any loan amount. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter desired loan amount (e.g., $5,000). \n4. Enter monthly income value below the minimum threshold (e.g., $800). \n5. Submit the application. \nExpected Result: System displays a validation error message stating \"Income does not meet the minimum eligibility criteria for the requested loan amount.\" and prevents further processing. \n\nTest Case ID: TC_PL_003 \nTitle: Loan amount exceeds maximum permissible limit for the applicant's profile (boundary condition) \nPreconditions: User is logged in; user's credit score and income qualify for a maximum loan amount of $20,000. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter loan amount exceeding the maximum allowed (e.g., $25,000). \n4. Enter valid tenure and other required details. \n5. Submit the application. \nExpected Result: System shows an error message \"Requested amount exceeds the maximum limit of $20,000 for your profile.\" and does not proceed to OTP verification. \n\nTest Case ID: TC_PL_004 \nTitle: OTP verification failure during loan application submission \nPreconditions: User is logged in; all application details are valid; OTP service is operational. \nSteps: \n1. Complete loan application form with valid data. \n2. Submit the application. \n3. Receive OTP on registered mobile. \n4. Enter an incorrect OTP (e.g., modify one digit). \n5. Attempt to confirm the application. \nExpected Result: System displays \"Invalid OTP. Please try again.\" and allows the user up to three attempts; after three failed attempts, the application process is aborted and the user is returned to the application start page. \n\nTest Case ID: TC_PL_005 \nTitle: System error during external credit bureau check (failure handling) \nPreconditions: User is logged in; all input data are valid; credit bureau service is temporarily unavailable. \nSteps: \n1. Fill out and submit a personal loan application with valid details. \n2. System initiates credit check with external bureau. \n3. Credit bureau service returns an error/timeout. \nExpected Result: System shows a user-friendly error message \"Unable to complete credit verification at this time. Please try again later.\" and logs the error for support; the application is not processed further and no loan is approved.",
 }
 },
 "files": [],
 "error": false,
 "edit": false,
 "properties": {
 "text_color": null,
 "background_color": null,
 "edited": false,
 "source": {
 "id": "GroqModel-07qlm",
 "display_name": "Groq",
 "source": "openai/gpt-oss-120b"
 }
 },
 "icon": null,
 "allow_markdown": false,
 "positive_feedback": null,
 "state": "complete",
 "targets": [],
 "usage": {
 "input_tokens": 573,
 "output_tokens": 890,
 "total_tokens": 1463
 },
 "build_duration": null
 },
 "category": "message",
 "content_blocks": [],
 "id": "2025261b-7195-40d9-8b44-7a5cc7d567a4",
 }
]

```

```

 "flow_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "duration": null
 },
 "default_value": "",
 "text": "Test Case ID: TC_PL_001 \nTitle: Successful personal loan application\nwithin eligibility criteria \nPreconditions: User is logged in; user profile meets minimum income and credit score requirements; required documents uploaded. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter loan amount within allowed range (e.g., $15,000). \n4. Select loan tenure (e.g., 36 months). \n5. Review pre-filled personal and employment details. \n6. Submit the application. \n7. Receive OTP on registered mobile, enter OTP and confirm. \nExpected Result: Application is accepted, loan eligibility is confirmed, and a confirmation screen with application reference number is displayed. \n\nTest Case ID: TC_PL_002 \nTitle: Application rejected due to income below minimum threshold \nPreconditions: User is logged in; user's reported monthly income is below the minimum required for any loan amount. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter desired loan amount (e.g., $5,000). \n4. Enter monthly income value below the minimum threshold (e.g., $800). \n5. Submit the application. \nExpected Result: System displays a validation error message stating \"Income does not meet the minimum eligibility criteria for the requested loan amount.\" and prevents further processing. \n\nTest Case ID: TC_PL_003 \nTitle: Loan amount exceeds maximum permissible limit for the applicant's profile (boundary condition) \nPreconditions: User is logged in; user's credit score and income qualify for a maximum loan amount of $20,000. \nSteps: \n1. Navigate to \"Personal Loan\" section. \n2. Select \"Apply Now\". \n3. Enter loan amount exceeding the maximum allowed (e.g., $25,000). \n4. Enter valid tenure and other required details. \n5. Submit the application. \nExpected Result: System shows an error message \"Requested amount exceeds the maximum limit of $20,000 for your profile.\" and does not proceed to OTP verification. \n\nTest Case ID: TC_PL_004 \nTitle: OTP verification failure during loan application submission \nPreconditions: User is logged in; all application details are valid; OTP service is operational. \nSteps: \n1. Complete loan application form with valid data. \n2. Submit the application. \n3. Receive OTP on registered mobile. \n4. Enter an incorrect OTP (e.g., modify one digit). \n5. Attempt to confirm the application. \nExpected Result: System displays \"Invalid OTP. Please try again.\" and allows the user up to three attempts; after three failed attempts, the application process is aborted and the user is returned to the application start page. \n\nTest Case ID: TC_PL_005 \nTitle: System error during external credit bureau check (failure handling) \nPreconditions: User is logged in; all input data are valid; credit bureau service is temporarily unavailable. \nSteps: \n1. Fill out and submit a personal loan application with valid details. \n2. System initiates credit check with external bureau. \n3. Credit bureau service returns an error/timeout. \nExpected Result: System shows a user-friendly error message \"Unable to complete credit verification at this time. Please try again later.\" and logs the error for support; the application is not processed further and no loan is approved.",
 "sender": "Machine",
 "sender_name": "AI",
 "files": [],
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "context_id": "",
 "timestamp": "2026-05-09T13:25:12+00:00",
 "flow_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "error": false,
 "edit": false,
 "properties": {
 "text_color": null,
 "background_color": null,
 "edited": false,
 "source": {
 "id": "GroqModel-07qlm",
 "display_name": "Groq",
 "source": "openai/gpt-oss-120b"
 }
 },
 "icon": null,
 "allow_markdown": false,
 "positive_feedback": null,
 "state": "complete",
 "targets": [],
 "usage": {
 "input_tokens": 573,
 "output_tokens": 890,
 "total_tokens": 1463
 },
 "build_duration": null
},
"category": "message",
"content_blocks": [],
"duration": null
}
},
"artifacts": {

```



"message": "Test Case ID: TC\_PL\_001 \n\nTitle: Successful personal loan application within eligibility criteria \n\nPreconditions: User is logged in; user profile meets minimum income and credit score requirements; required documents uploaded. \n\nSteps: \n\n1. Navigate to "Personal Loan" section. \n\n2. Select "Apply Now". \n\n3. Enter loan amount within allowed range (e.g., \$15,000). \n\n4. Select loan tenure (e.g., 36 months). \n\n5. Review pre-filled personal and employment details. \n\n6. Submit the application. \n\n7. Receive OTP on registered mobile, enter OTP and confirm. \n\nExpected Result: Application is accepted, loan eligibility is confirmed, and a confirmation screen with application reference number is displayed. \n\nTest Case ID: TC\_PL\_002 \n\nTitle: Application rejected due to income below minimum threshold \n\nPreconditions: User is logged in; user's reported monthly income is below the minimum required for any loan amount. \n\nSteps: \n\n1. Navigate to "Personal Loan" section. \n\n2. Select "Apply Now". \n\n3. Enter desired loan amount (e.g., \$5,000). \n\n4. Enter monthly income value below the minimum threshold (e.g., \$800). \n\n5. Submit the application. \n\nExpected Result: System displays a validation error message stating "Income does not meet the minimum eligibility criteria for the requested loan amount." and prevents further processing. \n\nTest Case ID: TC\_PL\_003 \n\nTitle: Loan amount exceeds maximum permissible limit for the applicant's profile (boundary condition) \n\nPreconditions: User is logged in; user's credit score and income qualify for a maximum loan amount of \$20,000. \n\nSteps: \n\n1. Navigate to "Personal Loan" section. \n\n2. Select "Apply Now". \n\n3. Enter loan amount exceeding the maximum allowed (e.g., \$25,000). \n\n4. Enter valid tenure and other required details. \n\n5. Submit the application. \n\nExpected Result: System shows an error message "Requested amount exceeds the maximum limit of \$20,000 for your profile." and does not proceed to OTP verification. \n\nTest Case ID: TC\_PL\_004 \n\nTitle: OTP verification failure during loan application submission \n\nPreconditions: User is logged in; all application details are valid; OTP service is operational. \n\nSteps: \n\n1. Complete loan application form with valid data. \n\n2. Submit the application. \n\n3. Receive OTP on registered mobile. \n\n4. Enter an incorrect OTP (e.g., modify one digit). \n\n5. Attempt to confirm the application. \n\nExpected Result: System displays "Invalid OTP. Please try again." and allows the user up to three attempts; after three failed attempts, the application process is aborted and the user is returned to the application start page. \n\nTest Case ID: TC\_PL\_005 \n\nTitle: System error during external credit bureau check (failure handling) \n\nPreconditions: User is logged in; all input data are valid; credit bureau service is temporarily unavailable. \n\nSteps: \n\n1. Fill out and submit a personal loan application with valid details. \n\n2. System initiates credit check with external bureau. \n\n3. Credit bureau service returns an error/timeout. \n\nExpected Result: System shows a user-friendly error message "Unable to complete credit verification at this time. Please try again later." and logs the error for support; the application is not processed further and no loan is approved."

"sender": "Machine",  
"sender\_name": "AI",  
"files": [],  
"type": "object"

},  
"outputs": {  
"message": {


"message": "Test Case ID: TC\_PL\_001 \nTitle: Successful personal loan application within eligibility criteria \nPreconditions: User is logged in; user profile meets minimum income and credit score requirements; required documents uploaded. \nSteps: \n1. Navigate to "Personal Loan" section. \n2. Select "Apply Now". \n3. Enter loan amount within allowed range (e.g., \$15,000). \n4. Select loan tenure (e.g., 36 months). \n5. Review pre-filled personal and employment details. \n6. Submit the application. \n7. Receive OTP on registered mobile, enter OTP and confirm. \nExpected Result: Application is accepted, loan eligibility is confirmed, and a confirmation screen with application reference number is displayed. \nTest Case ID: TC\_PL\_002 \nTitle: Application rejected due to income below minimum threshold \nPreconditions: User is logged in; user's reported monthly income is below the minimum required for any loan amount. \nSteps: \n1. Navigate to "Personal Loan" section. \n2. Select "Apply Now". \n3. Enter desired loan amount (e.g., \$5,000). \n4. Enter monthly income value below the minimum threshold (e.g., \$800). \n5. Submit the application. \nExpected Result: System displays a validation error message stating "Income does not meet the minimum eligibility criteria for the requested loan amount." and prevents further processing. \nTest Case ID: TC\_PL\_003 \nTitle: Loan amount exceeds maximum permissible limit for the applicant's profile (boundary condition) \nPreconditions: User is logged in; user's credit score and income qualify for a maximum loan amount of \$20,000. \nSteps: \n1. Navigate to "Personal Loan" section. \n2. Select "Apply Now". \n3. Enter loan amount exceeding the maximum allowed (e.g., \$25,000). \n4. Enter valid tenure and other required details. \n5. Submit the application. \nExpected Result: System shows an error message "Requested amount exceeds the maximum limit of \$20,000 for your profile." and does not proceed to OTP verification. \nTest Case ID: TC\_PL\_004 \nTitle: OTP verification failure during loan application submission \nPreconditions: User is logged in; all application details are valid; OTP service is operational. \nSteps: \n1. Complete loan application form with valid data. \n2. Submit the application. \n3. Receive OTP on registered mobile. \n4. Enter an incorrect OTP (e.g., modify one digit). \n5. Attempt to confirm the application. \nExpected Result: System displays "Invalid OTP. Please try again." and allows the user up to three attempts; after three failed attempts, the application process is aborted and the user is returned to the application start page. \nTest Case ID: TC\_PL\_005 \nTitle: System error during external credit bureau check (failure handling) \nPreconditions: User is logged in; all input data are valid; credit bureau service is temporarily unavailable. \nSteps: \n1. Fill out and submit a personal loan application with valid details. \n2. System initiates credit check with external bureau. \n3. Credit bureau service returns an error/timeout. \nExpected Result: System shows a user-friendly error message "Unable to complete

credit verification at this time. Please try again later.” and logs the error for support; the application is not processed further and no loan is approved.”,


```
 "type": "text"
 }
 "logs": {
 "message": []
 },
 "messages": [
 {
 "message": "Test Case ID: TC_PL_001 \n\nTitle: Successful personal loan application within eligibility criteria \n\nPreconditions: User is logged in; user profile meets minimum income and credit score requirements; required documents uploaded. \n\nSteps: \n\n1. Navigate to 'Personal Loan' section. \n\n2. Select 'Apply Now'. \n\n3. Enter loan amount within allowed range (e.g., $15,000). \n\n4. Select loan tenure (e.g., 36 months). \n\n5. Review pre-filled personal and employment details. \n\n6. Submit the application. \n\n7. Receive OTP on registered mobile, enter OTP and confirm. \n\nExpected Result: Application is accepted, loan eligibility is confirmed, and a confirmation screen with application reference number is displayed. \n\nTest Case ID: TC_PL_002 \n\nTitle: Application rejected due to income below minimum threshold \n\nPreconditions: User is logged in; user's reported monthly income is below the minimum required for any loan amount. \n\nSteps: \n\n1. Navigate to 'Personal Loan' section. \n\n2. Select 'Apply Now'. \n\n3. Enter desired loan amount (e.g., $5,000). \n\n4. Enter monthly income value below the minimum threshold (e.g., $800). \n\n5. Submit the application. \n\nExpected Result: System displays a validation error message stating 'Income does not meet the minimum eligibility criteria for the requested loan amount.' and prevents further processing. \n\nTest Case ID: TC_PL_003 \n\nTitle: Loan amount exceeds maximum permissible limit for the applicant's profile (boundary condition) \n\nPreconditions: User is logged in; user's credit score and income qualify for a maximum loan amount of $20,000. \n\nSteps: \n\n1. Navigate to 'Personal Loan' section. \n\n2. Select 'Apply Now'. \n\n3. Enter loan amount exceeding the maximum allowed (e.g., $25,000). \n\n4. Enter valid tenure and other required details. \n\n5. Submit the application. \n\nExpected Result: System shows an error message 'Requested amount exceeds the maximum limit of $20,000 for your profile.' and does not proceed to OTP verification. \n\nTest Case ID: TC_PL_004 \n\nTitle: OTP verification failure during loan application submission \n\nPreconditions: User is logged in; all application details are valid; OTP service is operational. \n\nSteps: \n\n1. Complete loan application form with valid data. \n\n2. Submit the application. \n\n3. Receive OTP on registered mobile. \n\n4. Enter an incorrect OTP (e.g., modify one digit). \n\n5. Attempt to confirm the application. \n\nExpected Result: System displays 'Invalid OTP. Please try again.' and allows the user up to three attempts; after three failed attempts, the application process is aborted and the user is returned to the application start page. \n\nTest Case ID: TC_PL_005 \n\nTitle: System error during external credit bureau check (failure handling) \n\nPreconditions: User is logged in; all input data are valid; credit bureau service is temporarily unavailable. \n\nSteps: \n\n1. Fill out and submit a personal loan application with valid details. \n\n2. System initiates credit check with external bureau. \n\n3. Credit bureau service returns an error/timeout. \n\nExpected Result: System shows a user-friendly error message 'Unable to complete credit verification at this time. Please try again later.' and logs the error for support; the application is not processed further and no loan is approved.",
 "sender": "Machine",
 "sender_name": "AI",
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "stream_url": null,
 "component_id": "ChatOutput-MWGs5",
 "files": [],
 "type": "text"
 }
],
 "timedelta": null,
 "duration": null,
 "component_display_name": "Chat Output",
 "component_id": "ChatOutput-MWGs5",
 "used_frozen_result": false
}
}
```

# INPUT SCHEMA


## Added the EndPoint Name



## I have exposed "Temperature" and "Model" in Input Schema Page



## Now the Url and modified Payload is displayed



url = "http://localhost:7860/api/v1/run/Priyanka\_TCGenerator" # The complete API endpoint URL for this flow

7

8# Request payload configuration

9payload = {

10 "output\_type": "chat",

11 "input\_type": "chat",

12 "input\_value": "hello world!",

13 "tweaks": {

14 "GroqModel-07qlm": {

15 "model\_name": "openai/gpt-oss-120b",


16 "temperature": 0.1

17 }


18 }

19}


**Paste the new EndPoint name and new request Payload in Postman and generate the result**




```
{
 "output_type": "chat",
 "input_type": "chat",
 "input_value": "generate the testcases for fund transfer",
 "tweaks": {
 "GroqModel-07qIm": {
 "model_name": "openai/gpt-oss-120b",
 "temperature": 0.1
 }
 }
}
```



**Change the Temperature to 0.5 and check the result**



## Output had been generated



```
{
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "outputs": [
 {
 "inputs": {
 "input_value": "generate the testcases for fund transfer"
 },
 "outputs": [
 {
 "results": {
 "message": {
```

```
"text_key": "text",
"data": {
 "timestamp": "2026-05-09 13:47:23 UTC",
 "sender": "Machine",
 "sender_name": "AI",
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "context_id": "",
 "text": "Test Case ID: TC_FT_001\nTitle: Successful fund
```

transfer within daily limit\nPreconditions: User is logged in; account is active with sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount that is within the daily transfer limit.\n4. Click "Continue".\n5. Enter the correct OTP received on the registered device.\n6. Click "Confirm".\nExpected Result: Transfer completes successfully, a confirmation screen with transaction reference is displayed, and the account balance is reduced by the transferred amount.\n\nTest Case ID: TC\_FT\_002\nTitle: Transfer amount exceeds daily limit\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount greater than the daily transfer limit.\n4. Click "Continue".\n5. Observe the system response.\nExpected Result: System displays an error message "Amount exceeds daily transfer limit" and prevents proceeding to OTP entry; no funds are debited.\n\nTest Case ID: TC\_FT\_003\nTitle: Transfer fails due to insufficient account balance\nPreconditions: User is logged in; account balance is lower than the intended transfer amount; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount greater than the available account balance.\n4. Click "Continue".\n5. Observe the system response.\nExpected Result: System displays an error message "Insufficient funds" and halts the transaction; no OTP is requested and balance remains unchanged.\n\nTest Case ID: TC\_FT\_004\nTitle: OTP validation failure during fund transfer\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter a valid amount within limits.\n4. Click "Continue".\n5. Enter an incorrect OTP.\n6. Click "Confirm".\nExpected Result: System shows an error "Invalid OTP"; transaction is not completed; user is allowed to retry OTP entry without re-entering transfer details.\n\nTest Case ID: TC\_FT\_005\nTitle: Network timeout after OTP entry\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter a valid amount within limits.\n4. Click "Continue".\n5. Enter the correct OTP.\n6. Simulate a network interruption before the final confirmation response.\nExpected Result: System displays "Transaction could not be completed due to network error"; the transaction is rolled back, no funds are deducted, and the user can retry the transfer."

```
"files": [],
"error": false,
"edit": false,
"properties": {
 "text_color": null,
 "background_color": null,
 "edited": false,
 "source": {
 "id": "GroqModel-07qlm",
 "display_name": "Groq",
 "source": "openai/gpt-oss-120b"
 },
 "icon": null,
 "allow_markdown": false,
 "positive_feedback": null,
 "state": "complete",
```



```

 "targets": [],
 "usage": {
 "input_tokens": 572,
 "output_tokens": 1028,
 "total_tokens": 1600
 },
 "build_duration": null
 },
 "category": "message",
 "content_blocks": [],
 "id": "2fc111d6-a1c5-4ec5-bdee-65043b7919fa",
 "flow_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "duration": null
},
"default_value": "",

```

**"text": "Test Case ID: TC\_FT\_001\nTitle: Successful fund transfer within daily limit\nPreconditions: User is logged in; account is active with sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount that is within the daily transfer limit.\n4. Click "Continue".\n5. Enter the correct OTP received on the registered device.\n6. Click "Confirm".\nExpected Result: Transfer completes successfully, a confirmation screen with transaction reference is displayed, and the account balance is reduced by the transferred amount.\n\nTest Case ID: TC\_FT\_002\nTitle: Transfer amount exceeds daily limit\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount greater than the daily transfer limit.\n4. Click "Continue".\n5. Observe the system response.\nExpected Result: System displays an error message "Amount exceeds daily transfer limit" and prevents proceeding to OTP entry; no funds are debited.\n\nTest Case ID: TC\_FT\_003\nTitle: Transfer fails due to insufficient account balance\nPreconditions: User is logged in; account balance is lower than the intended transfer amount; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter an amount greater than the available account balance.\n4. Click "Continue".\n5. Observe the system response.\nExpected Result: System displays an error message "Insufficient funds" and halts the transaction; no OTP is requested and balance remains unchanged.\n\nTest Case ID: TC\_FT\_004\nTitle: OTP validation failure during fund transfer\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter a valid amount within limits.\n4. Click "Continue".\n5. Enter an incorrect OTP.\n6. Click "Confirm".\nExpected Result: System shows an error "Invalid OTP"; transaction is not completed; user is allowed to retry OTP entry without re-entering transfer details.\n\nTest Case ID: TC\_FT\_005\nTitle: Network timeout after OTP entry\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter a valid amount within limits.\n4. Click "Continue".\n5. Enter the correct OTP.\n6. Simulate a network interruption before the final confirmation response.\nExpected Result: System displays "Transaction could not be completed due to network error"; the transaction is rolled back, no funds are deducted, and the user can retry the transfer."**

```

 "sender": "Machine",
 "sender_name": "AI",
 "files": [],
 "session_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "context_id": "",
 "timestamp": "2026-05-09T13:47:23+00:00",
 "flow_id": "c328d01d-f9a2-437f-ba68-b8734be853fe",
 "error": false,

```

```

"edit": false,
"properties": {
 "text_color": null,
 "background_color": null,
 "edited": false,
 "source": {
 "id": "GroqModel-07qlm",
 "display_name": "Groq",
 "source": "openai/gpt-oss-120b"
 },
 "icon": null,
 "allow_markdown": false,
 "positive_feedback": null,
 "state": "complete",
 "targets": [],
 "usage": {
 "input_tokens": 572,
 "output_tokens": 1028,
 "total_tokens": 1600
 },
 "build_duration": null
},
"category": "message",
"content_blocks": [],
"duration": null
}
},
"artifacts": {

```

"message": "Test Case ID: TC\_FT\_001\n\nTitle: Successful fund transfer within daily limit\n\nPreconditions: User is logged in; account is active with sufficient balance; beneficiary is saved; OTP device is registered.\n\nSteps:\n\n1. Navigate to the Fund Transfer page.\n\n2. Select the saved beneficiary.\n\n3. Enter an amount that is within the daily transfer limit.\n\n4. Click "Continue".\n\n5. Enter the correct OTP received on the registered device.\n\n6. Click "Confirm".\n\nExpected Result: Transfer completes successfully, a confirmation screen with transaction reference is displayed, and the account balance is reduced by the transferred amount.\n\nTest Case ID: TC\_FT\_002\n\nTitle: Transfer amount exceeds daily limit\n\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\n\nSteps:\n\n1. Navigate to the Fund Transfer page.\n\n2. Select the saved beneficiary.\n\n3. Enter an amount greater than the daily transfer limit.\n\n4. Click "Continue".\n\n5. Observe the system response.\n\nExpected Result: System displays an error message "Amount exceeds daily transfer limit" and prevents proceeding to OTP entry; no funds are debited.\n\nTest Case ID: TC\_FT\_003\n\nTitle: Transfer fails due to insufficient account balance\n\nPreconditions: User is logged in; account balance is lower than the intended transfer amount; beneficiary is saved; OTP device is registered.\n\nSteps:\n\n1. Navigate to the Fund Transfer page.\n\n2. Select the saved beneficiary.\n\n3. Enter an amount greater than the available account balance.\n\n4. Click "Continue".\n\n5. Observe the system response.\n\nExpected Result: System displays an error message "Insufficient funds" and halts the transaction; no OTP is requested and balance remains unchanged.\n\nTest Case ID: TC\_FT\_004\n\nTitle: OTP validation failure during fund transfer\n\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\n\nSteps:\n\n1. Navigate to the Fund Transfer page.\n\n2. Select the saved beneficiary.\n\n3. Enter a valid amount within limits.\n\n4. Click "Continue".\n\n5. Enter an incorrect OTP.\n\n6. Click "Confirm".\n\nExpected Result: System shows an error "Invalid OTP"; transaction is not completed; user is allowed to retry OTP entry without re-entering transfer details.\n\nTest Case ID: TC\_FT\_005\n\nTitle: Network timeout after OTP entry\n\nPreconditions: User is logged in; account has sufficient balance; beneficiary is saved; OTP device is registered.\n\nSteps:\n\n1. Navigate to the Fund Transfer page.\n\n2. Select the

saved beneficiary.\n\n3. Enter a valid amount within limits.\n\n4. Click "Continue".\n\n5. Enter the correct OTP.\n\n6. Simulate a network interruption before the final confirmation response.\n\nExpected Result: System displays "Transaction could not be completed due to network error"; the transaction is rolled back, no funds are deducted, and the user can retry the transfer.",

```

 "sender": "Machine",
 "sender_name": "AI",
 "files": [],
 "type": "object"
 },

```

```

 "outputs": {
 "message": {
 "message": "Test Case ID: TC_FT_001\nTitle: Successful fund
transfer within daily limit\nPreconditions: User is logged in; account is active
with sufficient balance; beneficiary is saved; OTP device is
registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the
saved beneficiary.\n3. Enter an amount that is within the daily transfer limit.\n4.
Click "Continue".\n5. Enter the correct OTP received on the registered
device.\n6. Click "Confirm".\nExpected Result: Transfer completes
successfully, a confirmation screen with transaction reference is displayed,
and the account balance is reduced by the transferred amount.\n\nTest Case
ID: TC_FT_002\nTitle: Transfer amount exceeds daily limit\nPreconditions:
User is logged in; account has sufficient balance; beneficiary is saved; OTP
device is registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select
the saved beneficiary.\n3. Enter an amount greater than the daily transfer
limit.\n4. Click "Continue".\n5. Observe the system response.\nExpected
Result: System displays an error message "Amount exceeds daily transfer
limit" and prevents proceeding to OTP entry; no funds are debited.\n\nTest
Case ID: TC_FT_003\nTitle: Transfer fails due to insufficient account
balance\nPreconditions: User is logged in; account balance is lower than the
intended transfer amount; beneficiary is saved; OTP device is
registered.\nSteps:\n1. Navigate to the Fund Transfer page.\n2. Select the
saved beneficiary.\n3. Enter an amount greater than the available account
balance.\n4. Click "Continue".\n5. Observe the system response.\nExpected
Result: System displays an error message "Insufficient funds" and halts the
transaction; no OTP is requested and balance remains unchanged.\n\nTest
Case ID: TC_FT_004\nTitle: OTP validation failure during fund
transfer\nPreconditions: User is logged in; account has sufficient balance;
beneficiary is saved; OTP device is registered.\nSteps:\n1. Navigate to the
Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter a valid amount
within limits.\n4. Click "Continue".\n5. Enter an incorrect OTP.\n6. Click
"Confirm".\nExpected Result: System shows an error "Invalid OTP";
transaction is not completed; user is allowed to retry OTP entry without
re-entering transfer details.\n\nTest Case ID: TC_FT_005\nTitle: Network
timeout after OTP entry\nPreconditions: User is logged in; account has
sufficient balance; beneficiary is saved; OTP device is registered.\nSteps:\n1.
Navigate to the Fund Transfer page.\n2. Select the saved beneficiary.\n3. Enter
a valid amount within limits.\n4. Click "Continue".\n5. Enter the correct
OTP.\n6. Simulate a network interruption before the final confirmation
response.\nExpected Result: System displays "Transaction could not be
completed due to network error"; the transaction is rolled back, no funds are
deducted, and the user can retry the transfer.",

```

```

 "type": "text"
 }

```

```

 },
 "logs": {
 "message": []
 },

```

```

 "messages": [
 {

```

```

 "message": "Test Case ID: TC_FT_001\n\nTitle: Successful
fund transfer within daily limit\n\nPreconditions: User is logged in; account is
active with sufficient balance; beneficiary is saved; OTP device is

```

