



Swagger API Front End


Added the .md file and provided the prompt




Implementation of Phase 1 - Project Setup & Core Infrastructure is completed





validation steps




UI had opened and able to see Dashboard/Specs/Environments/Execute/Reports/Test Generation/settings






Implementation for Phase 2 – Spec Management Module





Implementation done for Phase 2




validation


Uploading the server file path




Proceeding to implement Web Phase 3 — Environment Configuration Module




Implementation is done




validating





creating environment






Edit








Delete




duplicate







Proceed to Web Phase 4 — Test Execution Workflow



implementation done for Phase 4



validating



Swagger AI Agent x + Ask Gemini

localhost:5173/execution

Swagger AI Agent

Dashboard
Specs
Environments
Execute
Reports
Test Generation
Settings

Swagger AI Agent
Execution

Execute Tests
Plan and run API tests against an environment.

Sample Customer API (v1.0.0)

Plan a Test Run
Choose an environment and what to run, then preview the plan before executing.

Environment
Dev -- https://api.example.com

What to run

Full Spec By Tag(s) Single Operation

Create Plan

Activate Windows
Go to Settings to activate Windows.

Type here to search

Hot days ahead

ENG 22:13 11-07-2026

Swagger AI Agent x + Ask Gemini

localhost:5173/execution

Swagger AI Agent

Dashboard
Specs
Environments
Execute
Reports
Test Generation
Settings

Swagger AI Agent
Execution

Execute Tests
Plan and run API tests against an environment.

Sample Customer API (v1.0.0)

Plan Ready
Run run-181f151c-529d-4380-88ce-7908c2089954 against Dev

2 Operations 4 Tests

Change Selection Run Now



Activate Windows
Go to Settings to activate Windows.

Type here to search


Hot days ahead

ENG 22:13 11-07-2026


run by tags





Proceed to Web Phase 5 — Reports & Analytics



implementation done for Phase 5



validation



Swagger AI Agent x + Ask Gemini

localhost:5173/reports

Swagger AI Agent Reports

Run history and analytics -- tracked locally in this browser, since the backend has no server-side run history yet.

3 Runs Triggered 9 Tests Executed 0% Overall Success Rate

Clear History

Sample Customer API Dev
run-14930ba2-4d66-4d93-bf3a-9d5cb1858836
7/11/2026, 10:36:02 PM

Sample Customer API Dev
run-5564c38f-1e14-4ba9-8988-1e30bc515c125
7/11/2026, 10:35:51 PM

Sample Customer API Dev
run-85d9d55a-cf3b-481c-b60e-a13e93cd2d57
7/11/2026, 10:35:21 PM

1 Total 0 Passed 0 Failed 1 Errors 0%

4 Total 0 Passed 0 Failed 4 Errors 0%

4 Total 0 Passed 0 Failed 4 Errors 0%

Clear run history?
This removes all locally tracked run history from this browser. It can't be undone, and doesn't affect anything on the server.

Cancel Clear

Activate Windows
Go to Settings to activate Windows.

Type here to search 31°C Mostly clear 22:36 11-07-2026

Swagger AI Agent x + Ask Gemini

localhost:5173/reports

Swagger AI Agent Reports

Run history and analytics -- tracked locally in this browser, since the backend has no server-side run history yet.

No runs yet


Trigger a test run from the Execute page and it'll show up here.

Go to Execute


Activate Windows
Go to Settings to activate Windows.

Type here to search 31°C Mostly clear 22:36 11-07-2026

Proceed to Phase 6 — Test Generation & AI Features



implementation done for Phase 6



validating

Swagger AI Agent

Ask Gemini

localhost:5173/testgen

Swagger AI Agent

Testgen

Test Generation

Generate Jest + Axios test code and sample payloads.

Sample Customer API (v1.0.0)

</> Generate Jest + Axios Tests

Generates ready-to-run test code for Sample Customer API from its operations.

What to run

Full Spec

By Tag(s)

Single Operation

Include

Negative Tests

Auth Tests

Boundary Tests

Preview Full Suite

Generate Tests

Activate Windows

Go to Settings to activate Windows.

Type here to search

31°C Mostly clear

ENG 23:05 11-07-2026

Swagger AI Agent

Ask Gemini

localhost:5173/testgen

Swagger AI Agent

Testgen

Test Generation

Generate Jest + Axios test code and sample payloads.

Sample Customer API (v1.0.0)

</> Generate Jest + Axios Tests

Generates ready-to-run test code for Sample Customer API from its operations.

What to run

Full Spec

By Tag(s)

Single Operation

Include

Negative Tests

Auth Tests

Boundary Tests

Preview Full Suite

Generate Tests

```
1 const axios = require('axios');
2
3 const baseUrl = process.env.BASE_URL || 'https://api.example.com';
4
5 describe('Customers', () => {
6   it('GET /customers - happy-path - expects 200', async () => {
7     const response = await axios.request({
8       method: 'GET',
9       url: `${baseUrl}/customers`,
10      validateStatus: () => true,
11    });
12    expect(response.status).toBe(200);
13  });
14
15   it('POST /customers - happy-path - expects 201', async () => {
16     const response = await axios.request({
17       method: 'POST',
18       url: `${baseUrl}/customers`,
19       data: { 'name': 'test-string' },
20       validateStatus: () => true,
21     });
22     expect(response.status).toBe(201);
23   });
24 });
```

4 test cases generated

GET

listCustomers

/customers

happy-path

expects 200

POST

createCustomer

/customers

happy-path

expects 201

POST

createCustomer

/customers

validation-error

expects 400

POST

createCustomer

/customers

authentication-error

expects 401



Activate Windows


Go to Settings to activate Windows.

Type here to search


31°C Mostly clear

ENG 23:06 11-07-2026







proceed to Web Phase 7 — Mobile Optimization & Polish







implementation of Phase 7 is completed



validation









Testing for Swagger Petstore API



<https://petstore3.swagger.io/api/v3/openapi.json>

Dashboard



petstore spec url had been uploaded





Swagger AI Agent

Ask Gemini

localhost:5173/specs/spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c

Swagger AI Agent

Swagger AI Agent Specs

Swagger Petstore - OpenAPI 3.0
v1.0.27 - /api/v3

pet store user

Operations (19) Tags (3) Environments Normalized Spec

pet (8) store (4) user (7)

Validate Export JSON

Activate Windows
Go to Settings to activate Windows.

Type here to search

30°C Clear

ENG 00:06 12-07-2026

Swagger AI Agent

Ask Gemini

localhost:5173/specs/spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c

Swagger AI Agent

Swagger AI Agent Specs

Swagger Petstore - OpenAPI 3.0
v1.0.27 - /api/v3

pet store user

Operations (19) Tags (3) Environments Normalized Spec

Search by path or summary...

All methods DELETE GET POST PUT

All tags pet store user

DELETE /pet/{petId}
Deletes a pet.

DELETE /store/order/{orderId}
Delete purchase order by identifier.

DELETE /user/{username}
Delete user resource.

Validate Export JSON

Activate Windows
Go to Settings to activate Windows.

Type here to search

30°C Clear

ENG 00:06 12-07-2026

Swagger AI Agent

Ask Gemini

localhost:5173/specs/spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c

Swagger AI Agent

Swagger AI Agent Specs

Swagger Petstore - OpenAPI 3.0

v1.0.27 - /api/v3

pet store user

Operations (19) Tags (3) Environments Normalized Spec

Search by path or summary...

All methods DELETE GET POST PUT

All tags pet store user

GET /pet/findByStatus

Finds Pets by status.

pet

GET /pet/findByTags

Finds Pets by tags.

pet

GET /pet/{petId}

Find pet by ID.

pet

GET /store/inventory

Returns pet inventories by status.

store

GET /store/order/{orderId}

Find purchase order by ID.

store

GET /user/login

Logs user into the system.

user

Activate Windows
Go to Settings to activate Windows.

Type here to search 30°C Clear ENG 00:06 12-07-2026

Swagger AI Agent

Ask Gemini

localhost:5173/specs/spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c

Swagger AI Agent

Swagger AI Agent Specs

Swagger Petstore - OpenAPI 3.0

v1.0.27 - /api/v3

pet store user

Operations (19) Tags (3) Environments Normalized Spec

Search by path or summary...

All methods DELETE GET POST PUT

All tags pet store user

POST /pet

Add a new pet to the store.

pet

POST /pet/{petId}

Updates a pet in the store with form data.

pet

POST /pet/{petId}/uploadImage

Uploads an image.

pet

POST /store/order

Place an order for a pet.

store

POST /user

Create user.

user


POST /user/createWithList

Creates list of users with given input array.


user

Activate Windows
Go to Settings to activate Windows.

Type here to search 30°C Clear ENG 00:07 12-07-2026



clicked validate button



exported them as in JSON format

Swagger AI Agent

Swagger AI Agent Specs

Swagger Petstore - OpenAPI 3.0
v1.0.21 - /api/v3

pet store user

Operations (19) Tags (3) Environments Normalized Spec

Search by path or summary...

All methods DELETE GET POST PUT

All tags pet store user

POST /pet
Add a new pet to the store.

PUT /pet
Update an existing pet.

GET /pet/findByStatus
Finds Pets by status.

GET /pet/findByTags
Finds Pets by tags.

GET /pet/{petId}
Find pet by ID.

POST /pet/{petId}
Updates a pet in the store with form data.

Recent download history

- spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c (1).json
3.8 KB • Done
- spec-fbb6d801-a3f9-4d2e-9e2d-8705337bdb0c.json
3.8 KB • Done
- web-instructions.md
42.5 KB • 15 hours ago
- DeepEval Metrics assignment.pdf
10.9 MB • 15 hours ago
- MCP Assignment.pdf
6.0 MB • 15 hours ago

Full download history

Activate Windows
Go to Settings to activate Windows.

Type here to search

30°C Clear

00:07
12-07-2026

Swagger AI Agent

Swagger AI Agent Specs

pet store user

Operations (19) Tags (3) Environments Normalized Spec

Search by path or summary...

All methods DELETE GET POST PUT

All tags pet store user

POST /pet
Add a new pet to the store.

Operation ID
addPet

Method
POST

Tags
pet

Parameter and request/response schema details aren't exposed by a dedicated API endpoint yet, so they can't be shown here.

Execute Generate Test

PUT /pet
Update an existing pet.

GET /pet/findByStatus
Finds Pets by status.

GET /pet/findByTags
Finds Pets by tags.

GET /pet/{petId}
Find pet by ID.


Activate Windows
Go to Settings to activate Windows.

Type here to search


30°C Clear

00:08
12-07-2026


Clicked Execute button in Specs page itself and it goes to environment page since no environment were available




creating the Dev environment





environment had been created



Going to run by tag





some were passed and some were failed

Swagger AI Agent

localhost:5173/execution

Swagger AI Agent Execution

Execute Tests

Plan and run API tests against an environment.

Swagger Petstore - OpenAPI 3.0 (v1.0.27)

24 Total, 5 Passed, 19 Failed, 0 Errors

21% success rate, New Run, Retry 19 Failed

By Tag, By Method, By Path

pet 5/24 passed 21%

All, Passed, Failed, Errors

- addPet happy-path - expected 200 - got 500 - 1.28s failed
- addPet validation-error - expected 400 - got 500 - 270ms failed
- addPet auth-error - expected 401 - got 500 - 233ms failed
- updatePet happy-path - expected 200 - got 500 - 232ms failed

Activate Windows Go to Settings to activate Windows.

Swagger AI Agent

localhost:5173/execution

Swagger AI Agent Execution

happy-path - expected 200 - got 400 - 250ms

- findPetsByStatus validation-error - expected 400 - got 400 - 250ms passed
- findPetsByStatus auth-error - expected 401 - got 400 - 232ms failed
- findPetsByTags happy-path - expected 200 - got 400 - 277ms failed
- findPetsByTags validation-error - expected 400 - got 400 - 231ms passed
- findPetsByTags auth-error - expected 401 - got 400 - 232ms failed
- getPetById happy-path - expected 200 - got 200 - 293ms passed
- getPetById validation-error - expected 400 - got 405 - 232ms failed
- getPetById auth-error - expected 401 - got 200 - 232ms failed
- updatePetWithForm happy-path - expected 200 - got 400 - 332ms failed
- updatePetWithForm validation-error - expected 400 - got 400 - 691ms passed

Activate Windows Go to Settings to activate Windows.

Now dashboard is loaded with data

Swagger AI Agent

Ask Gemini

localhost:5173

Swagger AI Agent

Dashboard

Dashboard

Overview of your specs and test activity in this browser.

1

Specs Imported

1

Runs Triggered

24

Tests Executed

21%

Overall Success Rate

Manage Specs

Run Tests

View Reports

Recent Runs

Swagger Petstore - OpenAPI 3.0

Dev-Swagger

run-597d16eb-fe35-468c-bfb8-94882a6e30a8

7/12/2026, 12:11:25 AM

24

5

19

0

21%

TotalPassedFailedErrors

Activate Windows

Go to Settings to activate Windows.

Type here to search

NOR - ENG Starting

ENG

00:12

12-07-2026

Now running the full spec

Swagger AI Agent

Ask Gemini

localhost:5173/execution

Swagger AI Agent

Execution

Execute Tests

Plan and run API tests against an environment.

Swagger Petstore - OpenAPI 3.0 (v1.0.27)

Plan a Test Run

Choose an environment and what to run, then preview the plan before executing.

Environment

Dev-Swagger -- https://petstore3.swagger.io/api/v3

What to run

Full Spec

By Tag(s)

Single Operation

Create Plan

Activate Windows

Go to Settings to activate Windows.



Type here to search

FIFA World Cup 2026...

ENG

00:12

12-07-2026



Reports

Swagger AI Agent

Ask Gemini

localhost:5173/reports

Swagger AI Agent

Reports

Run history and analytics -- tracked locally in this browser, since the backend has no server-side run history yet.

1

Runs Triggered

44

Tests Executed

20%

Overall Success Rate

Swagger Petstore - OpenAPI 3.0

development

run-85ece613-8a49-4818-98e4-8d9f9da80916

7/12/2026, 12:30:18 AM

44

9

35

0

20%

Total

Passed

Failed

Errors

Activate Windows
Go to Settings to activate Windows.

Type here to search

Taskbar icons

00:31 12-07-2026

Swagger AI Agent

Ask Gemini

localhost:5173/testgen

Swagger AI Agent

Testgen

Generate Jest + Axios test code and sample payload

Swagger Petstore - OpenAPI 3.0 (v1.0.27)

</> Generate Jest + Axios Tests

Generates ready-to-run test code for Swagger

What to run

Full Spec

Include

Negative Tests

Auth Tests

Bo

Preview Full Suite

Builds a sample request body from an operation's schema -- optionally filled in by the LLM.

Operation

POST

/pet

PUT

/pet

POST

/pet/{petId}

POST

/pet/{petId}/uploadImage

POST

/store/inventory

Mode

Schema only (deterministic sample values)

Hints (optional JSON, used by LLM mode)

[{"tone": "realistic", "locale": "en-US"}]

Build Payload

json

Copy



{ "test":

Activate Windows
Go to Settings to activate Windows.

Type here to search

Taskbar icons

30°C Mostly clear 00:31 12-07-2026



```
const axios = require('axios');

const baseUrl = process.env.BASE_URL || '/api/v3';

describe('pet', () => {
  it('POST /pet - happy-path - expects 200', async () => {
    const response = await axios.request({
      method: 'POST',
      url: `${baseUrl}/pet`,
      data: "test",
      validateStatus: () => true,
    });
    expect(response.status).toBe(200);
  });
});
```

```

it('POST /pet - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('POST /pet - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet`,
    headers: {"Authorization": "Invalid"},
    data: "test",
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('PUT /pet - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'PUT',
    url: `${baseUrl}/pet`,
    data: "test",
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('PUT /pet - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'PUT',
    url: `${baseUrl}/pet`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('PUT /pet - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'PUT',
    url: `${baseUrl}/pet`,
    headers: {"Authorization": "Invalid"},
    data: "test",
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('GET /pet/findByStatus - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/findByStatus`,
    params: {"status": "available"},
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /pet/findByStatus - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'GET',

```

```

    url: `${baseUrl}/pet/findByStatus`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('GET /pet/findByStatus - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/findByStatus`,
    params: {"status":"available"},
    headers: {"Authorization":"Invalid"},
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('GET /pet/findByTags - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/findByTags`,
    params: {"tags":[]},
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /pet/findByTags - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/findByTags`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('GET /pet/findByTags - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/findByTags`,
    params: {"tags":[]},
    headers: {"Authorization":"Invalid"},
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('GET /pet/{petId} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/1`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /pet/{petId} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/pet/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('GET /pet/{petId} - auth-error - expects 401', async () => {

```

```

const response = await axios.request({
  method: 'GET',
  url: `${baseUrl}/pet/1`,
  headers: {"Authorization": "Invalid"},
  validateStatus: () => true,
});
expect(response.status).toBe(401);
});

it('POST /pet/{petId} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet/1`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('POST /pet/{petId} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('POST /pet/{petId} - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet/1`,
    headers: {"Authorization": "Invalid"},
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('DELETE /pet/{petId} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/pet/1`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('DELETE /pet/{petId} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/pet/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('DELETE /pet/{petId} - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/pet/1`,
    headers: {"Authorization": "Invalid"},
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

it('POST /pet/{petId}/uploadImage - happy-path - expects 200', async () => {

```

```

const response = await axios.request({
  method: 'POST',
  url: `${baseUrl}/pet/1/uploadImage`,
  data: "test-string",
  validateStatus: () => true,
});
expect(response.status).toBe(200);
});

it('POST /pet/{petId}/uploadImage - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet/1/uploadImage`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('POST /pet/{petId}/uploadImage - auth-error - expects 401', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/pet/1/uploadImage`,
    headers: {"Authorization": "Invalid"},
    data: "test-string",
    validateStatus: () => true,
  });
  expect(response.status).toBe(401);
});

describe('store', () => {
  it('GET /store/inventory - happy-path - expects 200', async () => {
    const response = await axios.request({
      method: 'GET',
      url: `${baseUrl}/store/inventory`,
      validateStatus: () => true,
    });
    expect(response.status).toBe(200);
  });

  it('GET /store/inventory - auth-error - expects 401', async () => {
    const response = await axios.request({
      method: 'GET',
      url: `${baseUrl}/store/inventory`,
      headers: {"Authorization": "Invalid"},
      validateStatus: () => true,
    });
    expect(response.status).toBe(401);
  });

  it('POST /store/order - happy-path - expects 200', async () => {
    const response = await axios.request({
      method: 'POST',
      url: `${baseUrl}/store/order`,
      data: "test",
      validateStatus: () => true,
    });
    expect(response.status).toBe(200);
  });

  it('POST /store/order - validation-error - expects 400', async () => {
    const response = await axios.request({
      method: 'POST',
      url: `${baseUrl}/store/order`,
      data: {},
    });
  });
});

```

```

    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('GET /store/order/{orderId} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/store/order/1`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /store/order/{orderId} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/store/order/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('DELETE /store/order/{orderId} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/store/order/1`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('DELETE /store/order/{orderId} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/store/order/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

describe('user', () => {
  it('POST /user - happy-path - expects 200', async () => {
    const response = await axios.request({
      method: 'POST',
      url: `${baseUrl}/user`,
      data: "test",
      validateStatus: () => true,
    });
    expect(response.status).toBe(200);
  });

  it('POST /user - validation-error - expects 400', async () => {
    const response = await axios.request({
      method: 'POST',
      url: `${baseUrl}/user`,
      data: {},
      validateStatus: () => true,
    });
    expect(response.status).toBe(400);
  });

  it('POST /user/createWithList - happy-path - expects 200', async () => {
    const response = await axios.request({
      method: 'POST',

```

```

    url: `${baseUrl}/user/createWithList`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('POST /user/createWithList - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'POST',
    url: `${baseUrl}/user/createWithList`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('GET /user/login - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/user/login`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /user/logout - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/user/logout`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /user/{username} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/user/test-string`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('GET /user/{username} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'GET',
    url: `${baseUrl}/user/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('PUT /user/{username} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'PUT',
    url: `${baseUrl}/user/test-string`,
    data: "test",
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('PUT /user/{username} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'PUT',

```

```
    url: `${baseUrl}/user/test-string`,
    data: {},
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});

it('DELETE /user/{username} - happy-path - expects 200', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/user/test-string`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(200);
});

it('DELETE /user/{username} - validation-error - expects 400', async () => {
  const response = await axios.request({
    method: 'DELETE',
    url: `${baseUrl}/user/`,
    validateStatus: () => true,
  });
  expect(response.status).toBe(400);
});
});
```