Print Function:

`print("Sureshvj")` → Print a string
`print(x)` → Print a variable x
`print(x,y)` → Print two variables.
`print(f"Suresh, {0}, {1}".format(x,y))` → Print format str ***way-1***
`print(f"Suresh, {}, {}".format(x,y))` → Print format str ***way-2***
`print(f"Suresh {x}")` → Print format str ***way-3***
`print("Python", end='@')` → `end` concatenates 2 print function messages with `end` value.
`print('09','12','2016', sep='-')` → `sep` will separate different values with `sep` value.

Variable declaration:

`x = 10`	Declare single int values
`x = "Suresh VJ"`	Declare single str values
`x, y = 26, "Suresh VJ"`	Declare multiple values

Variable declaration rules:

- Variable name should not start with **num, special char, capital letter**. (1a, @x, Age)
- Variable name shouldn't contain the **spaces**. (sur name = 'vj')
- Variable name can start with **underscore.** (_)

Data Types:

Numeric data types	int, float, complex	26, 10.5, 2+3j
String data types	str	'Suresh VJ'
Sequence types	list, tuple, range	[], (), range(0,10)
Mapping data type	dict	{'key': value}
Set data types	set	{}
Boolean type	bool	True / False, 1 / 0
Null values	None	None

Imp points:

- All data types are **objects**.
- All data types have **immutable** property except `list, set, dict`.
- All data types have **object intern** properties

Some data which support by python:

Long int	9618112600L	-----L
Binary	0b0110101	0b-----
Decimal	100	100---
Octal	0c215	0c----
Hexa-decimal	0x12d	0x---d

Operators:

Arithmetic operators	`+, -, /, //, %, *, **`
Comparison operators	`<, >, <=, >=, ==, !=, ===`
Assignment operators	`=, +=, -=, /=, //=, %=, *=, **=`
Logical operators	`and, or, not`
Identical operator	`is, in (is not, not in)`

Type Casting:

The below constructors are used to perform the type casting.

`int()`	`float()`	`complex()`
`bool()`	`str()`	`list()`
`tuple()`	`set()`	`dict()`

from	int	float	complex	bool	str	list	tuple	set	dict
int	✓	✓	✓	1/0 CK	✓	X	X	X	X
float	✓	✓	✓	CK	✓	X	X	X	X
bool	✓	✓	✓	T/F	✓	X	X	X	X
complex	X	X	✓	CK	✓	X	X	X	X
str	✓	✓	X	CK	✓	✓	✓	✓	X
list	X	X	X	CK	✓	✓	✓	✓	X
tuple	X	X	X	CK	✓	✓	✓	✓	X
set	X	X	X	CK	✓	✓	✓	✓	X
dict	X	X	X	CK	✓	keys	keys	keys	✓

Mutable & Immutable:

Mutable:

If data can be changeable or updatable in current memory location then that objects are called as mutable.

List Set Dict

Immutable:

If data can't be changeable or updatable in current memory location then that objects are called as immutable.

Int Float Bool Str Tuple None

Obj interning:

Object Interning is nothing but the two different variables having the same value is stored in the same address

If two variables / objects having same data, Python creates only one object and save that data in one instance only and provide the object address to both variables.

Eligible to interning property:

Int Float Bool Complex Str



Eligible to interning property:

List Tuple Set Dict

String:

Declaration: `''`, `""`, `''' '''`, `""" """`

Properties:

Immutable	Interned obj
Ordered	
Sliceable	
Non-inclusive	

- String index numbers starts from 0 in forward direction, and -1 in reverse direction.

Syntax	*Explanation*
`s.capitalize()`	Capitalize the starting character of the string and rest of all characters will be converted into lower case.
`s.title()`	title the starting character of each word in a string and rest of all characters will be converted into lower case.
`s.casefold()`	Used to convert string to lower case. It is similar to lower() string method, but case **removes all the case distinctions** present in a string.
`s.lower()`	Used for converting into lowercase
`s.upper()`	Used for converting into uppercase
`s.swapcase()`	Converts all uppercase characters to lowercase and vice versa
`s.istitle()`	It returns True if all the words in the string are title cased, otherwise returns False.
`s.islower()`	It returns **True** if all alphabets in a string are in lowercase. otherwise returns **False**.

`s.isupper()`	It returns **True** if all alphabets in a string are in uppercase. otherwise returns **False**.
`s.center(4, '*')` `s.center(4)`	It will return a new string which contains 4 * s before and after the input string "S".
`s.strip()` `s.strip(s1)`	It Remove spaces / specified characters from starting and ending of the string.
`s.rstrip()` `s.rstrip(s1)`	It Remove spaces / specified characters from right side of the string.
`s.lstrip()` `s.lstrip(s1)`	It Remove spaces / specified characters from left side of the string.
`s.count('sub_str')`	Returns the number of occurrences of a substring in the given string
`s.find('sub_str')`	Returns the lowest index or first occurrence of the substring if it is found in a given string. If it is not found, then it returns -1.
`s.rfind('sub_str')`	Returns the rightmost index of the substring if found in the given string. If not found then it returns -1.
`s.startswith('sub_str')`	Returns **True** if a string starts with the specified prefix ('sub_str'), otherwise returns **False**.
`s.endswith('sub_str')`	Returns True if a string ends with the given suffix ('sub_str'), otherwise returns False.
`s.index('sub_str')`	Returns index of the first occurrence of an existing substring inside a given string. Otherwise, it raises **`ValueError.`**
`s.rindex('sub_str')`	Highest index of the substring inside the string if the substring is found. Otherwise, it raises **`ValueError.`**
`s.isnumaric()`	Returns "**True**" if all characters in the string are numeric characters, otherwise returns "**False**".
`s.isalnum()`	It checks whether all the characters in a given string are either alphabet or numeric (alphanumeric) characters.
`s.isalpha()`	It is used to check whether all characters in the String is an alphabet.
`s.isdisit()`	Returns "**True**" if all characters in the string are digits, Otherwise, It returns "False".
`s.isdecimal()`	Returns true if all characters in a string are decimal, else it returns False.
`s.isspace()`	Returns "**True**" if all characters in the string are whitespace characters, Otherwise, It returns "**False**". This function is used to check if the argument contains all whitespace characters, such as: • ' ' – Space • '\t' – Horizontal tab • '\n' – Newline • '\v' – Vertical tab • '\f' – Feed • '\r' – Carriage return

List:

Declaration: `[]`, `list()`
Properties:

Mutable	Allow duplicates
Ordered	Not interned obj
Sliceable	Allow all data types
Non-inclusive	

- Declaration Possible ways:
  `[]`, `[4]`, `[4,]`, `[4, ]`
- List index numbers starts from 0 in forward direction, and -1 in reverse direction.

`l.append(val)`	Append the value end of the list
`l.extend([val, val, ..])`	Add provided list of values at end
`l.insert(idx, val)`	Insert a value at a particular index position
`l.copy()`	Copy the list into another variable.
`l.count(val)`	Returns the frequency of a value from a list.
`l.index(val)`	Return the index number of a value.
`l.reverse()`	Reverse the list.
`l.sort(reverse= T / F)`	Sort the list – default ascending order (`reverse= False`)
`l.pop(idx)`	Remove specified indexed value - default remove last value
`l.remove(val)`	Remove first occurrence of the specified value
`l.clear()`	Clear the list object from memory

Tuple:

Declaration: `()`, `tuple()`
Properties:

Immutable	Allow duplicates
Ordered	Not interned obj
Sliceable	Allow all data types
Non-inclusive	

- Declaration Possible ways:
  `t = 1,2,3`
  `(), 4,, (4, )`
- Tuple index numbers starts from 0 in forward direction, and -1 in reverse direction.

`t.count(val)`	Returns the frequency of a value from a list.
`t.index(val)`	Return the index number of a value.

Set:

Declaration: `{}, set()`
Properties:

Mutable	Not allow duplicates
Not ordered	Not interned obj
Can't sliceable	Not allow dict, list, set

- Declaration Possible ways:
  `{}, {4}, {4,}, {4, }`
- Set allows only mutable data types.

`s.add(val)`	Add a value to set
`s.clear()`	Remove all values from set
`s.copy()`	Return a copy of the set
`s1.difference(s2)`	Returns difference (*items exist only in the first set*) between two sets.
`s1.difference_update(s2)`	Update the set s1 with items which are not existed in s2.
`s.discard("val")`	Remove a specified item
`s1.intersection(s2)`	Returns a set with items which are present in both s1, s2 sets.
`s1.intersection_update(s2)`	Removes the items from s1 which are not present in s2.
`l.pop(idx)`	Remove specified indexed value - default remove last value
`l.remove(val)`	Remove first occurrence of the specified value
`l.clear()`	Clear the list object from memory

Set:

Declaration: `{}, set()`
Properties:

Mutable	Not allow duplicates
Not ordered	Not interned obj
Can't sliceable	Not allow dict, list, set

- Declaration Possible ways:
  `{}, {4}, {4,}, {4, }`
- Set allows only mutable data types.

`s.add(val)`	Add a value to set
`s.clear()`	Remove all values from set
`s.copy()`	Return a copy of the set
`s1.difference(s2)`	Returns difference (*items exist only in the first set*) between two sets.
`s1.difference_update(s2)`	Update the set s1 with items which are not existed in s2.
`s1.intersection(s2)`	Returns a set with items which are present in both s1, s2 sets.
`l.reverse()`	Reverse the list.
`l.sort(reverse= T / F)`	Sort the list – default ascending order (`reverse= False`)
`l.pop(idx)`	Remove specified indexed value - default remove last value
`l.remove(val)`	Remove first occurrence of the specified value
`l.clear()`	Clear the list object from memory

Concatenation:

Concatenation is the process of extend the value with new value.

Ex: `a = "Suresh", b = " VJ"`
b concatenates with a is `"Suresh VJ"`

1. str with str concatenation is possible.
2. list with list concatenation is possible.
3. tuple with tuple concatenation is possible.

`a+b, a+=b`
we can do concatenation by above ways

Sort & Reverse:

Sort:

```
sortend(x) → ascending
sortend(x, reverse=True) → descending
```

- When we sort the string, that returns list of characters. If we want to converts that list into str then use `"".join(output_list)`
- List has by its own sort function `l.sort()`
- Sort applicable to Str List Tuple Set Dict

Reverse:

```
x[::-1]
Reversed(x)
```

- Can't apply reverse operation on Set and Dict

Comprehension:

Let's consider list x as below & applying comprehension in 3 way i.e *with out condition, with if, with if else*

```
x = range(0,11)

lst = [i+2 for i in x]
lst = [i+2 for i in x if i <= 5]
lst = [i+2 if i > 3 else i for i in x]
```

This concept applicable to:

List Tuple Set Dict

For Dict we should pass key value pair as below:

```
lst = {f"key{i}" : i+2 for i in x}
```