All 17 audit findings retested

Fix verification and developer handoff

This report records the correction of the 29 October audit findings, the related module and role regressions, and validation of the review release. The workbook contains every recorded case with its expected and actual result.

17
Original findings

113
Validation cases

87
Automated tests

Release	Verified record
Published version	6
Commit	a5b3b2b9be1fa3860382ec549beeaaad6c887cb0
Review URL	https://cs-portal-guided-review.ramesh-s325387.chatgpt.site
Result	Version 6 was published successfully. Hosted smoke checks and the actual hosted ticket CSV passed; the existing custom audience was preserved.

Closure basis

The original priorities were 7 P1, 8 P2 and 2 P3. They are retained for traceability. A closed finding means its corrected behavior passed the linked retests in this synthetic review environment.

Boundary

The result is a prototype validation, not production certification. External integrations, persistent authentication, irreversible merge and a real CSV importer remain outside this release.

Module coverage and evidence

Four review areas contributed isolated browser journeys and code-level regression checks. Recorded cases can contain several related assertions; the totals are not a percentage of all possible behavior.

Area	Coverage	Evidence
Users, roles and reset requests	Account and role CRUD, last-admin protection, access-loss handover, identity review and profile permissions.	ADMIN-01/02/03; admin cases; root cases
Master data and product catalogue	All nine sections exercised: categories, products, channels, query types, capacities, outreach, stores, countries and fixed statuses.	admin regression cases
Customers and New Query	Repeated-customer lookup, controlled classification, contact correction collisions and name validation.	CS-01/02/04/06; cs-reporting cases
Tickets and Follow-ups	Claiming, owner eligibility, deadline history, reminders, late completion, reopen controls and classification completion.	TASK-01/02; root and CS cases
Service decisions and cancellation	Manager decisions, linked return fallback and preservation of earlier cancellation approval.	OPS-001; operations cases
Returns, waivers and replacements	Return-first, advance and no-return paths; partial receipt, rejected waiver and closure gates.	operations cases and regression tests
Refunds and disputes	Authorisation, reserved balance, distinct attempts, verification evidence, customer follow-up and closure.	OPS-002/003; operations cases
Search, Insights and Exports	Normalized phone matching, dates/brand filters, complaint drilldown and downloaded CSV comparisons.	CS-03/04/05; CSV checks
Responsive navigation	Readable identity and navigation at 350px/390px.	UI-01; root cases

Full module and role journeys ran locally on the release source. Published smoke checks, end-to-end finance journeys and an actual hosted CSV check verified Version 6. Domain matrices are labelled separately from browser cases. Full case detail is retained in the workbook.

Role and permission regression

The permissions below describe tested routes and boundaries. They do not claim a production identity or access-control implementation.

Role	Tested behavior
Super Admin	Full portal controls; user and role changes, master CRUD, correction/decision routes, handover and reset review.
CS Executive	Shared ticket/customer visibility; intake, claim/update, follow-up, reopen with grant, correction requests. Export access denied without its grant.
Country Manager	Country-scoped service/refund decisions and out-of-scope exclusions, plus narrow-screen identity display.
Head of CS	Classification and manager decisions, Insights and reporting. Scope remains cross-market.
Logistics	RMA receipt, waiver request/information, replacement dispatch, cancellation outcomes and unmatched parcels.
Finance	External attempt outcomes, reserved balances, reconciliation and disputes under the relevant grant.
Data Steward	Assigned synthetic account tested with correction approval, sample import, duplicate review and visible restricted master view; ticket work denied.
Custom roles	Read + work without reopen is blocked; read + work + reopen allowed. Shared-role changes cannot strand open work.

Grant and scope consistency

Access-loss protection uses the same eligibility checks as task assignment. A published-browser journey confirmed that an eligible All warehouses Finance user can reconcile a refund through ticket closure. Automated cases separately cover inactive, no-read and wrong-country users.

P1 closures: access and customer identity

ADMIN-01 User Management

Require handover before effective access is removed. Account state, assigned roles, country scope and shared-role changes are checked against open work.

Verified: Blocked changes leave ownership intact. Eligible handover preserves original deadlines and missed-owner history, then permits inactivation.

Evidence cases: ADMIN01-invited, ADMIN01-inactive, ADMIN01-role-loss, ADMIN01-scope-loss, ADMIN01-shared-role, REG-idle-inactivation (+2 more; see workbook)

ADMIN-02 Roles and ticket lifecycle

Require the assign/reopen grant when reopening a resolved or closed ticket.

Verified: A read + work role is denied; adding the reopen grant permits the same transition.

Evidence cases: ROOT-04, ROOT-05

CS-01 New Query / Tickets / Follow-ups

Add a manager classification action and prevent generic completion from bypassing classification.

Verified: Valid controlled type/category selection updates the ticket and audit. Unclassified tickets cannot resolve or close.

Evidence cases: CS-RET-01, CS-RET-13

CS-02 Customers / Protected corrections

Normalize contact corrections and detect collisions against current values and retained aliases.

Verified: Case, whitespace, historical aliases and competing pending changes cannot silently create duplicate identities.

Evidence cases: CS-RET-02, CS-RET-13

These changes preserve the shared customer directory and all-team ticket visibility while enforcing the action grants and country scope applicable to owned work.

P1 closures: cancellation and refunds

OPS-001 Cancellation

Record cancellation failure after dispatch and link a separate alternative return.

Verified: Original approval remains intact. Completion requires the linked approved return, receipt or waiver, inspection and remedy.

Evidence cases: OPS-FIX-007, OPS-FIX-008, OPS-DOM-019

OPS-002 Refunds / Finance

Add manager-authorised refunds with distinct external attempts and amount revisions.

Verified: Unknown/pending amounts reserve the balance; final failed/successful attempts retain history. Closure waits for full reconciliation.


Evidence cases: HOST-07, OPS-FIX-002, OPS-FIX-003, OPS-FIX-004, OPS-FIX-005, OPS-FIX-006 (+6 more; see workbook)

OPS-003 Refund evidence

Reject blank or whitespace-only external verification evidence.

Verified: No payment outcome or paid balance changes when meaningful evidence is missing.

Evidence cases: OPS-FIX-001, OPS-DOM-022



Representative refund view: confirmed paid balance equals the authorised total, with no reserved or available amount. Attempt and result histories are retained in the case evidence.

P2 closures: workflow and reporting

Issue	Correction	Verified behavior
ADMIN-03	Revalidate reset identity against the current staff directory on every review.	Missing, ambiguous or inactive accounts cannot become verified through repeat review. No email is sent.
ADMIN-04	Keep lifecycle states fixed and read-only in Query Statuses.	No Add, Edit or Archive control is offered for lifecycle labels; existing ticket filters continue to match.
CS-03	Include original customer message, captured intake metadata and relevant history in ticket exports.	Actual downloaded CSV retains commas, quotes, newlines, Unicode and classification details.
CS-04	Use shared phone normalization for supported customer and ticket searches.	Formatted international phone searches find the same linked customer and ticket records.
CS-05	Resolve linked customer identity when searching operational exports.	Phone filters find the correct service, return, refund and task records without losing dataset filters.
OPS-004	Refresh unmatched-parcel totals from current exception state.	Creating an unmatched parcel immediately increases the visible count.
TASK-01	Apply active account, permission and ticket-country eligibility to follow-up owners.	Ineligible owners are absent. Handover keeps original due dates, missed deadlines and prior owner attribution.
TASK-02	Require an explicit reopen transition before adding work to terminal tickets.	Reopen clears current resolved time, preserves prior resolution history and creates the new work on an active ticket.

Query Statuses uses the safe read-only design option. This preserves stable lifecycle values and their filters; custom lifecycle configuration is not claimed.

P3 closures and narrow-screen review

CS-06 Customers

Trim customer names and reject blank values before creating the customer.

Verified: Whitespace-only names are refused; a valid trimmed name is accepted.


Evidence cases: CS-RET-06, CS-RET-13

UI-01 Responsive header

Show the selected demo identity, roles and scope in a wrapping narrow-screen layout.

Verified: Identity remains readable at 350px and 390px and the mobile menu remains usable.

Evidence cases: ROOT-06




350px review: identity information wraps below the demo selector. The 390px layout and menu navigation were also exercised.

The role selector switches synthetic identities within the review tab. Sample journeys remain fixed examples; switching a role on the current record is a separate interaction.

Administration and all nine master lists

54 admin cases cover account and role workflows, Data Steward restrictions, reset review, all nine master sections and affected intake selections.




ADMIN-01: moving an active task owner to Invited is refused and identifies the work requiring handover.

Master group	Observed regression
Categories and products	Create, edit, archive, restore and delete unused entries; prevent deletion of referenced entries; parent archive affects child intake choices; product brand and capacity remain controlled.
Channels, types, capacities, countries	Create/edit/archive/restore and verify active or archived options in the relevant intake fields.
Outreach and purchase stores	CRUD regression exercised as legacy reference lists. Their use as active intake fields is not claimed.
Query Statuses	Fixed, read-only list. Existing lifecycle states and ticket filter results remain consistent.

Positive handover was tested as well as blocked edits: ticket and task ownership moved to an eligible user while keeping deadline history, after which the previous user could be inactivated.

Customer and reporting journeys

The CS review covered classification through closure, contact conflicts and aliases, formatted phone searches, Insights filters and export completeness.




Exports retain a download link in the current tab. The saved files, rather than only their preview, were parsed and compared.

Journey	Evidence distinction
Unclassified ticket to closure	Generic completion is blocked. Manager classification is recorded; the terminal result is evidenced by the text trace and downloaded synthetic ticket CSV.
Protected contact corrections	Duplicate and alias collisions are blocked, including normalized values and competing pending requests.
Search and Insights	Formatted customer phone searches work in supported record views. Complaint ranking and filtered drilldown retain selected dates, brand and country.
Exports and permissions	Eight datasets plus three targeted views were downloaded and checked. CS access without the export grant was refused.

Some captured classification images show an editor or confirmation form. They are not used here as proof of terminal state; the case trace and CSV provide that evidence.

Approval to fulfilment and closure

Path	Closure conditions exercised
Return first, then replace	Approved lines, RMA, receipt/inspection or authorised waiver, replacement dispatch, delivery/remedy confirmation and outstanding-task completion.
Replace now, return later	Advance dispatch is allowed under its approval. The outstanding return continues to block resolution until settled.
Replace without a return	Explicit manager exception for the current scope; dispatch and delivery confirmation remain required.
Existing RMA waiver	Partial receipts remain recorded. Rejected waiver keeps inbound quantities due. Approval settles only waived balance and preserves the decision history.
Cancellation and refund	After-dispatch fallback retains original approval. Published journeys completed refund amount revisions and Return with Refund required, linked authorisation, full payment and closure.
Disputes	Provider status and follow-up completion are tested before ticket closure.



Advance-replacement regression: delivery alone does not remove the outstanding inbound obligation.

Actual downloaded CSV validation

15 actual downloaded files cover eight datasets, targeted views, populated operations histories and the published release. Counts exclude headers and belong to separate sessions or filters.

Dataset / view	Rows	Result and content check
Tickets	61	Every cell matched the generated CSV and preview.
Customers	6	Every cell matched the generated CSV and preview.
Activities	13	Every cell matched the generated CSV and preview.
Service requests	5	Every cell matched the generated CSV and preview.
Returns	2	Every cell matched the generated CSV and preview.
Refunds	1	Every cell matched the generated CSV and preview.
Follow-ups	27	Every cell matched the generated CSV and preview.
Return waivers	1	Matched preview; partial receipt snapshot and waiver history retained.
Tickets - synthetic closure case	1	Message quotes, comma, newline and Unicode; intake and classification fields retained.
Returns - formatted phone filter	1	Filtered return matched the expected customer and RMA.
Insights - filtered complaint drilldown	1	Ticket, brand, country, category and ranking dates retained.
Refunds - populated operations journey	1	Parsed 3 distinct attempts, paid balance, authorisation and proof histories.
Returns - populated operations journey	5	Parsed actual receipt, late receipt and retained waiver balance/history.
Return waivers - populated operations journey	2	Parsed rejected and approved waivers, information and customer-notice history.
Tickets - published Version 6	61	All 61 rows and every cell matched hosted preview; complete metadata present.

All listed files were actually downloaded and parsed. Baseline and targeted files were compared with previews; the three populated operations files were checked for valid nested JSON and preserved histories. The manifest identifies each CSV.

Release record and remaining boundaries

Version 6 was published successfully. Hosted smoke checks and the actual hosted ticket CSV passed; the existing custom audience was preserved.

Release detail	Value
Version	6
Commit	a5b3b2b9be1fa3860382ec549beeaaad6c887cb0
Automated tests passed	87
JavaScript syntax checks	11 files passed
Recorded validation cases	113
Original findings retested	17 / 17

Limits retained in this review release

1. This is a synthetic, tab-local review prototype. Refresh resets demo changes. Passing tests do not certify a production system.

2. No server-backed authentication, persistent audit, concurrent-user locking or production security testing is included.

3. Reminders run while the review tab is open. Reliable scheduled follow-ups require a server service.

4. Email, payments, order systems and carrier actions are not integrated. Recorded results document external actions; the prototype sends no money or email.

5. Import exercises use synthetic samples. Real CSV import and irreversible customer merge remain unimplemented; merge is a review placeholder.

6. Query Statuses is intentionally fixed and read-only. Customer Outreach and Purchase Stores remain legacy reference lists rather than active intake configuration.

7. Seed dates are relative to the review session. Dataset counts and screenshots reflect separate isolated sessions, not a single shared operational database.

8. Ops Manager and Logistics Manager are not separate built-in roles. Logistics is the implemented role; future role naming is a business decision.

Use the evidence package

The editable workbook retains all 17 original findings, their corrections and linked retest IDs. Full cases records every scenario, expected result, actual result, role, method and evidence name. The manifest links those evidence names to the retained files and hashes.