title: "QMM_Assignment4"
author: "Ram"

date: "10/25/2021" output: word document

Q2)

1) What is the minimum cost of providing oil to the refineries? Which wells are used to capacity in the optimal schedule?

Supply is 276 TBD and the demand is 274 TBD. So, the demand is not equal to supply.

As given in the problem, the minimum objective function is formulated below:

```
Zmin = 1.52 X1A + 1.60 X1B + 1.40 X1C + 1.70 X2A + 1.63 X2B + 1.55 X2C +
1.45 X3A +
1.57 \text{ X3B} + 1.30 \text{ X3C} + 5.15 \text{ XA1} + 5.12 \text{ XB1} + 5.32 \text{ XC1} + 5.69 \text{ XA2} + 5.47
XB2 + 6.16 XC2 +
6.13 \text{ XA3} + 6.05 \text{ XB3} + 6.25 \text{ XC3} + 5.63 \text{ XA4} + 6.12 \text{ XB4} + 6.17 \text{ XC4} + 5.80
XA5 + 5.71 XB5 +
5.87 XC5
```

Constraints:

```
Supply Constraints
X1A + X1B + X1C = 93
X2A + X2B + X2C = 88
X3A + X3B + X3C = 95
```

Demand Constraints XA1 + XB1 + XC1 = 30XA2 + XB2 + XC2 = 57XA3 + XB3 + XC3 = 48XA4 + XB4 + XC4 = 91XA5 + XB5 + XC5 = 48

Constraints from pumps to refinery

```
X1A + X2A + X3A = XA1 + XA2 + XA3 + XA4 + XA5
X1B + X2B + X3B = XB1 + XB2 + XB3 + XB4 + XB5
X1C + X2C + X3C = XC1 + XC2 + XC3 + XC4 + XC5
Where, Xij \ge 0: i(pumps) = (A, B, C), j = 1,2,3(wells), 1:5(refineries)
```

```
Using Ipsolve the optimal solution is 1932.3
Well 3 has used to the capacity in the optimal schedule.
```{r}
library(lpSolveAPI)
lprec < -make.lp(0,24)
lp.control(lprec, sense='min')
set.objfn(lprec,c(1.52,1.60,1.40,1.70,1.63,1.55,1.45,1.57,1.30,5.15,5.12,
5.32, 5.69, 5.47, 6.16, 6.13, 6.05, 6.25, 5.63, 6.12, 6.17, 5.80, 5.71, 5.87))
add.constraint(lprec,c(1,1,1),"=",93,indices = c(1,2,3))
add.constraint(lprec, c(1,1,1), "=", 88, indices = c(4,5,6))
add.constraint(lprec, c(1,1,1), "=", 95, indices = c(7,8,9))
add.constraint(lprec, c(1,1,1), "=",30,indices = c(10,11,12))
add.constraint(lprec, c(1,1,1), "=",57, indices = c(13,14,15))
add.constraint(lprec, c(1,1,1), "=", 48, indices = c(16,17,18))
add.constraint(lprec, c(1,1,1), "=", 91, indices = c(19,20,21))
add.constraint(lprec, c(1,1,1), "=", 48, indices = c(22,23,24))
add.constraint(lprec,c(rep(1,3),rep(-
1,6)),"=",0,indices=c(1,4,7,10,13,16,19,22,25))
add.constraint(lprec,c(rep(1,3),rep(-
1,6)), "=",0,indices=c(2,5,8,11,14,17,20,23,26))
add.constraint(lprec,c(rep(1,3),rep(-
1,6)),"=",0,indices=c(3,6,9,12,15,18,21,24,27))
solve(lprec)
get.objective(lprec)
get.constraints(lprec)
```

get.variables(lprec)