

Release pipeline (GitHub → Marketplace)

Branching model for MD-PDF Exporter: `develop` for daily work, `main` for releases.

Branch model

develop (default)


← integration / active development

main

← production releases only

feature-<name>

← short-lived feature branches



Branch	Purpose	Merges from
<code>develop</code>	Default branch, ongoing development	<code>feature-<name></code> via PR
<code>main</code>	Release-ready code only	<code>develop</code> via PR
<code>feature-<name></code>	One feature or fix	— (deleted after merge)

Examples: `feature-right-click-menu` , `feature-mermaid-theme` , `feature-pdf-logo`

Pipelines

Workflow	Trigger	Action
CI	PR or push to <code>develop</code> or <code>main</code>	Lint, build, package VSIX (artifact)
Release	Push tag <code>v*</code> on <code>main</code>	Publish to Marketplace + GitHub Release

Tags are created **only on** `main` after a release PR is merged.

Day-to-day development

1. Start from `develop`

```
git checkout develop
git pull origin develop
git checkout -b feature-right-click-menu
```

2. Work, commit, push

```
git add .
git commit -m "feat: add right-click export menu"
git push -u origin feature-right-click-menu
```

3. Open PR → `develop`

- Base: `develop`
- Compare: `feature-right-click-menu`
- Wait for CI to pass
- Merge PR

4. Delete feature branch (optional)

```
git branch -d feature-right-click-menu
git push origin --delete feature-right-click-menu
```

Release to Marketplace

When `develop` is ready for a public release:

1. Open PR `develop` → `main`

- Base: `main`
- Compare: `develop`
- In this PR (or on `main` after merge), bump `version` in `package.json`
- Wait for CI to pass
- Merge PR

2. Tag on `main`

Tag must match `package.json` (with `v` prefix):

```
git checkout main
git pull origin main
git tag v0.1.4
git push origin v0.1.4
```

3. Automated publish

Release workflow (`.github/workflows/release.yml`):

1. Verifies tag matches `package.json`
2. Publishes to **VS Code Marketplace** (`ramdeoangh.pdfexporter`)
3. Creates **GitHub Release** with VSIX attached

4. Sync `develop` with `main` (if needed)

After release, merge `main` back into `develop` if versions diverged:

```
git checkout develop
git pull origin develop
git merge main
git push origin develop
```

GitHub repository settings

Default branch

Settings → General → Default branch → set to `develop`

Branch protection

`develop` (recommended):

- Require pull request before merging
- Require CI status check: **build**

`main` (recommended):

- Require pull request before merging
- Require CI status check: **build**
- Restrict who can push (optional)
- Only allow merges from `develop` via PR (no direct commits)

Secrets

Settings → Secrets and variables → Actions:

Secret	Purpose
VSCE_PAT	Azure DevOps PAT with Marketplace → Manage

Versioning

Use [Semantic Versioning](#):

Change	Example
Patch	0.1.3 → 0.1.4
Minor	0.1.4 → 0.2.0
Major	0.2.0 → 1.0.0

Bump version in the **develop** → **main** release PR. Tag format: **v0.1.4** .

Why this model?

Question	Answer
Why develop as default?	Safe place for features; main stays release-quality
Why PR to main for release?	Review + CI before anything goes to production
Why tags on main ?	Marketplace publish only when you explicitly release
Feature branch naming?	feature-<short-description> (e.g. feature-pdf-logo)

One-time setup checklist

- [] Push **develop** branch to GitHub
 - [] Set **default branch** to **develop**
 - [] Enable branch protection on **develop** and **main**
 - [] Add **VSCE_PAT** secret
 - [] Create publisher **ramdeoangh** on Marketplace
-

Quick reference

```
# New feature
git checkout develop && git pull
git checkout -b feature-my-change
# ... commit ...
git push -u origin feature-my-change
# → PR to develop → merge

# Release
# → PR develop to main (bump package.json version) → merge
git checkout main && git pull
git tag v0.1.4 && git push origin v0.1.4
# → Marketplace publish runs automatically
```

Workflow files

File	Purpose
<code>.github/workflows/ci.yml</code>	Build on PR/push to <code>develop</code> and <code>main</code>
<code>.github/workflows/release.yml</code>	Publish on tag <code>v*</code>
<code>docs/publish.md</code>	Manual publish fallback