spread





rest



in JavaScript

[Don't Miss It]

www.scribbler.live

Spread Operator

- Expands or "spreads" elements from an array or object into individual elements.
- This operator provides the convenience of easily extracting a list of parameters from an array or object.

```
const arr1 = [1, 2];
const arr2 = [3, 4];
const mergedArr = [...arr1, ...arr2];
// [1, 2, 3, 4]
```

```
const numbers = [1, 2, 3];
Math.max(...numbers);
// Spreads elements as individual arguments
```

Rest Operator

 Collects multiple elements into a single array or object. It "gathers" the remaining elements.

```
function sum(...numbers) {
  return numbers.reduce((a, b) ⇒ a + b, 0);
}
sum(1, 2, 3);
// Gathers all arguments
// into an array [1, 2, 3]
```

Key Difference

 Used to unpack elements from an array or object.



Spread






Rest

 Used to pack elements into an array or object.

Practical Usage

```
const arr = [1, 2, 3];
const newArr = [...arr, 4, 5];
console.log(newArr) // [1, 2, 3, 4, 5]
```


Spread - Used to expand arrays or objects.



Practical Usage

```
const [first, ...rest] = [1, 2, 3];
console.log(first); // 1
console.log(rest); // [2, 3]
```

Rest - Collects multiple values into an array or object.



Keep Exploring Javascript with us!

Share this with a friend who needs it and make sure to practice these in scribbler.





Scribbler.live

Free and Open Interface to experiment JavaScript