Lab 5: Search & Sort SUNY Korea - Francois Rameau

GitHub Classroom



Lab 5 - Search and sort



Finding love with Python

Today you are an entrepreneur, you just opened your online dating platform

Your role is to find the ideal partner to our two clients



Pamela




George




Our database


For each user you stored the following













Our database

Let's assume, you have already collected data from male and female that you saved as CSV files (comma-separated values)



list_females.csv

Peyton, 26, 157, 49 Leah, 27, 163, 54 Audrey, 23, 156, 50 Savannah, 24, 168, 57 Alyssa, 29, 165, 59 Aubrey, 22, 160, 52 Kylie, 31, 162, 61 Bella, 25, 158, 55 Claire, 26, 157, 50 Stella, 30, 171, 61 Maya, 24, 163, 56 Gabriella, 28, 167, 60 Skylar, 21, 155, 48 Samantha, 23, 162, 55 Allison, 26, 160, 52 Caroline, 30, 169, 61 Elena, 25, 158, 55 Isabelle, 27, 163, 54 Ariana, 32, 154, 57 Genesis, 20, 172, 47 Ruby, 26, 157, 49 Reagan, 31, 162, 61 Clara, 22, 160, 52 Naomi, 23, 156, 50 Khloe, 29, 165, 59 Annabelle, 24, 168, 57 Alexa, 26, 157, 50



list_males.csv

Samuel, 27, 168, 40 Derek, 34, 175, 52 Frank, 40, 188, 70 Tyler, 28, 172, 48 Raymond, 37, 180, 65 Shawn, 35, 178, 60 Travis, 26, 170, 42 Gregory, 38, 183, 67 Jeffery, 33, 174, 52 Trevor, 32, 174, 52 Douglas, 39, 183, 67 Austin, 29, 169, 45 Lee, 31, 173, 48 Cody, 27, 169, 45 Bryan, 37, 180, 65 Luis, 33, 176, 52 Carlos, 35, 178, 60 Alan, 38, 183, 67 Mario, 42, 188, 70 Juan, 32, 174, 52 Jeremiah, 26, 171, 45 Scott, 34, 175, 52 Alexander, 29, 171, 45 Victor, 36, 180, 65 Joel, 31, 173, 48 Jeff, 40, 187, 75 Johnny, 28, 172, 30



1. Open the database

A function to read the database is already implemented

The database is stored in a nested list

```
[['Douglas', 39, 183, 67],
['Austin', 29, 169, 45],
['Lee', 31, 173, 48],
['Cody', 27, 169, 45],
['Bryan', 37, 180, 65],
['Luis', 33, 176, 52],
['Carlos', 35, 178, 60],
['Alan', 38, 183, 67],
['Mario', 42, 188, 70],
['Juan', 32, 174, 52]]
```




2. The clients

The goal of this lab is to find a good match to our two clients

We will define a good match by "a partner with similar

features "

Close age, close height and close income



Peter has a closer profile than Henry then he is a better match for Pamela



3. Euclidean distance

TO DO:

Implement a function to compute the Euclidean distance between a client (Pamela or George) and one person in the dataset


Euclidean distance

$$d(p,q) = \sqrt{\sum_{i=1}^{N} (p_i - q_i)^2}$$

In our case

$$d(person1, person2)$$

$$= \sqrt{(age1 - age2)^2 + (height1 - height2)^2 + (income1 - income2)^2}$$



A small distance represent a good match!

Try to implement it with a **FOR** loop in the function

EuclideanDistance()



4. Compute the distance between the client and the candidates


TO DO:

Compute all the distances between Pamela (or George) and all the candidates in the database (male or female)

You will implement this in ComputeAllDistances()

→ This function will return the list of distances between one client (Pamela or George)

and a database.






5. Find the best match

TO DO:

Complete the function FindMin() that returns the minimum value in a list and its corresponding index

Using the index returned by your function, display the name and characteristic of the best match for our client



By the way, you just implemented a naïve nearest neighbor search



6. Bonus

- What can you say about the complexity of this search strategy?
- How would you return the top 5 best match? (try to implement it)
- Can we return all the results given a range over each criterion (no need to implement)








! Terminology alert!

A **unit test** is a type of software testing technique that focuses on testing individual components or functions of a program in isolation to ensure they perform as expected. This helps developers **identify and fix errors** early in the development process.





Note that you now have:

YourHomework.py

AND

YourHomework_test.py <



This file contains the unit tests

Do not touch



Do not modify the unit test by any mean





Only work on the origin *.py file I am providing you!





- Does it change the way I push my work on Github?
 - Not at all, push and commit as before, follow
 Lab0 very carefully
- Why do we do unit test?
 - Because it will test every single piece of your code to make sure it is working as expected. It saves time for the TA and ensure a fair evaluation
- What unit test does for me?
 - It will directly tell you if you are code is right or wrong such that you can correct a function that you have not coded properly!



Let's push a code on GitHub to see what is happening!! Two possibilities

1. Your code is working as intended

You have this little green check that means that all your code is working as intended You can click on it!

ameau-fr finish		✓ 7c2b781 17 minutes ago ⑤ 9 commits
github .github	GitHub Classroom Feedback	44 minutes ago
.vscode	done	40 minutes ago
pycache	finish	17 minutes ago
□ README.md	Add assignment deadline url	44 minutes ago
lab5Search.py	finish	17 minutes ago
lab5Search_test.py	Initial commit	44 minutes ago
list_females.csv	Initial commit	44 minutes ago
list_males.csv	Initial commit	44 minutes ago



```
Run education/autograding@v1
  Kan 1 test in 0.000s
  ['David', 35, 185, 60]
test_euclidean
 test ComputeAllDistances
  Ran 1 test in 0.000s
  ['David', 35, 185, 60]
 test ComputeAllDistances
 test_FindMin
  Ran 1 test in 0.001s
test_FindMin
All tests passed
Points 30/30
```

You will directly see which tests has been successful or failing



Let's push a code on GitHub to see what is happening!! Two possibilities

2. Your code is NOT working as intended

You have this little red cross that means that all your code is NOT working as intended You can click on it!

ameau-fr broken		× 1104ba3 now 🕥 10 commits
github .github	GitHub Classroom Feedback	51 minutes ago
.vscode	done	47 minutes ago
pycache	broken	now
README.md	Add assignment deadline url	50 minutes ago
lab5Search.py	broken	now
lab5Search_test.py	Initial commit	51 minutes ago
lab5_random_py_file.py	broken	now
list_females.csv	Initial commit	51 minutes ago
list_males.csv	Initial commit	51 minutes ago



```
Run education/autograding@v1
  Ran 1 test in 0.001s
  FAILED (failures=1)
 ['David', 35, 185, 60]
X test ComputeAllDistances
::error::Error: Exit with code: 1 and signal: null
test FindMin
  Ran 1 test in 0.000s
  ['David', 35, 185, 60]

▼ test FindMin

Points 20/30
Warning: The `set-output` command is deprecated and
https://github.blog/changelog/2022-10-11-github-act
```

You will directly see which tests has been successful or failing AND


Your grade! (of course the TA will ALWAYS double check for assignments)



What do I see as an instructor

Students total 61 61 Rostered 0 Added students	Accepted assignments 1 1 Students	Assignment submissions 1 O Submitted 1 Not submitted	Passed students 1 1/1 Passed
Q Search by GitHub username or student identi	fier	Unlinked accounts • Accepted • Sul	bmitted - Passing - Sort by: -
Francois Rameau Submitted @rameau-fr Latest commit April 18, 2023	13:05. ✓ -o- 2 commits 30/30		Repository 🖸 Feedback


OR





How to run unit test locally

In 5 clicks only!




How to run unit test locally

Step 2: configure T. Ü 🔊 🕏 🕥 … C No tests have been found in this workspace yet. Configure a test framework to see your **₽** tests here. **Configure Python** Д **Tests** Install Additional Test Extensions...



How to run unit test locally


Step 3: Select unittest | Select a test framework/tool to enable |



Step 4: .Root directory




Step 5: *_test.py





How to run unit test locally



Now you are ready to go if you want to test your code locally



Feedback via pull request

You now have a branch feedback in your repository, we will use it to send you feedback directly (you will receive an email each time we are trying to reach you out via this mean)



