Date:

Pseudocode:

```
FUNCTION getValidDays()
    PRINT "Enter number of festival days (1-7):"
    INPUT days
    WHILE days < 1 OR days > 7
        PRINT "Invalid input. Enter days (1-7):"
        INPUT days
    ENDWHILE
    RETURN days
END FUNCTION.

FUNCTION calculateDailySales(dayNumber)
    PRINT "Day " + dayNumber + " - Number of orders:"
    INPUT orders.

    total = 0, highest = 0
    PRINT "Order amounts:"
    FOR i = 1 TO orders
        INPUT amount
        WHILE amount <= 0
            PRINT "Invalid amount. Re-enter:"
            INPUT amount
        ENDWHILE

        total = total + amount
        IF amount > highest THEN highest = amount
    NEXT i
```

Date:

```
    avg = total / orders
    PRINT "Total sales: Rs." + total
    PRINT "Average order: Rs." + avg
    PRINT "Highest order: Rs." + highest
    RETURN total
ENDFONCTION.

FONCTION FindHighestSalesDay(dailySales[], numberOfDays)
    max_sales = dailySales[0]
    best_day_index = 0
    FOR i = 1 TO numberOfDays - 1
        IF dailySales[i] > max_sales THEN
            max_sales = dailySales[i]
            best_day_index = i
        ENDIF
    NEXT i
    RETURN best_day_index + 1  // Return 1-based day no.
ENDFONCTION

FONCTION displayBarChart(dailySales[], numberOfDays)
    PRINT "====Daily Sales Bar Chart===="
    FOR i = 0 TO numberOfDays - 1
        PRINT "Day " + (i + 1) + ": "
        asterisks = dailySales[i] / 100  // Integer division
        FOR j = 1 TO asterisks           // truncates remainder
            PRINT "*"
        NEXT j
```

ijazi COPY HOUSE

Date:

```
        PRINT "(Rs. " + dailySales[i] + ")"
    NEXT i
END FONCTION

BEGIN main
    days = getValidDays()
    DECLARE array dailySales[days]
    totalFestivalSales = 0

    FOR i=0 TO days-1
        dailySales[i] = calculateDailySales(i+1)
        totalFestivalSales = 0
    NEXT i

    bestDay = findHighestSalesDay(dailySales, days)

    PRINT "===FESTIVAL SUMMARY====="
    PRINT "Total Festival Sales: Rs. " + totalFestivalSales
    PRINT "Day with highest sales: Day" + bestDay
    PRINT "Highest daily sales: Rs. " + dailySales[bestDay - 1]

    CALL displayBarChart(dailySales, days)
END.
```