

## Getting Started with the Graded Response Model (GRM): A gentle introduction and tutorial in R

Ana Fulana<sup>1</sup> and Blanca Zutana <sup>1</sup>

<sup>1</sup>Department of Psychology, Ludwig-Maximilians-Universität München, Munich,  
Germany

### Author Note

Ana Fulana  <https://orcid.org/0000-0000-0000-0000>

This study was preregistered at OSF at .... Code and data of this study are available at ... This article is based on data published in ... We declare we have no competing interests. This research was funded by the German Research Foundation (DFG SCHO ..., Blanca Zutana). We would like to thank Carina Mengana and Dolorita Perengana for their very helpful comments and discussions on this project. Because the authors are equal contributors, order of authorship was determined by a fair coin toss. Author roles were classified using the Contributor Role Taxonomy (CRediT; <https://credit.niso.org/>) as follows: *Ana Fulana*: Conceptualization, Writing - original draft; *Blanca Zutana*: Project administration

Correspondence concerning this article should be addressed to Ana Fulana,  
Email: sm@example.org

**Abstract**

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodo consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

*Keywords:* meta science, replication, multiverse analysis

## Getting Started with the Graded Response Model (GRM): A gentle introduction and tutorial in R

### Quarto

Quarto enables you to weave together content and executable code into a finished document. To learn more about Quarto see <https://quarto.org>.

### Running Code

When you click the **Render** button a document will be generated that includes both content and the output of embedded code. You can embed code like this:

```
[1] 2
```

You can add options to executable code like this

```
[1] 4
```

The `echo: false` option disables the printing of code (only output is displayed).