


## Connecting Jira API from postman






## Homework 1:



## Connecting Jira & fetching the User stories from Jira to the Test case generator and creating Test cases/Feature file using Vibe coding

Read my entire workspace. After reading I want Connect to Jira button should be added in UI and after clicking connect to Jira button it should ask baseUrl, Jira APIKEY, email id. After providing the valid details, it should connect to Jira & fetch the userstories and display the same in Frontend UI.

## Do only frontend UI implementation







**Generated Test Cases**  
14 test case(s) generated • Model: openai/gpt-oss-120b • Tokens: 2491



| Test Case ID | Title                                          | Category | Expected Result                                                                               |
|--------------|------------------------------------------------|----------|-----------------------------------------------------------------------------------------------|
| ▶ TC-001     | Successful login with valid credentials        | Positive | User is redirected to the Jira dashboard and a welcome message with the username is displayed |
| ▶ TC-002     | Login attempt with incorrect password          | Negative | Error message 'Invalid username or password' is displayed and user remains on login page      |
| ▶ TC-003     | Login attempt with unregistered email          | Negative | Error message 'Invalid username or password' is displayed                                     |
| ▶ TC-004     | Login with empty Username field                | Negative | Validation message 'Username is required' is displayed next to the field                      |
| ▶ TC-005     | Login with empty Password field                | Negative | Validation message 'Password is required' is displayed next to the field                      |
| ▶ TC-006     | Login with leading/trailing spaces in email    | Edge     | System trims spaces and logs in successfully, redirecting to dashboard                        |
| ▶ TC-007     | Login with email case variation                | Edge     | Login succeeds, confirming email handling is case-insensitive                                 |
| ▶ TC-008     | Login with invalid email format                | Negative | Client-side validation prevents submission and shows 'Enter a valid email address' message    |
| ▶ TC-009     | Login with password exceeding maximum length   | Negative | Error message 'Password exceeds maximum length' is displayed and login is blocked             |
| ▶ TC-010     | Login with password containing only whitespace | Negative | Validation message 'Password cannot be empty or whitespace' is displayed                      |

## Homework 2

Adding feature file button in Testcase Generator using Vibe coding

Prompt:

Read my entire Workspace. After reading, In the frontend i want to include a button named as 'Generate Feature File'. Take example how 'Generate' button is already implemented. If i click 'Generate Feature File' button feature file should be generated for the given input(userstories) in frontend. Take example how Testcases got generated for the given input(userstories) after clicking 'Generate' button, which was already implemented. and please let me know what are the files got affected



## Feature: Masters Others Approval Setup

As a user,

I want to configure masters others approval,

So that the related functionality works as expected.

### Background:

Given the system is operational

And the user is authenticated

And the user has the "Approval Manager" role

Scenario: Successfully configure masters others approval

When the user navigates to the "Masters Others Approval" setup page

And the user selects "Enable Approval"

And the user sets the required approval threshold to "2"

And the user saves the configuration

Then the system should display a confirmation message "Approval setup saved successfully"

And the approval configuration should be persisted

Scenario: Attempt to save without selecting required fields

When the user navigates to the "Masters Others Approval" setup page

And the user leaves the "Enable Approval" option unchecked

And the user attempts to save the configuration

Then the system should display a validation error "Enable Approval must be selected"

And the configuration should not be saved

Scenario: Duplicate approval setup

Given an existing approval configuration is already enabled

When the user attempts to create another approval configuration with the same parameters

Then the system should display an error message "An approval configuration already exists"

And no new configuration should be created

Scenario: System unavailable during setup

Given the system is not operational

When the user attempts to access the "Masters Others Approval" setup page

Then the system should display an error message "System is currently unavailable, please try again later"

Scenario: User without proper role attempts setup

Given the user does not have the "Approval Manager" role

When the user attempts to access the "Masters Others Approval" setup page

Then the system should deny access with a message "You do not have permission to configure approvals"

Scenario: Invalid approval threshold value

When the user navigates to the "Masters Others Approval" setup page

And the user selects "Enable Approval"


And the user enters "two" as the approval threshold

And the user attempts to save the configuration

Then the system should display a validation error "Approval threshold must be a numeric value"

### Homework : 3

Read my entire framework, Consider Page Class checkbox as an example to implement and add Testscript checkbox newly. when user selects the Testscript checkbox in UI he should be able to generate Testscript for the inspected area of the webpage. Take example as Page class and implement for testscript generation. Let me know what are the files impacted.



Connect (A016) x Repositories x gmail login - Yah... x Gmail: Secure, Ai... x UserStor - Kanbo... x Extensions x LeafTaps - TestLe... x Ask Gemini x

leafTaps.com/opentaps/control/login

Campus Portal:Tata... jobs WORK ictc quick Drop me in Bookma... ruby automation TRADE Automation Java simple Recipes Gmail YouTube Maps All Bookmarks

**Testleaf**  
Always Ahead

**LeafTaps Login**

The Following Errors Occurred:  
username was empty reenter  
password was empty reenter

Username

Password

Login

**AI Browser Extension for Code Generation**

Code Generator Settings

Supported Language  
TypeScript

Browser Engine  
Selenium

Select LLM Provider  
Groq

Select Model  
openai/gpt-oss-120b

Groq API Key  
.....

Connect (A016) x Repositories x gmail login - Yah... x Gmail: Secure, Ai... x UserStor - Kanbo... x Extensions x LeafTaps - TestLe... x Ask Gemini x

leafTaps.com/opentaps/control/login

Campus Portal:Tata... jobs WORK ictc quick Drop me in Bookma... ruby automation TRADE Automation Java simple Recipes Gmail YouTube Maps All Bookmarks

**Testleaf**  
Always Ahead

**LeafTaps Login**

The Following Errors Occurred:  
username was empty reenter  
password was empty reenter

Username

Password

Login


**AI Browser Extension for Code Generation**

Code Generator Settings

Feature File Page Class ☒ Testscript

Provide additional information

Stop Generate



```
package com.testleaf.tests;
```

```
import org.junit.jupiter.api.AfterEach;
```

```
import org.junit.jupiter.api.BeforeEach;
```

```
import org.junit.jupiter.api.Test;
```

```
import org.openqa.selenium.By;
```

```
import org.openqa.selenium.WebDriver;
```

```
import org.openqa.selenium.chrome.ChromeDriver;
```

```
import org.openqa.selenium.support.ui.ExpectedConditions;
```

```
import org.openqa.selenium.support.ui.WebDriverWait;
```

```
import java.time.Duration;
```

```
/**
```

```
 * Simple Selenium test that logs into the LeafTaps demo application.
```

```
 * Uses JUnit 5, ChromeDriver and explicit waits only.
```

```
 */
```

```
public class LoginTest {
```

```
private WebDriver driver;  
private WebDriverWait wait;
```

```
@BeforeEach
```

```
void setUp() {  
    // Initialise ChromeDriver (chromedriver binary must be on the system PATH or set via  
webdriver.chrome.driver)  
    driver = new ChromeDriver();  
    // Explicit wait with a 10-second timeout  
    wait = new WebDriverWait(driver, Duration.ofSeconds(10));  
}
```

```
@AfterEach
```

```
void tearDown() {  
    // Close the browser regardless of test outcome  
    if (driver != null) {  
        driver.quit();  
    }  
}
```

```
@Test
```

```
void shouldLoginWithValidCredentials() {  
    // 1. Open the login page  
    driver.get("https://leaftaps.com/opentaps/control/login");  
  
    // 2. Enter username – wait until the field is visible before interacting  
    wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("username")))  
        .sendKeys("DemoSalesManager");  
  
    // 3. Enter password – also wait for visibility  
    wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("password")))
```

```
.sendKeys("crmsfa");

// 4. Click the Login button (input with class 'decorativeSubmit')
wait.until(ExpectedConditions.elementToBeClickable(By.cssSelector("input.decorativeSubmit")))
    .click();

// 5. Verify successful login.
// The demo app shows a "Logout" link after a successful login.
wait.until(ExpectedConditions.visibilityOfElementLocated(By.linkText("Logout")));
}
}
```