Name:K.Ramesh
Reg no:19247238
Develop a flowchart in Figma depicting the operation of a Network Switching

Subsystem in a mobile cellular system.

To develop a flowchart using Figma that illustrates the operation of the Network Switching Subsystem (NSS) in a mobile cellular communication system.

PROCEDURE


1. Open Figma and create a new design file.
2. Create a flowchart workspace using a suitable frame.
3. Add a **Start** symbol to indicate the beginning of the process.
4. Add a process block representing a mobile station initiating a call through the Base Transceiver Station (BTS) and Base Station Controller (BSC).
5. Add a process block for the Mobile Switching Centre (MSC), which processes the call request.
6. Include the Home Location Register (HLR) and Visitor Location Register (VLR) to retrieve subscriber and location information.
7. Add the Authentication Centre (AuC) to verify subscriber identity when required.
8. Add decision blocks to check subscriber authentication and destination availability.
9. Connect the blocks using arrows to represent call routing and decision paths.
10. Add a process block for establishing the connection between the calling and receiving mobile stations

NETWORK OPERATIONS / REFERENCE DIAGRAM

GSM · MOBILE-ORIGINATED CALL

GSM mobile call flow

From call initiation and authorization to connection and resource release.



Logical call flow - Signalling exchanges are simplified for clarity. BSS comprises the BTS and BSC and connects to the MSC.

RESULT

Thus, a flowchart representing the operation of the Network Switching Subsystem in a mobile cellular system was developed using Figma, illustrating subscriber authentication, location information retrieval, call routing, connection establishment, and call termination.