

Admin Runbook

Operational procedures for the CDTA 2026 Dashboard. Read top-to-bottom or jump to a specific task.

Weekly refresh (after match week ends)

For scraped divisions (A, B, D, E, G, J, K)

1. Open Claude Code in the project directory: `cdta\`
2. Run the custom skill: `/load-division X` (replace X with the letter)
3. The skill will:
4. Fetch the division page from `https://league.cdt.a.co.in/`
5. Parse standings, players, schedules, results
6. Download any new photos to `photos/div-X/`
7. Update `data/division-X.js`
8. Reload the dashboard locally and spot-check the new week
9. Commit + push (see Git workflow below)
10. Deploy (see Deployment below)

For manual divisions (C, F, H, I)

These have hand-curated extras. After scraping the base data, you also need to: - Refresh `DIV_X_PROJECTIONS` (if season ongoing) - Verify `DIV_X_KEY_PAIRS` still match top pairs - Photos for new players

The recompute happens automatically — `gamesPlayed`, `wins`, and `PARTNERS` are derived from `DIV_X_SCHEDULE` on every page load. You don't need to update those by hand.

Adding a brand-new division

Use the `/load-division` skill — it has a 10-step automated workflow. Located at `~/.claude/skills/load-division.md`.

After running: 1. Add a new nav button entry in `index.html` 2. Add a new init block in `js/app.js` (copy from another scraped division) 3. Add a `<script src="data/division-X.js">` line in `index.html`

Git workflow

The repo lives on Google Drive, so be aware that Drive sync can briefly lock `.git/objects` during heavy commits. If `git add` fails with "Permission denied", retry — it usually clears in seconds.

```
cd "c:/My Cloud/Google Drive/Claude/cdta"
git status
```

```
git add <files>
git commit -m "Week N: <division> updates"
git push origin main
```

Only `main` branch is in use. Earlier `workver` branch was deleted on 2026-04-09.

Deployment

See [DEPLOYMENT.md](#) for the full FTP / GoDaddy procedure. Short version:

```
cd "c:\My Cloud\Google Drive\Claude\cdta"
deploy.bat
```

The script uses credentials from `deploy.env` (not committed). It will FTP all changed files to GoDaddy and report `Deploy complete! N files uploaded.`

Always deploy explicitly when the user says "deploy into godaddy". Never auto-deploy.

Troubleshooting

Player stats showing blank in Players page

Cause: `recomputeDivStats()` did not run, or the player name in `DIV_X_PLAYERS` doesn't match any name in `DIV_X_SCHEDULE` after normalization.

Fix: 1. Open browser console — look for errors at page load 2. Verify the division's init block in `js/app.js` includes `recomputeDivStats(DIV_X_SCHEDULE, DIV_X_PLAYERS, DIV_X_PARTNERS, DIV_X_KEY_PAIRS)` 3. If a specific player is missing, check spelling — normalization strips dots/commas/apostrophes and uppercases. Compare: - Schedule: `J.SURESH KUMAR` → normalized `J SURESH KUMAR` - Roster: `J. Suresh Kumar` → normalized `J SURESH KUMAR` ✓

Standings "Played Pts" off by factor of 3

Cause: Render function uses wrong formula. After the courts/matches refactor: - A-J: `playedPts = s.played` (already in courts) - K only: `playedPts = s.played * 3` (data is in matches)

Photos not loading

- Check the path matches `photos/div-{x}/{team-short-lower}/{player-slug}.{ext}`
- Verify the file exists in the deployed directory (FTP into GoDaddy and ls)
- The `<img onerror>` hides the element silently — missing photos won't crash the page

Most Active Doubles Pairs shows 0 wins

Cause: `KEY_PAIRS` was not passed to `recomputeDivStats()`, or the pair string doesn't normalize to match the schedule.

Fix: 1. Verify the call includes the 4th argument: `recomputeDivStats(..., DIV_X_KEY_PAIRS)` 2. Check the `pair` string in `DIV_X_KEY_PAIRS` matches the schedule names after normalization

Admin panel data tools fail

Cause: `api/admin-data.php` is unreachable or returned an error. - Verify the file is deployed to `/cdta/api/admin-data.php` on GoDaddy - Check browser network tab for the actual error - Ensure GoDaddy hosting plan supports PHP

Login fails for a known user

- Open `data/auth.js` and verify the username and password
- Auth is checked client-side; case-sensitive

Backups

`data/division-{c,f,h,i}.js.bak` files were saved before the season-end refresh. Keep them in case stats need to be restored.

For everything else, GitHub is the backup. The repo at <https://github.com/rameshbala50/cdta> is the source of truth.

Credentials and secrets

Item	Where stored	Notes
User logins	<code>data/auth.js</code>	Plaintext passwords, client-side. Acceptable for an internal league tool.
FTP credentials	<code>deploy.env</code> (gitignored)	Server: <code>107.180.115.79</code> , user: <code>godaddyftp@akilanramesh.com</code>
GoDaddy hosting	(out of scope)	Manage via GoDaddy account

Never commit `deploy.env` . It is in `.gitignore` .

Useful file locations

File	Purpose
<code>index.html</code>	Single-page DOM
<code>js/app.js</code>	All client logic
<code>css/main.css</code>	Styles
<code>data/auth.js</code>	User credentials

File	Purpose
data/division-{a..k}.js	Per-division data
data/division-{c,f,h,i}.js.bak	Pre-refresh backups
api/admin-data.php	Server-side admin storage
api/fetch-results.php	Optional CORS proxy for league.cdta.co.in
deploy.bat / deploy.ps1	GoDaddy FTP deploy
download-photos.ps1	Bulk photo downloader from cdta.co.in
photos/div-{a..k}/	Local player photos