

Test set up



Terms and conditions



System checks



Proctoring and test instructions

Proctoring and test instructions



You can start the test in 00:39

We are still setting up the test environment. Please wait for a moment.

Test can be different from the original test.

Test instructions

- This test contains 1 Programming question.
- Total number of questions: 1, Total score: 100.
- The duration of this test is 45 mins. Your time will start when you see the questions.
- Do not use any Online Development Environment, which exposes your code to the public. We take plagiarism seriously and do not entertain activities that are against the spirit of learning and programming. Violations can lead to account suspension or permanent blacklisting from HackerEarth.
- The duration of this test is 45 minutes.
- The proctoring settings are not enabled for this test.
- You can attempt this test multiple times.
- You cannot pause while attempting the test.
- Do not close the browser window or tab of the test interface before you submit your final answers.
- Close all other windows and tabs before attempting the test.

Back

Start test

Programming

100.00

🔥

C++17 (g++ 10.3.0)

1

Concatenate characters

You are given N characters in a line.

Task

Join all the characters and print them in a single line.

Example

Assumptions

- $N = 5$
- Character stream = `abcde`

Approach

After concatenating the stream, the stream becomes `abcde`.

Function description

Complete the solve function provided in the editor. This function takes the following 2 parameters and returns the concatenated string:

- N : Represents the size of the array
- ch : Represents the vector of characters

Input format

```
1 #include<bits/stdc++.h>
2 using namespace std;
3
4 string solve (int N, vector<char> ch) {
5     // Write your code here
6     string s = "";
7     for(auto& c:ch){
8         s +=c;
9     }
10    return s;
11 }
12
13 int main() {
14
15     ios::sync_with_stdio(0);
16     cin.tie(0);
```

Test cases Quick test Results

Accepted

Time taken
0.008798 sMemory used
2 KiB

Input

```
4
o m a r
```

< Previous

1/1

Next >

1

Concatenate characters

You are given N characters in a line.

Task

Join all the characters and print them in a single line.

Example

Assumptions

- $N = 5$
- Character stream = `abcde`

Approach

After concatenating the stream, the stream becomes `abcde`.

Function description

Complete the solve function provided in the editor. This function takes the following 2 parameters and returns the concatenated string:

- N : Represents the size of the array
- ch : Represents the vector of characters

Input format

[< Previous](#)

1/1

[Next >](#)

```
1 #include<bits/stdc++.h>
2 using namespace std;
3
4 string solve (int N, vector<char> ch) {
5     // Write your code here
6     string s = "";
7     for(auto& c:ch){
8         s +=c;
9     }
10    return s;
11 }
12
13 int main() {
14
15     ios::sync_with_stdio(0);
16     cin.tie(0);
```

Test cases Quick test Results

🔍 Score 100 ⌚ Time taken 0.07721 s 📄 Memory used 512 KiB

① Your highest scored submission will be selected as the best submission

Test cases	Time (s)	Memory (KiB)	Score	Result
🔍 Test case 1	0.008805	2	20	Accepted
🔍 Test case 2	0.009145	2	20	Accepted
🔍 Test case 3	0.008824	2	20	Accepted
🔍 Test case 4	0.041227	512	20	Accepted
🔍 Test case 5	0.009204	2	20	Accepted