



1. Section #1



1

2

3

4

5

6

7

8

9

10



Attempted: 5/16

Question 6

Revisit Later

There is a family of six members, namely P, Q, R, S, T, and U. S is the son of R. U is the daughter of P, who is the wife of R's brother. Q is the father of R. How is U related to S?

Select an option

☐ Sister-in-law

☐ Cousin

☐ Brother

☐ Niece

Online Test Window

1 You are sharing your entire screen. [Stop Sharing](#)

Test Time: 01:58:31 [Finish Test](#)

1. Section #1

Question 11

Find the missing figure, which follows the same pattern/rule and mark it as the answer.

	—	⦿
↘	↗	⌗
—	?	⦿

Attempted: 10/16


☒

☐

☐

☐

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190



Wednesday, December 17, 2:19:22 PM

Online Test Window

mettl.com You are sharing your entire screen. Stop Sharing

Test Time: 01:48:27 Finish Test

Section #1

Question 16

Find the missing figure, which follows the same pattern/rule and mark it as the answer.

Attempted: 15/16

Revisit Later

Options:

- ☐
- ☐
- ☐
- ☐

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190

Wednesday, December 17, 3:19:25 PM

Online Test Window

Test Time: 51:48:24

Finish Test

Previous Next Section

1. Section #1

Attempted: 15/16

Revisit Later

Question 16

Find the missing figure, which follows the same pattern/rule and mark it as the answer.

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190



2. Section #2

< 1 2 3 4 5 6 7 8 9 10 >

Attempted: 1/24

Question 2

Revisit Later

Select an option

It is given that 20% of $(P+Q) = 30\%$ of $(Q-P)$, find Q if P is 10.

☐ 100☐ 50☐ 75☐ 120

2. Section #2



1

2

3

4

5

6

7

8

9

10



Attempted: 3/24

Question 4

Revisit Later

Select an option

Determine the ratio of $a:b:c:d$, when $a:b=4:5$, $b:c=2:3$, and $c:d=3:4$.

☐ 4:8:15:21☐ 8:10:15:20☐ 9:12:17:30☐ 1:2:3:4

2. Section #2

1 2 3 4 5 6 7 8 9 10

Attempted: 4/24

Question 5

Revisit Later

Two individuals, P and Q, had money in the ratio of 5 : 23. After Q gave some of his money to P, the ratio of the amount of money with P to that with Q became 1 : 3. What fraction of his original amount of money was given by Q to P?

Select an option

- ☐ 11 : 19
- ☐ 2 : 23
- ☐ 3 : 11
- ☐ 7 : 23



Ramesh

DS DA Campus Hiring Assessment / Saved: 60 seconds ago

2. Section #2

<

1

2

3

4

5

6

7

8

9

10

>



Attempted: 5/24

Question 6

Revisit Later

Two numbers have an average of 5, and one of them is 25% of the other. Determine the larger of the two numbers.

Select an option

☐ 4☐ 6☐ 8☐ 10



2. Section #2

< 1 2 3 4 5 6 7 8 9 10 >

Attempted: 6/24

Question 7

[Revisit Later](#)

Select an option

In April, Jack anticipated receiving a 10% raise on his regular monthly income but instead received a \$360 raise, which was only 40% of the raise he had anticipated. What was Jack's regular monthly income before the raise?

☐ \$12000

☐ \$9000

☐ \$8500

☐ \$7700

2. Section #2



1

2

3

4

5

6

7

8

9

10



Attempted: 7/24

Question 8

Revisit Later

A shopkeeper pretends to sell his goods at cost price but uses false weights, resulting in a profit of 16.66%. How much quantity does he cheat in every 500 grams weight shown?


Select an option

- ☐ 62.5 grams
- ☐ 71.4 grams
- ☐ 78.4 grams
- ☐ 83.3 grams

2 Section #2

Attempted: 8/24

The following line graph shows the number of Convent, Private, and Government schools in six different cities.



Select an option

☐ 72:69

☐ 13:11

☐ 45:44

☐ 32:31

Question: What is the ratio of the number of Government schools in three cities (X, Y, and Z) to the number of Private schools in three cities (Z, P, and Q)?




Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190

2. Section #2

Attempted: 9/24

The following line graph shows the number of Convent, Private, and Government schools in six different cities.




Select an option

☐ 354:379☐ 379:354☐ 369:374☐ 335:349

Question: Find the ratio of the number of Private schools to the number of Convent schools in all six cities.

The following line graph shows the number of Convent, Private, and Government schools in six different cities.



Select an option

☐ 60%

☐ 56%

☐ 64%

☐ 70%

Question: The number of Government schools in cities X, Y, and Z is approximately what percentage of the number of Private schools in all six cities?

The table below shows the distribution of male associates, female associates, and managers (including both male and female) across various departments of ABC Ltd. Associates and managers together form the total number of employees in each department.

Department	Percentage of male associates out of total male associates at ABC Ltd.	Percentage of female associates out of total female associates at ABC Ltd.	Percentage of managers out of total managers at ABC Ltd.
A	10%	12%	20%
B	5%	7%	14%
C	8%	13%	10%
D	7%	11%	12%
E	3%	17%	6%
F	25%	4%	4%
G	19%	7%	20%
H	13%	18%	8%
I	6%	5%	2%
J	4%	6%	4%
Total	2500	2000	100

Select an option

☐ B☐ D☐ I☐ J

Which of the following departments is the number of male associates equal to the number of female associates in department I?

2. Section #2

<

11

12

13

14

15

16

17

18

19

20

>


⌵

Revisit Later

Attempted: 15/24

Question 16

Given below is a bar graph that depicts the number of units of cars sold in each year from year 2005 to 2010. Study the given information and answer the question that follows.



Select an option

☐ 2006☐ 2007☐ 2008☐ 2009

Question: In which of the following years is the percentage reduction in the number of cars over the previous year the maximum?



Ramesh
DS DA Campus Hiring Assessment / Saved: 60 seconds ago

2. Section #2

< 12 13 14 15 16 17 18 19 20 21 >

Attempted: 16/24

Question 17

Revisit Later

Select an option

Rearrange the following phrases to form two complete sentences:
Note: The phrases numbered 1 and 6 are fixed.

1. Nobody likes

- (A) being teased or
- (B) When people go out of
- (C) harassed for their looks.
- (D) their way to make fun of someone,

6. It's known as bullying.

☐ A D B C

☐ B D C A

☐ C A B D

☐ A C B D



Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89

2. Section #2



13

14

15

16

17

18

19

20

21

22



Attempted: 17/24

Question 18

Revisit Later

Fill in the blank(s) with the correct word(s).

I ____ friends with Joe since I was five years old.

Select an option

☐ have been☐ had☐ had have☐ will have been

2 Section #2



15

16

17

18

19

20

21

22

23

24



Attempted: 18/24

Question 20

Revisit Later

Select an option

This question consists of a sentence that is either partly or entirely underlined and may or may not have a grammatical error. There are four different versions of the underlined part of the sentence. Choose the option that correctly rephrases the underlined part of the following sentence. Mark the answer as 'No error' if there is no error in the underlined part.

Solar flares can charge the upper atmosphere enough to affect the electromagnetic spectrum, interfere with short-wave radio communication.

- ☐ to affect the electromagnetic spectrum, in addition to interference
- ☐ that the electromagnetic spectrum is affected and interferes
- ☐ to affect the electromagnetic spectrum and interfere
- ☐ that the electromagnetic spectrum is affected to interfere
- ☐ No error



2. Section #2



15

16

17

18

19

20

21

22

23

24



Attempted: 19/24

Question 21

Revisit Later

Select an option

Rearrange the following phrases to form a complete sentence:
Note: The phrases numbered 1 and 6 are fixed.

1. Despite the arduous

- (A) explorers braved the treacherous seas in
- (B) journey and harsh conditions, early
- (C) discovery of new lands and the expansion
- (D) search of new trade routes, leading to the

6. of empires.

☐ C B A D☐ B A D C☐ D C B A☐ C D B A



2. Section #2

< 15 16 17 18 19 20 21 22 23 24 >

Attempted: 21/24

Question 22

Revisit Later

Select an option

Read the following passage and answer the question given below.

Scientists are interested in understanding whether the ability to fly in birds evolved just once or multiple times. There are over 10,000 species of birds, and around half of them can fly. Among these flying birds, some have developed similar flying abilities independently. To determine if flight evolved just once or multiple times, researchers examine the characteristics of different bird groups.

Recent studies have shown that certain groups of birds evolved their flight independently from each other. This challenges the idea that flight evolved only once from a common ancestor. While many flying birds share similar adaptations for flight, such as wings and hollow bones, they also exhibit differences in other characteristics.

For example, the evolution of flight in birds like pigeons and hummingbirds occurred separately. Despite both these birds being capable of flight, they have distinct differences in their body structures, behaviours, and habitats. Further research into the genetic and anatomical features of flying birds will help scientists understand how flight evolved independently in different groups of birds.

Question: According to the above passage, what is one example of birds that evolved to fly independently from each other?

☐ Eagles and falcons

☐ Robins and sparrows

☐ Pigeons and hummingbirds

☐ Pigeons and doves





You are sharing your entire screen.

Stop Sharing

Test Time: 01:31



Ramesh

DS DA Campus Hiring Assessment

Saved: 30 seconds ago

2. Section #2



15

16

17

18

19

20

21

22

23

24



Attempted: 22/24

Question 23

Revisit Later

Read the following passage and answer the question given below.

Scientists are interested in understanding whether the ability to fly in birds evolved just once or multiple times. There are over 10,000 species of birds, and around half of them can fly. Among these flying birds, some have developed similar flying abilities independently. To determine if flight evolved just once or multiple times, researchers examine the characteristics of different bird groups.



Recent studies have shown that certain groups of birds evolved their flight independently from each other. This challenges the idea that flight evolved only once from a common ancestor. While many flying birds share similar adaptations for flight, such as wings and hollow bones, they also exhibit differences in other characteristics.

For example, the evolution of flight in birds like pigeons and hummingbirds occurred separately. Despite both these birds being capable of flight, they have distinct differences in their body structures, behaviours, and habitats. Further research into the genetic and anatomical features of flying birds will help scientists understand how flight evolved independently in different groups of birds.

Question: According to the above passage, how many species of birds are capable of flight?

Select an option



Over 5,000



Over 10,000



Exactly 10,000



Less than 5,000



Need Help? Contact us (Please add country code while dialing)



+1 (800) 265-6038



+91 80471-891



Question 24

Revisit Later

Select an option

Read the following passage and answer the question given below.

Scientists are interested in understanding whether the ability to fly in birds evolved just once or multiple times. There are over 10,000 species of birds, and around half of them can fly. Among these flying birds, some have developed similar flying abilities independently. To determine if flight evolved just once or multiple times, researchers examine the characteristics of different bird groups.



Recent studies have shown that certain groups of birds evolved their flight independently from each other. This challenges the idea that flight evolved only once from a common ancestor. While many flying birds share similar adaptations for flight, such as wings and hollow bones, they also exhibit differences in other characteristics.

For example, the evolution of flight in birds like pigeons and hummingbirds occurred separately. Despite both these birds being capable of flight, they have distinct differences in their body structures, behaviours, and habitats. Further research into the genetic and anatomical features of flying birds will help scientists understand how flight evolved independently in different groups of birds.

Question: Which of the given statements accurately reflects the current understanding of bird flight evolution?

- ☐ All flying birds share identical genetic and anatomical features.
- ☐ Flight in birds evolved only once in a single common ancestor.
- ☐ Pigeons and hummingbirds evolved together.
- ☐ Flight in birds evolved independently in different groups.





Ramesh

DS DA Campus Hiring Assessment

Saved: 30 seconds ago

You are sharing your entire screen.

Stop Sharing

Test Time: 01:29:36

Finish Test

3. Section #3

1

2

3

4

5

6

7

8

9

10

Previous Section

Question 1

Revisit Later

Attempted: 0/17

You're a Data Scientist at an e-commerce company. You've just received a dataset containing customer age and purchase history. Your first task is to visualize the data's distribution using a histogram.

Which Python code snippet would you use to accomplish this?

☐ 1 import pandas as pd
2 data = pd.read_csv('data.csv')
3 data['column_name'].value_counts()


☐ 1 import pandas as pd
2 data = pd.read_csv('data.csv')
3 data.describe()

☐ 1 import matplotlib.pyplot as plt
2 data = [10, 20, 20, 30, 30, 30, 40]
3 plt.hist(data)
4 plt.show()

☐ 1 import pandas as pd
2 data = pd.read_csv('data.csv')
3 data.groupby('column_name').mean()

Need Help? Contact us (Please add country code while dialing) 🇺🇸 +1 (800) 265-6038

🇮🇳 +91 80471-89190



Ramesh

DS DA Campus Hiring Assessment / Saved: 0 seconds ago

You are sharing your entire screen.

Stop Sharing

Test T

3. Section #3



1

2

3

4

5

6

7

8

9

10



Attempted: 1/17

Question 2

Revisit Later

Select an option

In a retail business, the sales manager wants to analyze the performance of different products over the past year to make informed decisions about restocking and promotions. They have collected data on the sales revenue of four product categories: Electronics, Clothing, Home Decor, and Sports Equipment.

Which type of data visualization would be most suitable for the sales manager to use in this scenario?

☐ Pie Chart☐ Line Chart☐ Scatter Plot☐ Radar Chart

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038



+91 804

Wednesday December 17, 3:39:25 PM

Menu

Inbox (1,922) - sorenramesh: x Online Test Window x +

You are sharing your entire screen [Stop Sharing](#) | -

Ramesh DS DA Campus Hiring Assessment / Saved: 0 seconds ago Test Time: 01:28:24 [Fresh Test](#)

3. Section #3 < 1 2 3 4 5 6 7 8 9 10 > Attempted: 2/17 [Previous](#) [Next](#)

Question 3 [Revisit Later](#)

You are a Data Scientist who has just finished training a machine learning model. Your next step is to evaluate the model's performance on unseen data. This requires splitting your existing dataset into a training set and a test set.

Which Python code snippet commonly achieves the training and test data split for model evaluation?

- ☐


```
1 from sklearn.model_selection import train_test_split
2 X_train, X_test, y_train, y_test = train_test_split(X,
y, test_size=0.2)
```
- ☐

```
1 from sklearn.model_selection import train_test_split
2 train = train_test_split(X, y, size=0.8)
```
- ☐

```
1 import pandas as pd
2 data = pd.read_csv('data.csv')
3 data.sample(frac=0.2)
```
- ☐

```
1 from sklearn.model_selection import train_test_split
2 X, y = train_test_split(data, size=0.8)
```

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190



Ramesh
DS DA Campus Hiring Assessment

You are sharing your entire screen. [Stop Sharing](#)

Test Time: 01:26:22

Finish Test

3. Section #3

1 2 3 4 5 6 7 8 9 10

Attempted: 5/17

Revisit Later

Question 6

In a customer feedback analysis project for an e-commerce company, the data analytics team is tasked with determining the sentiment of product reviews to gain insights into customer satisfaction. They want to classify the reviews as either "Positive," "Neutral," or "Negative."

Which sentiment analysis approach would be most suitable for this scenario?

Select an option

Clear Resp

- ☐ Rule-Based Approach
- ☐ Lexicon-Based Approach
- ☒ Machine Learning Approach with Feature Engineering
- ☐ Deep Learning Approach with Recurrent Neural Networks (RNNs)

Need Help? Contact us (Please add country code while dialing) [+1 \(800\) 265-6038](#)

[+91 80471-89190](#)

3. Section #3

Question 7

Attempted: 6/17

Revisit Later

Consider the given Python code snippets and analyze which of them will not give any error.

☒ 1 import pandas as pd
2 import numpy as np
3
4 data = np.array(['h','a','p','p','y'])
5 ser = pd.Series(data,index=[1,2,3,4,5,6])
6 print(ser[6])

☐ 1 import pandas as pd
2 import numpy as np
3
4 data = np.array(['h','a','p','p','y'])
5 ser = pd.Series(data,index=[1,2,3,4,5])
6 print(ser[6])

☐ 1 import pandas as pd
2 import numpy as np
3
4 data = np.array(['h','a','p','p','y'])
5 ser = pd.Series(data,index=[1,2,3,4,5,6])
6 print(ser[5])

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190



3. Section #3



1

2

3

4

5

6

7

8

9

10



Attempted: 7/17

Question 8

Revisit Later

Select an option

Suppose you are a data analyst working for an e-commerce company that recently implemented a new feature allowing customers to write product reviews. You are tasked with analyzing the impact of this feature on user engagement.

Which web analytics metric would be most appropriate for measuring the success of this feature?

☐ Click-through Rate (CTR)

☐ Bounce Rate

☐ Conversion Rate

☐ User Engagement Rate



Ramesh

DS DA Campus Hiring Assessment

Saved: 60 seconds ago

You are sharing your entire screen.

Stop Sharing

Test Time: 01:24:37

Finish Test

3. Section #3

< 1 2 3 4 5 6 7 8 9 10 >

Attempted: 8/17

Previous Next

Question 9

Revisit Later

You have been handed a dataset of student grades from a recent midterm exam. Your supervisor wants to understand the overall distribution of scores without diving into specific student details.

Which code snippet would you use to obtain a simple descriptive analysis of the grades?

```
grades = [90, 87, 78, 85, 92, 88, 76, 84, 91, 89]
```

```
1 import matplotlib.pyplot as plt
2 plt.hist(grades)
3 plt.show()
```

```
1 import pandas as pd
2 grades_df = pd.DataFrame(grades)
3 grades_df.describe()
```

```
1 import numpy as np
2 mean_grade = np.mean(grades)
3 median_grade = np.median(grades)
```

```
1 from sklearn.preprocessing import StandardScaler
2 scaler = StandardScaler()
3 scaled_grades = scaler.fit_transform(grades)
```

Need Help? Contact us (Please add country code while dialing)  +1 (800) 265-6038

 +91 80471-89190

Wednesday, December 17, 3:43:38 PM

Online Test Window

mettl.com

You are sharing your entire screen. Stop Sharing

Test Time: 01:24:13

Finish Test

3 Section #3

Attempted: 9/17

Question 10

Revisit Later

Suppose you're a digital marketing analyst for an e-commerce website that sells various products. You've been tasked with analyzing the effectiveness of a recent marketing campaign to increase sales of a new line of fashion accessories. To evaluate the campaign's performance, you focus on user engagement on the website.

Which web analytics metric would be most appropriate for assessing the campaign's success in terms of user engagement?

Select an option

Clear Response

- ☐ Bounce Rate
- ☐ Click-Through Rate (CTR)
- ☐ Conversion Rate
- ☐ Average Session Duration

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190



Ramesh

DS DA Campus Hiring Assessment / Saved: 30 seconds ago

You are sharing your entire screen.

Stop Sharing

Test Time

3. Section #3



6

7

8

9

10

11

12

13

14

15



Attempted: 10/17

Question 11

Revisit Later

Select an option

You are a data analyst working for an e-commerce company that sells clothing and accessories online. The company recently implemented a new feature on its website. As a part of your responsibilities, you are tasked with analyzing the user engagement data to determine the effectiveness of this new feature.

What metric would be most relevant to measure the success of this feature?

☐ Bounce Rate☐ Click-Through Rate☐ Pageviews per Session☐ Average Session Duration

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-80471

Question 12
Revisit Later

David is a Data Analyst at a retail company, and he has been tasked with analyzing the distribution of sales data for the past quarter. He has collected the data in a Pandas dataframe named `df` with a column labeled 'sales'. David believes that an interactive histogram would be the most effective way to visualize and understand the distribution of sales figures.

Which of the following code snippets will help David create an interactive histogram to analyze the sales distribution in the `df` dataframe?

Select an option Clear Response

- ☐

```
1 df['sales'].iplot(kind='hist', xTitle='sales', yTitle='count', title='Sales Distribution')
```
- ☐

```
1 df['sales'].plot(kind='hist', xTitle='sales', yTitle='count', title='Sales Distribution')
```
- ☐

```
1 df['sales'].iplot(x='sales', y='count', title='Sales Distribution')
```
- ☐

```
1 df.iplot(kind='hist', column='sales', xTitle='sales', yTitle='count', title='Sales Distribution')
```



3. Section #3

< 8 9 10 11 12 13 14 15 16 17 >

Attempted: 12/17

Question 13

Revisit Later

Select an option

A retail company is interested in predicting the sales of its products based on various factors. They have collected data on product price, advertising budget, and the day of the week.

In the context of the given scenario, which dependent variable does the company aim to predict using regression analysis?

☐ Product Price☐ Advertising Budget☐ Day of the Week☐ Sales

[illegible]

☐ Revisit Later

Select an option

 Clear Response

- ☒ It reads data from a table named "customers" in a MySQL database.
- ☐ The code inserts a record into the "customers" collection in a MongoDB database named "mydb".
- ☐ It updates an existing record in the "customers" collection in MongoDB.
- ☐ The code deletes a specific record from the "customers" table in a PostgreSQL database.

What does this code primarily do?

Wednesday, December 17, 3:48:23 PM

Online Test Window

test1.mettl.com ~2/ test-window/pu2/157my-rh5CdwWw32qheARh4uCPQutLkKwzBz0u3CqP...

You are sharing your entire screen. [Stop Sharing](#)

Test Time: 01:19:26

Finish Test

3. Section #3

Attempted: 15/17

Question 16

[Revisit Later](#)

In a retail business, the management is looking to improve its inventory management system to reduce costs and avoid stockouts. They have gathered historical sales data, weather data, and promotional campaign schedules for the past two years.

Which predictive analysis technique would be most suitable for this scenario?

Select an option

- ☐ Cluster Analysis
- ☐ Regression Analysis
- ☐ Principal Component Analysis (PCA)
- ☐ Decision Tree Analysis

Need Help? Contact us (Please add country code while dialing) [+1 \(800\) 265-6038](#) [+91 80471-89190](#)

Wednesday, December 17, 3:48:42 PM

Inbox (1,922) - sarinramest - Online Test Window

test.mest.com - You are sharing your entire screen. Stop Sharing

Test Time: 01:19:07 Finish Test

3. Section #3

Attempted: 16/17

Question 17

In a retail business, a company wants to predict whether a customer will purchase based on their browsing behavior on the website.

Which classification algorithm would be most suitable for this application?

Revisit Later

Select an option

- ☐ K-Means Clustering
- ☐ Linear Regression
- ☐ Decision Tree
- ☐ Principal Component Analysis (PCA)

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190

Wednesday December 17, 3:49:15 PM

Inbox (1,922) - sorennamest- x Online Test Window x +

lms.mettl.com / 2/161way-H3G5vV%2FgNABvdaCIPDuAAtxwBwocPellCaP... Sign in

 Ramesh DS DA Campus Hiring Assessment / Saved: 0 seconds ago Test Time: 01:18:34 Finish Test

4. Section #4 1 2 3 4 5 6 7 8 9 > Previous Section Next

Attempted: 0/9

Question 1 [Revisit Later](#)

Huge query has been splitted into multiple queries and intermediate results need to be stored for the next query. So, how a query will be created to store it for a temporary period?

☐ 1 With temp_table as (
2 Select * from
3 ...
4)

☐ 1 Create table temp_table as (
2 Select * from
3 ...
4)

☐ 1 Create table temp_table as (
2 Select * from
3 ...
4) With data

☐ 1 Create view temp_view as (
2 select * from
3 ...
4)

Need Help? Contact us (Please add country code while dialing)  +1 (800) 265-6038  +91 80471-89190

4. Section #4
1 2 3 4 5 6 7 8 9
Previous Next

Question 2
Revisit Later

Attempted: 1/9

Which of the following queries to find out the details of the employee from employee table whose name ends with 'p' and the third letter of the name is 'a' is correct?

- ☒ 1. SELECT * FROM EMPLOYEE WHERE EMP_NAME LIKE '%a%p'
- ☐ 1. SELECT * FROM EMPLOYEE WHERE EMP_NAME LIKE '...a%p'
- ☐ 1. SELECT * FROM EMPLOYEE WHERE EMP_NAME LIKE '%_a%p'
- ☐ 1. SELECT * FROM EMPLOYEE WHERE EMP_NAME LIKE '%a_p'
- ☐ 1. SELECT * FROM EMPLOYEE WHERE EMP_NAME LIKE ' _a%p'



Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190



4. Section #4

1 2 3 4 5 6 7 8 9

Previous Next

Attempted: 2/9

Question 3

Revisit Later

Select an option

Clear Response

What is the error in the given code snippet?

```
1 CREATE TABLE StoreItems
2 {
3 ItemID int identity(1, 1) NOT NULL,
4 Category nvarchar(50),
5 [Item Name] nvarchar(100) NOT NULL,
6 Size nvarchar(20),
7 [Unit Price] money
8 GO
```

- ☐ 1 CREATE TABLE StoreItems
- ☐ 1 ItemID int identity(1, 01) NOT NULL,
- ☐ 1 [Item Name] nvarchar(100) NOT NULL,
- ☐ No Error



Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190

4. Section #4

< 1 2 3 4 5 6 7 8 9 >

Attempted: 3/9

Previous Next

Question 4

Revisit Later

Select an option

Clear Response

Which of the following scripts is used to get the names of male employees whose state is MP or Gujarat?

- ☐ 1 SELECT EmpName FROM Employee WHERE EmpGender = "M" AND EmpState = "MP" OR EmpState = "Gujarat";
- ☐ 1 SELECT EmpName FROM Employee WHERE (EmpGender = "M" AND EmpState = "MP" OR EmpState = "Gujarat");
- ☐ 1 SELECT EmpName FROM Employee WHERE EmpGender = "M" AND (EmpState = "MP" OR EmpState = "Gujarat");
- ☐ 1 SELECT EmpName FROM Employee WHERE EmpGender = "M" OR EmpState = "MP" OR EmpState = "Gujarat";



Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190

Question 5 Revisit Later Select an option Clear Response

You have one employee (EmpID, Name, address, city, department) table and you want to select employees from three different cities. Which operator will you use in your sql query?

- ☐ NOT
- ☐ IN
- ☐ BETWEEN
- ☐ ANY





Ramesh
DS DA Campus Hiring Assessment / Saved: 0 seconds ago

Previous Next

4. Section #4

Attempted: 5/9

Question 6

Revisit Later

What will be the output of the given code?

```
1 SELECT Name, Age FROM Person WHERE (Age LIKE '[1-2][0-9]') AND (Name LIKE 'Sa');
```

Person Table

Name	Age
Tom	31
Sam	23
Losa	29
Adam	25
Maria	26
Noah	43
Lee	15
Sajesh	24

☐

Name	Age
Sam	23
Losa	29
Sajesh	24

☐

Name	Age
Sam	23
Sajesh	24

☐

Name	Age
Losa	29

☐ None of the given options

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190

Wednesday December 17, 3:54:07 PM

Online Test Window

mettl.com

You are sharing your entire screen. Stop Sharing

Test Time: 01:13:42

Finish Test

Ramesh
DS DA Campus Hiring Assessment / Saved: 30 seconds ago

4. Section #4

Attempted: 6/9

Question 7

Revisit Later

Which of the following scripts is the correct equivalent of the given script?

1 SELECT *
2 FROM orders
3 WHERE order_id BETWEEN 300 AND 600;

1 SELECT *
2 FROM suppliers
3 WHERE supplier_id >= 300
4 AND supplier_id <= 600;

1 SELECT *
2 FROM suppliers
3 WHERE supplier_id > 300
4 AND supplier_id < 600;

1 SELECT *
2 FROM suppliers
3 WHERE supplier_id >= 300
4 AND supplier_id < 600;

1 SELECT *
2 FROM suppliers
3 WHERE supplier_id > 300
4 AND supplier_id <= 600;

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190

Wednesday, December 17, 2025 2:52 PM

Online Test Window

India (L922) - www.mettl.com

Sign in

Test Time: 51:12:20

Finish Test

Ramesh DS DA Campus Hiring Assessment Saved: 30 seconds ago

1 2 3 4 5 6 7 8 9

Section #4

Revisit Later

Attempted: 7/9

Clear Response

Question 8

What will be the output of the given code?

```
1 IF 30 < SOME (SELECT Age FROM Person)
2 PRINT "There are young students"
3 ELSE
4 PRINT "There aren't young students" ;
```

Person Table

Name	Age
Tom	31
Sam	33
Losa	29
Adam	55
Maria	63
Noah	43
Lee	15
Sajesh	24
Martha	22

Select an option

☐ Execution error because SOME is not a known clause

☐ There are young students


☐ There are not young students

☐ None of the given options

Need Help? Contact us (Please add country code while dialing)

+1 (800) 265-6038

+91 80471-89190



Wednesday December 17, 3:55:54 PM

Menu

Inbox (1,922) - sorename@... Online Test Window

test.mettl.com/v2/test-window/p/318/entry/MCQs/WX2TgHhMnL/CFOuMAKpdsBmQdLQmG... You are sharing your entire screen. Stop Sharing

Test Time: 01:11:54 Finish Test

Sigmoid Ramesh DS DA Campus Hiring Assessment / Saved: 60 seconds ago

4: Section #4

Question 9

What will be the output of the given code?

```
1 SELECT Name, Age FROM Person WHERE (Age LIKE '[1-2][0-9]') AND (Age BETWEEN 22 AND 25);
```

Person Table

Name	Age
Tom	31
Sam	33
Losa	29
Adam	55
Maria	63
Noah	43
Lee	15
Sajesh	24
Martha	22

Attempted: 9/9

Revisit Later

Name	Age
Losa	29
Lee	15
Sajesh	24
Martha	22

Name	Age
Losa	29
Sajesh	24

Name	Age
Losa	29
Martha	22

Name	Age
Sajesh	24
Martha	22

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190

Question 1
How to Attempt?
Maximum Rainfall Date

You are given a CSV file with the following columns:

COUNTRY	DATE	RAIN	SNWD	SNOW
---------	------	------	------	------

- The description of the Dataset is given below:
1. COUNTRY - Name of the country.
 2. DATE - Date in integer format (YYYYMMDD).
 3. RAIN - Denotes the amount of Rainfall received on a given date (in mm).
 4. SNWD - Denotes the depth of Snow (in cm).
 5. SNOW - Denotes the amount of Snowfall received on a given date.

Below is a small snippet of the dataset for your reference:

COUNTRY	DATE	RAIN	SNWD	SNOW
Scotland	20140101	0	0	0
Dominican Republic	20110102	41	0	0

PYTHON3 Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class UserMainCode(object):
4     @classmethod
5     def maximumRainfallDate(cls, input1):
6         ...
7         input1 : string
8
9         Expected return type : string
10        ...
11        data_frame = pd.read_csv(input1)
12        # Read only region end
13        # Write code here
14        pass
15
16
```

☐ Use Custom Input

Compile and Test

COUNTRY	DATE	RAIN	SNWD	SNOW
Scotland	20140101	0	0	0
Dominican Republic	20140102	41	0	0
Monaco	20140103	15	0	0
Belarus	20140104	0	0	0
Iraq	20140105	0	0	0
Congo	20140106	3	0	0

You need to find the date with the maximum rainfall and return the value in the specified format.

Note: DATE is in `int` format

Input Specification:

`input1`: URL for the CSV file is being passed as a string to the function

Output Specification:

Return the date in the format `Mmm DD,YYYY` as a string.

Note: The month should be represented as an abbreviation comprising of the first 3 characters of the month name with the first character being capitalized.

Example 1:

`input1`: URL of the dataset

Attempted: 0/3

Compiler: Python 3.11

PYTHON3

```
1 import pandas as pd
2 # Read only region start
3 class UserMainCode(object):
4     @classmethod
5     def maximumRainfallDate(cls, input1):
6         """
7         input1 : string
8
9         Expected return type : string
10
11         data frame = pd.read_csv(input1)
12         # Read only region end
13         # Write code here
14         pass
15
16
```

☐ Use Custom Input

Compile

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190

tests.mettl.com/v2/test-window/pi/3/8#qld_1

Wednesday December 17, 3:59:30 PM

Inbox (1,922) · score-assess- · Online Test Window

tests.mettl.com/v2/test-window/pl/3/8#qld_-1

You are sharing your entire screen. Stop Sharing

Test Time: 01:08:19 Finish Test

STARTED

Ramesh

DS DA Campus Hiring Assessment / Saved: 30 seconds ago

5. Section #5

1 2 3 >

Previous Section Next

TEMPORAL DATA: 10-111-100-2010-2014

Input Specification:
input1: URL for the CSV file is being passed as a string to the function

Output Specification:
Return the date in the format Mmm DD,YYYY as a string.
Note: The month should be represented as an abbreviation comprising of the first 3 characters of the month name with the first character being capitalized.

Example 1:
input1: URL of the dataset

Output: Mar 05,2014

Explanation:
For the given input dataset, the date with the maximum rainfall is 20140305 and converting it to the format Mmm DD,YYYY, **Mar 05,2014** is returned as the output string.

Attempted: 0/3

PYTHON3 Compiler Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class UserMainCode(object):
4     @classmethod
5     def maximumRainfallDate(cls, input1):
6         ...
7         input1 : string
8
9         Expected return type : string
10        ...
11        data_frame = pd.read_csv(input1)
12        # Read only region end
13        # Write code here
14        pass
15
16
```

☐ Use Custom Input

Compile and Test

tests.mettl.com/v2/test-window/pl/3/8#qld_-1

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038 +91 80471-89190



Ramesh

DS DA Campus Hiring Assessment

Saved: 0 seconds ago

You are sharing your entire screen.

Stop Sharing

Test Time: 00:54:44

5. Section #5

Maximum Average Rainfall

You are given a CSV file with the following columns:

COUNTRY	DATE	RAIN	SNWD	SNOW	DURATION
---------	------	------	------	------	----------

Below is a small snippet of the dataset for your reference:

COUNTRY	DATE	RAIN	SNWD	SNOW	DURATION
Scotland	20140101	0	0	0	516
Dominican Republic	20140102	41	0	0	2919
Monaco	20140103	15	0	0	7
Belarus	20140104	0	0	0	566
Iraq	20140105	0	0	0	663
Congo	20140106	3	0	0	3507

You need to return a list with the names of countries with the maximum average rainfall, taking into account that a single country can have multiple entries and return the value.

Input Specification

input1: URL for the CSV file is being passed as a string to the function

Output Specification

Output: Return the names of the countries with the maximum average rainfall as a python list.

Attempted: 1/3

PYTHON3


Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class UserMainCode(object):
4     @classmethod
5     def maxAvgRainfall(cls, input1):
6         '''
7         input1 : string
8
9         Expected return type : List[String]
10        '''
11        data_frame=pd.read_csv(input1)
12        # Read only region end
13        # Write code here
14        pass
15
16
```

☐ Use Custom Input

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89190



5. Section #5

1 2 3

Attempted: 1/3

COUNTRY	DATE	RAIN	SNWD	SNOW	DURATION
Scotland	20140101	0	0	0	516
Dominican Republic	20140102	41	0	0	2919
Monaco	20140103	15	0	0	7
Belarus	20140104	0	0	0	566
Iraq	20140105	0	0	0	663
Congo	20140106	3	0	0	3507

You need to return a list with the names of countries with the maximum average rainfall, taking into account that a single country can have multiple entries and return the value.



Input Specification

input1: URL for the CSV file is being passed as a string to the function

Output Specification

Output: Return the names of the countries with the maximum average rainfall as a python list.

Example:

input1: URL of the dataset

Output: ['Brazil']

Explanation :

For the given input dataset, there is only one country with the maximum average rainfall i.e Brazil, hence Brazil is returned as the output.

PYTHON3

Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class UserMainCode(object):
4     @classmethod
5     def maxAvgRainfall(cls, input1):
6         ...
7         input1 : string
8
9         Expected return type : List[String]
10        ...
11        data frame=pd.read_csv(input1)
12        # Read only region end
13        # Write code here
14        pass
15
16
```

☐ Use Custom Input

5. Section #5

You are working on a project in which you need to analyze the amount of tension that exists among a group of individuals.

The dataset you are provided with is in the form of a CSV file and contains three columns namely: **Age**, **Category** and **Tension**.

The URL of the CSV file is passed to your function as a parameter named **input1** and has already been loaded on the console and stored as a data frame under the variable name **data_frame** for your reference.

Below given a snippet of the data in **data_frame**:

Age	Category	Tension
26	A	L
30	A	L
54	A	L
25	A	L
70	A	L

Note: The variable **Tension** contains only three types of values namely **H**, **L**, and **M** and the variable **Category** contains only two types of values namely **A** and **B**.

You must calculate the following from the dataset:

1. Mean Age value for the three levels of **Tension** rounded off to two decimal places i.e., mean Age value for each of **H**, **L** and **M** respectively. Store these values in the same order in a list named **data**.

Attempted: 2/3

PYTHON3

Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class Result(object):
4     def __init__(self, arg1, arg2):
5         self.output1=arg1 # List[Double]
6         self.output2=arg2 # List[Double]
7 class UserMainCode(object):
8     @classmethod
9     def tensionAnalysis(cls, input1):
10         ...
11         input1 : string
12
13         Expected return type : Result
14         ...
15         data_frame = pd.read_csv(input1)
16         # Read only region end
17         # Write code here
18         pass
19
```

☐ Use Custom Input

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-89



Ramesh

DS DA Campus Hiring Assessment /

Saved: 0 seconds ago

You are sharing your entire screen.

Stop Sharing

Test Time: 00:49

5 Section #5

1. Mean Age value for the three levels of **Tension** rounded off to two decimal places i.e., mean Age value for each of **H, L and M** respectively. Store these values in the same order in a list named **data_1**.
2. Mean Age value for the two **Category** values rounded off to two decimal places i.e., mean Age value for each of **A and B**. Store these values in the same order in a list named **data_2**.

Your task is to return the lists i.e. **data_1** & **data_2** in the form of a **Result (data_1, data_2)** object.

Input Specification:

input1 : A string denoting the URL of the dataset.

Output Specification:

Output1 : A List (**data_1**) denoting the Mean age value for the three levels of Tension (H, L and M).
Output2 : A List (**data_2**) denoting the Mean age value for the two values of Category (A and B).

Example 1:

input1 : URL of the dataset

Attempted 2/3

PYTHON3

Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class Result(object):
4     def __init__(self, arg1, arg2):
5         self.output1=arg1 # List[Double]
6         self.output2=arg2 # List[Double]
7 class UserMainCode(object):
8     @classmethod
9     def tensionAnalysis(cls, input1):
10         ...
11         input1 : string
12
13         Expected return type : Result
14         ...
15         data frame = pd.read_csv(input1)
16         # Read only region end
17         # Write code here
18         pass
19
```

☐ Use Custom Input

Need Help? Contact us (Please add country code while dialing) +1 (800) 265-6038

+91 80471-891



5. Section #5

Example 1:

input1 : URL of the dataset

Output1: [27.25,41.75,27.12]

Output2: [37.38,25.73]

Explanation:

For the given dataset,

The mean age value for Tension level H, L and M, rounded-off to two decimal places, are 27.25, 41.75 and 27.12 respectively, hence the list [27.25,41.75,27.12] is stored as **data_1**.

Similarly, the mean age value for Category value A and B, rounded-off to two decimal places, is 37.38 and 25.73 respectively, hence [37.38,25.73] is stored at **data_2**.

Finally, returning an object of the Result class with **data_1** and **data_2** that are further being initialised and returned as **Output1** and **Output2**.

Attempted: 2/3

PYTHON3

Compiler: Python 3.11

```
1 import pandas as pd
2 # Read only region start
3 class Result(object):
4     def __init__(self, arg1, arg2):
5         self.output1=arg1 # List[Double]
6         self.output2=arg2 # List[Double]
7 class UserMainCode(object):
8     @classmethod
9     def tensionAnalysis(cls, input1):
10         ...
11         input1 : string
12
13 Expected return type : Result
14 ...
15 data frame = pd.read_csv(input1)
16 # Read only region end
17 # Write code here
18 pass
19
```

☐ Use Custom Input