

Rheinische Friedrich-Wilhelms-

Institut für Informatik Abteilung VI

Universität Bonn Autonome Intelligente Systeme

Prof. Dr. Sven Behnke

Postanschrift: 53012 Bonn Sitz: Friedrich-Ebert-Allee 144

Robot Learning

Assignment 4

Due Tuesday, May 30th, before class.

4.1) Consider the following grid world:

W						
			W	W	W	
G	W	W		W		
		W		W		S
W	W		W		W	

The agent starts in state S.

When it reaches state G, it will receive a reward of 100 and the episode ends. When it reaches a state W, it will receive a reward of -20 and the episode ends

Every other step will be rewarded with -1.

The agent has eight actions: It can move to an adjacent cell (according to eight-neighborhood).

The actions are not deterministic. Only with probability 0.7, the desired action is carried out. With probability 0.15, the agent deviates from the desired direction by one cell to the left or to the right (axis-parallel moves become diagonal moves and vice versa).

Actions that would move the agent off the grid are handled by truncating the resulting cell coordinates to valid grid coordinates. Hence, almost all diagonal moves outside the grid (except for moves into cells extending corners) will result in a horizontal or vertical move.

Randomly generate 500 episodes according to the policy:

Move to the left with probability 0.5. Move to the upper left with probability 0.25, move to the lower left with probability 0.25.

Compute the state-value for each visited state using $\mathsf{TD}(0)$ Policy Evaluation.

10 points

4.2) Starting from the above policy, choose actions using ϵ -greedy action selection (ϵ =0.1).

Improve the policy by Q-learning for 5,000 episodes.

Compute the resulting state value V(s) for each grid cell.

Visualize the resulting policy using arrows.

10 points