

# **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Contact Us Feature	2	0	2	0	35.054 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Contact Us Feature	Contact Us Scenario with different set of Data	4	3	1	0	35.049 s
2	Contact Us Feature	Contact Us Scenario with different set of Data	4	3	1	0	35.044 s

DETAILED SECTION -- 4 --

### **(F)- Contact Us Feature**

FAILED	DURATION - 35.054 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 5:35:55.568 PI	M // 5:36:30.622 PM /	Pass - 0	2	Pass - 6	8
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

### (S)- Contact Us Scenario with different set of Data




#	Step / Hook Details	Status	Duration
1	Given user navigates to contact us page	PASSED	27.789 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)		0.171 s
	image		
	SALE 70% OFF ALL PRODUCTS INCOME.  With a second se		
2	When user fills the form from given sheetname "Contactus" and rownumber 0	PASSED	1.100 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	image		
	SCHOOL SHOOL CHARLES AND		

-- 5 --

#	Step / Hook Details	Status	Duration
3	And user clicks on send button	PASSED	0.538 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	image		
	Rouser Linit & Rothold		
	The half is support to a final of the support of the final of the support of the		
4	Then it shows a succesful message "Your message has been successfully sent to our team."	FAILED	0.020 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		
	selector", "selector": "div#center_column p" (Session info: chrome=100.0.4896.88) For documentation on this error, please visit:		
	https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-F8VFH2TR',		
	ip: '192.168.29.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_161' Driver info: org.openqa.selenium.		
	chrome.ChromeDriver Command: [9b6142934980403071fb55cd1f9394d9, findElement {using=css selector, value=div#center_column p}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.88, chrome: {chromedriverVersion:		
	100.0.4896.60 (6a5d10861ce8, userDataDir: C:\Users\rames\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:60365},		
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), se:cdp: ws://localhost:60365/devtoo, se:cdpVersion: 100.0.4896.88, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9b6142934980403071fb55cd1f9394d9		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:559)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)		
	at com.wizards.pages.ContactUsPage.getSuccessMessg(ContactUsPage.java:48) at com.wizards.steps.ContactUsPageSteps.it_shows_a_succesful_message(ContactUsPageSteps.java:55)		
	at com.wizards.steps.ComactosPageSteps.it_snows_a_succestul_message(ComactosPageSteps.java.55) at ?.it shows a succesful message "Your message has been successfully sent to our team."(file:///C:/OldLaptop/Selenium/CucumberWizards/		
	src/test/resources/features/ContactUs.feature:9)		
	* Not displayable characters are replaced by '?'.		
	AFTER STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	/ · · · · · · · · · · · · · · · · · · ·	. 7.0020	0.1100

#	Step / Hook Details	Status	Duration
	image		
	Rossers Limit is Rushed		
	AFTER - com.wizards.AppHooks.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.126 s
	Contact Us Scenario with different set of Data		
	Browners Limit h Rasshed  translationary translations and translations are translations and translations are translations and translations and translations are translations are translations and translations are		

## (S)- Contact Us Scenario with different set of Data




#	Step / Hook Details	Status	Duration	
1	Given user navigates to contact us page	PASSED	28.418 s	
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s	
	image			
	SALE TOWN OFF ALL PRODUCTS DECISIONS  WANTED TO THE TOWN OFF ALL PRODUCTS DECISIONS  WANTED TOWN OFF ALL PRODUCTS DECISIONS  W			
2	When user fills the form from given sheetname "Contactus" and rownumber 1	PASSED	0.481 s	
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s	
	image			

#	Step / Hook Details	Status	Duration
	DOCUMENTS  ON CHANGE  WITH THE PROPERTY OF THE		
3	And user clicks on send button	PASSED	0.480 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
			5.25. 5
	image .		
	Resource Limit is Reached  Second Sec		
_			
4	Then it shows a successful message "Your message has been successfully sent to our team."	FAILED	0.044 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector", "selector":"div#center_column p"} (Session info: chrome=100.0.4896.88) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.1.0', revision: '87802e897b' System info: host: 'LAPTOP-F8VFH2TR', ip: '192.168.29.21', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_161' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [81c5a0ae7621465ecef937ca78e67a5b, findElement {using=css selector, value=div#center_column p}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.88, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8, userDataDir: C:\Users\rames\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:60364}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60364/devtoo, se:cdpVersion: 100.0.4896.88, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 81c5a0ae7621465ecef937ca78e67a5b		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.httpcommandexecutor.execute(httpcommandexecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:104) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:159)		
	at org.openqa.selenium.remote.remote.webbriver.execute(remote.webbriver.java.333) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:102)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:383)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:375)		
	at com.wizards.pages.ContactUsPage.getSuccessMessg(ContactUsPage.java:48)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at com.wizards.steps.ContactUsPageSteps.it_shows_a_succesful_message(ContactUsPageSteps.java:55) at ?.it shows a succesful message "Your message has been successfully sent to our team."(file:///C:/OldLaptop/Selenium/CucumberWizards/src/test/resources/features/ContactUs.feature:9)  * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	image		
	Recovery Latin's Richards  The Control of the Contr		
	AFTER - com.wizards.AppHooks.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.137 s
	Contact Us Scenario with different set of Data		
	Recovery Limit is Reschool  The state of the		



(Step) AFTER_STEP - com.wizards. AppHooks.AppHooks.stepScreenshot(io. cucumber.java.Scenario)	Resource Limit Is Reached  The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.
(S) Contact Us Scenario with different set of Data	
(F) Contact Us Feature	
(Step) AFTER_STEP - com.wizards. AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	Resource Limit Is Reached  The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.
(S) Contact Us Scenario with different set of Data	
(F) Contact Us Feature	

EXPANDED SECTION -- 11 --

(Step) AFTER - com.wizards.AppHooks. AppHooks.tearDown(io.cucumber.java. Scenario)

#### Resource Limit Is Reached

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.


(S) Contact Us Scenario with different set of Data


(F) Contact Us Feature

(Step) AFTER\_STEP - com.wizards. AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)

(S) Contact Us Scenario with different set of Data


(F) Contact Us Feature





(S) Contact Us Scenario with different set of Data

(F) Contact Us Feature



(Step) AFTER\_STEP - com.wizards. AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)

The website is temporarily unable to service

Resource Limit Is Reached

(S) Contact Us Scenario with different set of Data

(F) Contact Us Feature

The website is temporarily unable to service your request as it exceeded resource limit. Please try again later.

