

Cucumber Report

14-Jan-2024, 10:02:21 am

Start : Jan 14, 10:01:04.057 am

End : Jan 14, 10:02:18.408 am

Duration : 1 m 14.351 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Account Page Feature</u>	1 m 14.351 s	2	1	1	0	8	4	1	3

#	Feature Name	Scenario Name
1	<u>Account Page Feature</u>	<u>Accounts section count</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountPage	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Account Page Feature</u>	2	1	1	0	1 m 14.351 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Account Page Feature</u>	<u>Accounts page title</u>	4	4	0	0	1 m 6.239 s
2		<u>Accounts section count</u>	4	0	1	3	8.066 s



Account Page Feature

FAILED	DURATION - 1 m 14.351 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 8 Pass - 4 Fail - 1 Skip - 3	
/ 10:01:04.057 am // 10:02:18.408 am /					



Accounts page title

<div>PASSED</div>	<div>DURATION - 1 m 6.239 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:01:04.067 am // 10:02:10.306 am /</div>				
<div>Account Page Feature</div>				
<div>@AccountPage</div>				


#	Step / Hook Details	Status	Duration	
1	Given user has already logged in to application	PASSED	50.077 s	
	<table><tr><td>username</td><td>password</td></tr><tr><td>ramesh.korla@outlook.com</td><td>Tester@123</td></tr></table>			username
username	password			
ramesh.korla@outlook.com	Tester@123			
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s	
				
2	Given user is on Accounts page	PASSED	0.017 s	
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s	
				

#	Step / Hook Details	Status	Duration
3	When user gets the title of the page	PASSED	0.019 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
			
4	Then page title should be "My account - My Shop"	PASSED	0.006 s
	AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
			

Accounts section count

FAILED		DURATION - 8.066 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:02:10.342 am // 10:02:18.408 am /						
Account Page Feature						
@AccountPage						

#	Step / Hook Details	Status	Duration				
1	Given user has already logged in to application	FAILED	3.399 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>ramesh.korla@outlook.com</td><td>Tester@123</td></tr></table>			username	password	ramesh.korla@outlook.com	Tester@123
	username			password			
ramesh.korla@outlook.com	Tester@123						
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@class='login']} (Session info: chrome=120.0.6099.217) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1c7227c7975f2e1de9575012f7c5543a, findElement {using=xpath, value=//a[@class='login']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.217, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\ramesh\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50196},							

#	Step / Hook Details	Status	Duration
	<div>networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50196/devtoo..., se:cdpVersion: 120.0.6099.217, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1c7227c7975f2e1de9575012f7c5543a</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</div> <div>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</div> <div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</div> <div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)</div> <div>at com.wizards.pages.LoginPage.doLogin(LoginPage.java:68)</div> <div>at com.wizards.steps.AccountPageSteps.user_has_already_logged_in_to_application(AccountPageSteps.java:33)</div> <div>at ?.user has already logged in to application(file:///C:/workspace/CucumberWizards/src/test/resources/features/AccountPage.feature:5)</div> <div>* Not displayable characters are replaced by '?'.</div>		
	<div>AFTER_STEP - com.wizards.AppHooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)</div> <div></div>	PASSED	0.252 s
2	Given user is on Accounts page	SKIPPED	0.008 s
3	Then user gets accounts section	SKIPPED	0.001 s
	<div>ADD MY FIRST ADDRESS</div> <div>ORDER HISTORY AND DETAILS</div> <div>MY CREDIT SLIPS</div> <div>MY ADDRESSES</div> <div>MY PERSONAL INFORMATION</div> <div>Home</div>		

#	Step / Hook Details	Status	Duration
4	And accounts section count should be 6	SKIPPED	0.001 s
	AFTER - com.wizards.AppHooks.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.232 s
	<u>A_c_c_o_u_n_t_s_s_e_c_t_i_o_n_c_o_u_n_t</u>		
	