Cucumber Report

Aug 30, 2024, 7:43:17 AM

Start : Aug 30, 7:43:03.198 AM	End : Aug 30, 7:43:15.671 AM	Duration : 12.473 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 0
FAILED - 1	FAILED - 2	FAILED - 0
SKIPPED - 0	SKIPPED - 0	SKIPPED - 8





Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Account Page Feature	12.473 s	2	0	2	0	8	0	0	8

#	Feature Name	Scenario Name
1	Account Page Feature	Accounts page title
2		Accounts section count

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AccountPage	2	0	2	0	1	0	1	0
@Regression	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Account Page Feature	2	0	2	0	12.473 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Account Page Feature	Accounts page title	4	0	0	4	11.106 s
2		Accounts section count	4	0	0	4	1.258 s

Account Page Feature

FAILED	DURATION - 12.473 s	Scenarios		Steps
/ 7:43:03.198 AM // 7:43:15.671 AM /		Total - 2 Pass - 0 Fail - 2 Skip - 0		Total - 8 Pass - 0 Fail - 0 Skip - 8

Accounts page title

FAILED	DURATION - 11.106 s		Steps
/ 7:43:03.203 AM // 7:43:14.309 AM /			Total - 4 Pass - 0 Fail - 0 Skip - 4
Account Page Feature			
@AccountPage @Regression			

#	Step / Hook Details	Status	Duration
	BEFORE - com.wizards.AppHooks.AppHooks.launchBrowser()	FAILED	11.017 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: exited normally. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location /usr/bin/microsoft-edge is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'fv-az571-514', ip: '10.1.0.5' Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-1071-azure', java.version: '11.0.24' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.wizards.factory.DriverFactory.init_driver(DriverFactory.java:52) at com.wizards.AppHooks.AppHooks.launchBrowser(AppHooks.java:38)		
1	Given user has already logged in to application username: ramesh.korla@outlook.com password: Tester@123	SKIPPED	0.012 s
2	Given user is on Accounts page	SKIPPED	0.001 s
3	When user gets the title of the page	SKIPPED	0.001 s
4	Then page title should be "My account - My Shop"	SKIPPED	0.002 s
	AFTER - com.wizards.AppHooks.AppHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException at com.wizards.AppHooks.AppHooks.tearDown(AppHooks.java:64)	FAILED	0.007 s
	AFTER - com.wizards.AppHooks.AppHooks.quitBrowser() java.lang.NullPointerException at com.wizards.AppHooks.AppHooks.quitBrowser(AppHooks.java:43)	FAILED	0.001 s

Accounts section count

FAILED	DURATION - 1.258 s
/ 7:43:14.413 AM // 7:43:15.671 AM /	
Account Page Feature	
@AccountPage @Regression	



Steps
Total - 4
Pass - 0
Fail - 0
Skip - 4

#	Step / Hook Details	Status	Duration
	BEFORE - com.wizards.AppHooks.AppHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: Microsoft Edge failed to start: exited normally. (session not created: DevToolsActivePort file doesn't exist) (The process started from msedge location /usr/bin/microsoft-edge is no longer running, so msedgedriver is assuming that msedge has crashed.) Host info: host: 'fv-az571-514', ip: '10.1.0.5' Build info: version: '4.22.0', revision: 'c5f3146703*' System info: os.name: 'Linux', os.arch: 'amd64', os.version: '5.15.0-1071-azure', java.version: '11.0.24' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities	FAILED	1.243 s

#	Step / Hook Details	Status	Duration
	{browserName: MicrosoftEdge, ms:edgeOptions: {args: [], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:114) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48) at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44) at com.wizards.factory.DriverFactory.init_driver(DriverFactory.java:52) at com.wizards.AppHooks.AppHooks.launchBrowser(AppHooks.java:38)		
1	Given user has already logged in to application username | password ramesh.korla@outlook.com | Tester@123	SKIPPED	0.001 s
2	Given user is on Accounts page	SKIPPED	0.000 s
3	Then user gets accounts section ADD MY FIRST ADDRESS ORDER HISTORY AND DETAILS MY CREDIT SLIPS MY ADDRESSES MY PERSONAL INFORMATION Home	SKIPPED	0.000 s
4	And accounts section count should be 6	SKIPPED	0.001 s
	AFTER - com.wizards.AppHooks.AppHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException at com.wizards.AppHooks.AppHooks.tearDown(AppHooks.java:64)	FAILED	0.001 s
	AFTER - com.wizards.AppHooks.AppHooks.quitBrowser() java.lang.NullPointerException at com.wizards.AppHooks.AppHooks.quitBrowser(AppHooks.java:43)	FAILED	0.001 s