

Cucumber Report

24-Dec-2023, 9:24:18 PM

Start : Dec 24, 9:15:42.881 PM

End : Dec 24, 9:24:16.411 PM

Duration : 8 m 33.530 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 0


PASSED - 17
FAILED - 1
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	8 m 33.530 s	5	4	1	0	19	17	1	1

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login without providing credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Userlogin	5	4	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	User Login	5	4	1	0	8 m 33.530 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>User login with valid credentials</u>	4	4	0	0	2 m 4.904 s
2		<u>User login with invalid credentials</u>	4	4	0	0	1 m 53.345 s
3		<u>User login without providing credentials</u>	3	1	1	1	1 m 6.494 s
4		<u>User login with missing username</u>	4	4	0	0	1 m 45.543 s
5		<u>User login with missing password</u>	4	4	0	0	1 m 43.190 s



User Login

<div>FAILED</div> <div>DURATION - 8 m 33.530 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div><div></div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 17</div> <div>Fail - 1</div> <div>Skip - 1</div>		<div><div></div></div>
<div>/ 9:15:42.881 PM // 9:24:16.411 PM /</div>							



User login with valid credentials


PASSED		DURATION - 2 m 4.904 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:15:42.881 PM // 9:17:47.785 PM /						
User Login						
@Userlogin						




#	Step / Hook Details	Status	Duration
1	Given User is on the OrangeHRM login page	PASSED	50.618 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
			
2	When User enter valid credentials	PASSED	28.329 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
			
3	And click on the Login button	PASSED	18.869 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s

#	Step / Hook Details	Status	Duration
			
4	Then User should be redirected to the dashboard	PASSED	18.438 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
			

User login with invalid credentials

PASSED		DURATION - 1 m 53.345 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:17:47.807 PM // 9:19:41.152 PM /						
User Login						
@Userlogin						

#	Step / Hook Details	Status	Duration
1	Given User is on the OrangeHRM login page	PASSED	59.756 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
			
2	When User enter invalid credentials	PASSED	30.461 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s

#	Step / Hook Details	Status	Duration
			
3	And click on the Login button	PASSED	18.725 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
			
4	Then User should see an error message	PASSED	0.001 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
			

User login without providing credentials



<div>FAILED</div> <div>DURATION - 1 m 6.494 s</div>		<div><div></div><div></div><div></div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div><div></div><div></div><div></div><div>3</div></div>
<div>/ 9:19:41.160 PM // 9:20:47.654 PM /</div>				
<div>User Login</div>				
<div>@Userlogin</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on the OrangeHRM login page	PASSED	1 m 2.235 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s




#	Step / Hook Details	Status	Duration
2	<p>When User click on the Login button without providing credentials</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"button[class*='orangehrm-login-button']"} (Session info: chrome=120.0.6099.111) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c8e6f921cef894e4bf42cf85f1f2604, findElement {using=css selector, value=button[class*='orangehrm-login-button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.111, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\rames\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50955}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50955/devtoo..., se:cdpVersion: 120.0.6099.111, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0c8e6f921cef894e4bf42cf85f1f2604</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.openorangehrm.actions.orangehrmActions.click(orangehrmActions.java:196) at com.openorangehrm.pages.LoginPage.clickOnLogin(LoginPage.java:46) at com.orangehrm.steps.UserLoginSteps.user_click_on_the_login_button_without_providing_credentials(UserLoginSteps.java:68) at ?.User click on the Login button without providing credentials(file:///C:/AutomationProjects/OrangeHRM/src/test/resources/OrangeHRMFeatures/UserLogin.feature:21) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.035 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s

#	Step / Hook Details	Status	Duration
3	Then User should see an error message	SKIPPED	0.004 s
	AFTER - com.orangehrm.hooks.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.191 s
	<u>User login without providing credentials</u>		



User login with missing username

PASSED	DURATION - 1 m 45.543 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:20:47.669 PM // 9:22:33.212 PM /				
User Login				
@Userlogin				




#	Step / Hook Details	Status	Duration
1	Given User is on the OrangeHRM login page	PASSED	1 m 7.609 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
2	When User enter the password without providing a username	PASSED	16.217 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s

#	Step / Hook Details	Status	Duration
			
3	And click on the Login button	PASSED	17.418 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
			
4	Then User should see an error message	PASSED	0.000 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
			

User login with missing password

PASSED	DURATION - 1 m 43.190 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:22:33.221 PM // 9:24:16.411 PM /				
User Login				
@Userlogin				

#	Step / Hook Details	Status	Duration
1	Given User is on the OrangeHRM login page	PASSED	1 m 3.929 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s

#	Step / Hook Details	Status	Duration
			
2	When User enter the username without providing a password	PASSED	17.272 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
			
3	And click on the Login button	PASSED	17.466 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
			
4	Then User should see an error message	PASSED	0.000 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	