Duration: 1 m 34.010 s Start: Feb 01, 11:25:20.522 AM End: Feb 01, 11:26:54.532 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 5 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 80 80 80 90 90 10 20 % 100 100

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Employee Creation	1 m 34.010 s	1	0	1	0	5	1	1	3

FAIL & SKIP SCENARIOS -- 3 --

# Feature Name	Scenario Name
1 Employee Creation	HR manager creates a new employee record

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@EmployeeCreation	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Employee Creation	1	0	1	0	1 m 34.010 s


SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
2	Employee Creation	HR manager creates a new employee record	5	1	1	3	1 m 34.007 s

DETAILED SECTION -- 7

Employee Creation



HR manager creates a new employee record



#	Step / Hook Details	Status	Duration
1	Given User is logged as an HR manager	PASSED	1 m 13.968 s
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
2	And User creates the employee page	FAILED	13.311 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Add Employee']"} (Session info: chrome=120.0.6099.227) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [421c12dbcfd8c6cc31d3ea48a5e1ffe7, findElement {using=xpath, value=//a[text()='Add Employee']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.227, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: C:\Users\rames\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55248}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55248/devtoo, se:cdpVersion: 120.0.6099.227, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 421c12dbcfd8c6c31d3ea48a5e1ffe7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/jdk.internal.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Element(ElementLocation.java:39) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at com.openoragehrm.actions.orangehrmActions.click(orangehrmActions.java:196) at com.openoragehrm.pages.PIMPage.clickOnAddEmployeeButton(PIMPage.java:58) at com.openoragehrm.steps.EmployeeCreationSteps.user_creates_the_employee_page(EmployeeCreationSteps.java:33) at 2.User creates the employee page(file:///C:/AutomationProjects/OrangeHRM/src/test/resources/OrangeHRMFeatures/EmployeeCreation.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.orangehrm.hooks.AppHooks.stepScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
3	When User enters all the required employee details	SKIPPED	0.007 s
4	And click on the Create Employee button	SKIPPED	0.000 s
5	Then the employee record should be saved correctly in the system	SKIPPED	0.002 s
	AFTER - com.orangehrm.hooks.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.159 s
	HR manager creates a new employee record	1	
		PASSED	0.159 s

#	Step / Hook Details	Status	Duration