```
### Install the required sendmail packages ###
yum install sendmail sendmail-cf
yum install make m4
make all -C /etc/mail/
### Logs files to troubleshoot the error ###
Log file location = /var/log/maillog
### Edit the configuration file
vi sendmail.mc
   Content to append:
      define(`SMART_HOST', `smtp.yourserver.com')dnl
FEATURE(`authinfo', `hash /etc/mail/authinfo')dnl
      MAILER(`smtp')dnl
### Rebuild the sendmail.mc file ###
m4 /etc/mail/sendmail.mc > /etc/mail/sendmail.cf
### Add user ans password info in the /etc/mail/authinfo file ###
AuthInfo:smtp.yourserver.com "U:mail ID" "P:app password of mail" "M:PLAIN"
### make authinfo.db file###
makemap hash /etc/mail/authinfo < /etc/mail/authinfo</pre>
### restart the sendmail service ###
systemctl restart sendmail.service
### send mail using sendmail###
sendmail -s "Subject" <recipient mail ID>
> Hit enter
> enter details: FROM, TO, SUBJECT, BODY OF MAIL
> . and enter
### send file using sendmail ###
#!/bin/bash
FROM="root@gmail.com"
TO="eramesharavind0110@gmail.com,educationsri121@gmail.com"
SUBJECT="Test mail"
FILE="/tmp/test/history.txt"
BOUNDARY="FILEBOUNDARY"
{
      echo "From: $FROM"
      echo "To: $TO"
      echo "Subject: $SUBJECT"
      echo "MIME-Version: 1.0"
      echo "Content-Type: multipart/mixed; boundary=\"$BOUNDARY\""
      echo
      echo "--$BOUNDARY"
      echo "Content-Type: text/plain; charset=\"us-ascii\""
      echo "Content-Transfer-Encoding: 7bit"
      echo "This is the body of the email"
      echo
      echo "--$BOUNDARY"
      echo "Content-Type: application/octet-stream; name=\"$(basename $FILE)\""
      echo "Content-Transfer-Encoding: base64"
      echo "Content-Disposition: attachment; filename=\"$(basename $FILE)\""
      echo
      base64 "$FILE"
      echo "--$BOUNDARY--"
} | sendmail -t
```