



① push 54.



$s = \text{pop}()$

$s = 62$

Queue

$[21] \rightarrow \text{Enqueue}(21)$

$[21, 24] \rightarrow \text{Enqueue}(21, 24)$

$[24] \rightarrow \text{Dequeue}(21)$

$[24, 28] \rightarrow \text{Enqueue}(28)$


$[24, 28, 32] \rightarrow \text{Enqueue}(32)$

$q = \text{deque.}$


$q = 24$

$$s + q = 62 + 24 \Rightarrow \underline{\underline{86}} //$$

②



③




④ $a + b * c - d \wedge e + 13$

Reading	Empty stack	Output
a		a
+	+	a
b	+	ab
*	+ *	ab
c	+ * c	abc
-	+ * -	abc
d	+ * -	abcd
^	+ - ^	abcd *

$\begin{array}{|c|c|c|} \hline a & + & - \\ \hline \end{array}$
 $\begin{array}{|c|c|c|} \hline + & - & \\ \hline \end{array}$
 $\begin{array}{|c|c|c|} \hline abc* & & \\ \hline abc+d* & & \\ \hline \end{array}$

④ $a + b \times c - d \wedge e \wedge f$


Reading	Empty stack	output
a		a
+	+	a
b	+	ab
*	+*	ab
c	+*-	abc
-	+*-	abc*
d	+ -	abc*+d
$\wedge$	- $\wedge$	abcd*+d
e	- $\wedge$	abcd*+de
$\wedge$	- $\wedge \wedge$	abcd*+de
f	- $\wedge \wedge$	abcd*+def
empty		(abcd*+def $\wedge \wedge$)



Push 10, 20 pop.

pop.

{10, 20,



push 10, 20

pop → 20
push → 10

push 20

pop ()
pop ()
pop ()
push (20)

Pop = { 20, 20, 10, 10, 20 }

Ans