

Installing IBM Fusion on IBM Cloud

Last Updated: 2025-12-19

Procedure to install IBM Fusion on OpenShift® Container Platform that runs on IBM Cloud®.

Before you begin [↗](#)

Ensure you complete all the prerequisites before you proceed with the installation. For the prerequisites, see [Prerequisites](#).

For more information about deployments and their supported services, see [Support matrix for IBM Fusion versions](#).

For steps to create a image pull secret for installing IBM Fusion on IBM Cloud, see [Creating image pull secret for IBM Cloud based installation](#).

About this task [↗](#)

Support is available for only one instance of IBM Fusion per OpenShift Container Platform.

Procedure [↗](#)

1. If you have not configured the IBM Operator Catalog, then configure it. For the procedure to add IBM Operator catalog, see [Adding the IBM operator catalog](#).



Note:

- IBM Operator Catalog is not specific to a version of IBM Fusion.
- If you already have the IBM Maximo® software configured in your environment or have plans to configure it, use only the `ibm-operator-catalog` of IBM Maximo® software.

2. Log in to Red Hat OpenShift Container Platform web management console.
3. Go to **Operators**...**OperatorHub**.
4. Under **Source**, select **IBM Operator Catalog**.
It lists all operators that are part of the IBM Operator Catalog including IBM Fusion.
5. Click **IBM Fusion**.
The **Version**, **Capability level**, **Source**, and **Provider** type of IBM Fusion is available.
6. Click **Install**.
It opens the Install Operator page for IBM Fusion operator.
7. Select `v2.0` in the update channel where the current operator is published.

Note: You can also subscribe for updates. The subscription to the channel helps to keep the operator up to date.

8. In the **Installation mode**, select **A specific namespace on the cluster**.

The operator will be available in a single Namespace only.

9. Select `ibm-spectrum-fusion-ns` in the **Operator recommended namespace**. Alternatively, use the **Select a namespace** option to select an existing namespace or create a new namespace.

10. **Important:** Always set **Update approval** to **Manual** as IBM Fusion does not support **Automatic**.

In the **Update approval** section, you can select either **Manual** or **Automatic** strategy.

Always set **Update approval** to **Manual** because the **Automatic** option automatically upgrades the operator whenever a new version of the operator is released to the channel. This automatic upgrade might have an impact on your running workloads.

11. Click **Install**.

The installation of the operator begins.

12. Wait for the operator to complete the installation.

After the successful installation of the operator, the following message gets displayed:

Installed operator - operand required

Generally, it completes in few minutes. If it takes more time, check whether all pods are up and running.

Note: If you notice that installation is taking longer than usual or failed, then check the events tab on the `installed-opertor` or `fusion-operator` page. In the events tab, if you see an error `waiting for deployment of serviceability-operator`, ignore it and continue with the installation.

13. From the Applications menu in the title bar of OpenShift Container Platform, click IBM Fusion. The License agreement page gets displayed.
14. Go through the license agreement, click **I have read and accept the license agreement**, and click **Continue**. The **Welcome to IBM Fusion** dialog box gets displayed.
15. In the IBM Fusion user interface, click **Install services** to install the services right away or click **Maybe later** to do it later.

What to do next [↗](#)

1. For steps to verify the success of the installation, see [Validating IBM Fusion installation](#).

2. If you want to enable the services from the IBM Fusion user interface, see the following procedures accordingly:
 - a. For IBM Data Cataloging, see [Installing IBM Data Cataloging](#).
 - b. For Data Foundation, see [Installing Fusion Data Foundation](#).
 - c. For Backup & Restore, see [Install Backup & Restore](#).
 - d. For CAS, see [Installing Content-Aware Storage \(CAS\)](#).

If you want to install IBM Fusion services using OpenShift Container Platform, then see [Deploying IBM Fusion services using CLI](#).

3. To know more about the user interface of IBM Fusion, see [Knowing your IBM Fusion user interface](#).

Parent topic:

→ [Deploying IBM Fusion](#)