

Configuring IBM Data Cataloging

Last Updated: 2025-12-19

This section provides information on how to deploy and configure IBM Data Cataloging capabilities.

- **[Setting up IBM Data Cataloging custom user and password](#)**

Use this information to create a custom user and password for the IBM Data Cataloging service.

- **[Configure data source connections](#)**

Data source connections describe the source data systems for which IBM Data Cataloging indexes metadata.

- **[Editing and using the TimeSinceAccess and Size Range buckets](#)**

Users can group or aggregate data into three user-defined bucket ranges. The three user-defined bucket ranges are TimeSinceAccess, Size Range and FileGroup.

- **[IBM Spectrum Storage software requirements](#)**

Use IBM Data Cataloging to index metadata from other applications and to orchestrate the data management.

- **[IBM Data Cataloging installation with alternative VLAN](#)**

Install and configure IBM Data Cataloging that uses additional VLAN connected through the IBM Fusion upstream links.

- **[Multiple connection managers](#)**

Multiple connection managers are a new capability that is designed to enhance scanning performance and enable parallel ingestion. It proves especially valuable in scenarios where data sources are geographically dispersed and need to be scanned as remote sources.

- **[Enabling feature for skipping the snapshot directories](#)**

Enabling skipping feature allows you to skip the metadata ingestion to the snapshot directories.

- **[Managing IBM Data Cataloging rules when integrated with CAS](#)**

IBM Data Cataloging provides the ability to integrate with Content-Aware Storage to configure file ingestion filtering. This feature enables you to filter files from a data source based on specific criteria such as file type or content, and ingest them into the corresponding domain.

Parent topic:

→ [Data Cataloging](#)

