



AIRCRAFT WIRING MANUAL

Document Number: **AS-AWM-01-000**

Date of Issue: **07. 08. 2017**

Aircraft Type: **WT9 Dynamic LSA**

Model: **Club**

Type Certificate Number: **EASA.A.644**

This page is left blank intentionally

This page is left blank intentionally

ABBREVIATIONS

AoA	Angle of Attack
DC	Direct Current
ELT	Emergency Locator Transmitter
EMS	Engine Monitoring System
FG912	Aircraft with fixed landing gear, ground adjustable propeller and engine Rotax 912 ULS
FG912T	Aircraft with fixed landing gear, in-flight adjustable propeller, engine Rotax 912 ULS and towing equipment
MFD	Multi-Function Display
PFD	Primary Flight Display
RPM	Rotates per Minute
XPDR	Transponder

This page is left blank intentionally


LIST OF WIRINGS DIAGRAMS

ATA	ATA Title	Drawing No.	Rev.	Date of Revision	Title	Note
23	COMMUNICATIONS	D90100005A	b	07.03.2017	Schematic NAV/COMM: GNC 255A System	FG912
		D90100005B	-	12.04.2018	Schematic NAV/COMM System /GNC 255A/	FG912T
		D90100006A	b	07.03.2017	Schematic INTERCOM: PM3000 System	FG912; to S/N 20005 inclusive
		D90100006A	d	03.07.2020	Schematic INTERCOM System /PM3000/	FG912; Installation with GTX 335 and AT-1; from S/N 21001
		D90100006B	-	12.04.2018	Schematic INTERCOM System /PM3000/	FG912T; to S/N 20005 inclusive
		D90100006B	b	03.07.2020	Schematic INTERCOM System /PM3000/	FG912T; Installation with GTX 335 and AT-1; from S/N 21001
24	ELECTRICAL POWER	D90100002A	a	07.03.2017	Schematic 12V Bus: DC Power Supply System	FG912; to S/N 20005 inclusive
		D90100002A	c	03.07.2020	Schematic DC Power Supply System /12V Bus/	FG912; Installation with GTX 335 and AT-1; from S/N 21001
		D90100002B	b	12.04.2018	Schematic DC Power Supply System /12V Bus/	FG912T; to S/N 20005 inclusive
		D90100002B	d	03.07.2020	Schematic DC Power Supply System /12V Bus/	FG912T; Installation with GTX 335 and AT-1; from S/N 21001
25	EQUIPMENT / FURNISHINGS	D90100007A	b	01.09.2019	Schematic ELT System /Kannad 406 AF-Compact/	FG912 / FG912T; to S/N 20001 inclusive
		D90100007B	-	01.09.2019	Schematic ELT System /Kannad 406 AF-Integra/	FG912 / FG912T; from S/N 20002
27	FLIGHT CONTROLS	D90100017A	a	07.03.2017	Schematic: Trim Pitch and Roll System	FG912
		D90100017B	-	12.04.2018	Schematic Trim Pitch and Roll System /D27101900A, D27304600A/	FG912T
28	FUEL	D90100009A	-	27.10.2014	Schematic Fuel System	FG912
		D90100009B	-	12.04.2018	Schematic Fuel System /Model E1F/	FG912T
31	INDICATING / RECORDING SYSTEMS	D90100016A	a	07.03.2017	Schematic Low Value Warning System	FG912
		D90100016B	-	12.04.2018	Schematic Low Value Warning System /D31500600A/	FG912T
		D90100018A	-	06.03.2017	Schematic: Stall Warning System	FG912
		D90100018B	-	12.04.2018	Schematic Stall Warning System /AoA + ACI + Shaker/	FG912T





ATA	ATA Title	Drawing No.	Rev.	Date of Revision	Title	Note
33	LIGHTS	D90100008A	b	06.07.2017	Schematic Landing and Position Lights	FG912; to S/N 20001 inclusive
		D90100008A	c	01.09.2019	Schematic Landing and Position Lights /V-4.5W MR16-W, AVE-WPSTR-20D MOD(2)/	FG912; from S/N 20002
		D90100008B	-	12.04.2018	Schematic Landing and Position Lights /V-4.5W MR16-W, AVE-WPSTR-20D MOD(1)/	FG912T; to S/N 20001 inclusive
		D90100008B	a	01.09.2019	Schematic Landing and Position Lights /V-4.5W MR16-W, AVE-WPSTR-20D MOD(2)/	FG912T; from S/N 20002
34	NAVIGATION	D90100004A	b	07.03.2017	Schematic XPDR: GTX 328 with Encoder System	FG912; to S/N 20005 inclusive
		D90100004B	-	12.04.2018	Schematic XPDR System /GTX 328 with Encoder/	FG912T; to S/N 20005 inclusive
		D90100011A	-	06.05.2014	Schematic Traffic Sensor: TRX-1500 System	FG912; to S/N 20005 inclusive
		D90100011B	-	12.04.2018	Schematic Traffic Sensor System /TRX-1500/	FG912T; to S/N 20005 inclusive
		D90100011C	-	03.07.2020	Schematic Traffic avoidance system /AT-1/	FG912 / FG912T; from S/N 21001
		D90100020A	-	01.09.2019	Schematic XPDR /GTX 335 with Encoder GAE 12/	FG912; from S/N 21001
		D90100020B	-	01.09.2019	Schematic XPDR /GTX 335 with Encoder GAE 12/	FG912T; from S/N 21001
39	ELECTRICAL - ELECTRONIC PANELS AND MULTIPURPOSE COMPONENTS	D90100003A	b	07.03.2017	Schematic Skyview: MFD 1,2 D1000 System	FG912; to S/N 20005 inclusive
		D90100003A	d	03.07.2020	Schematic PFD and MFD System /SkyView D1000/	FG912; Installation with GTX 335 and AT-1; from S/N 21001
		D90100003B	c	12.04.2018	Schematic PFD and MFD System /SkyView D1000/	FG912T; to S/N 20005 inclusive
		D90100003B	e	03.07.2020	Schematic PFD and MFD System /SkyView D1000/	FG912T; Installation with GTX 335 and AT-1; from S/N 21001
		D90100012A	-	10.11.2014	Schematic: Single Value Instruments	FG912
		D90100012B	a	12.04.2018	Schematic Single Value Instruments /without Analog RPM/	FG912T
61	PROPELLERS	D90100014B	a	12.04.2018	Schematic Constant Speed System /PR1P/	FG912T
71	POWER PLANT	D90100001A	a	07.03.2017	Schematic Engine: Rotax 912 ULS System	FG912
		D90100001B	b	12.04.2018	Schematic Engine System /Rotax 912 ULS/	FG912T

ATA	ATA Title	Drawing No.	Rev.	Date of Revision	Title	Note
77	ENGINE INDICATING	D90100010A	a	07.03.2017	Schematic EMS: SV-EMS 220 System	FG912; Installation with fuel pressure sensor Road
		D90100010B	b	12.04.2018	Schematic EMS System /SV-EMS 220 – without A. RPM/	FG912T; Installation with fuel pressure sensor Road
		D90100010C	-	18.05.2020	Schematic EMS System /SV-EMS 220 – with Analog RPM/	FG912; Installation with fuel pressure sensor Kavlico
		D90100010D	-	18.05.2020	Schematic EMS System /SV-EMS 220 – without A. RPM/	FG912T; Installation with fuel pressure sensor Kavlico
95	TOWING EQUIPMENT	D90100019B	a	12.04.2018	Schematic Camera Back View System /MCU 32 – Model SE-UL40-M/	FG912T

This page is left blank intentionally



FG 912, FG 912T					
10	V 8	TERMINAL GROUND		1	
9	V 6	TERMINAL GROUND		1	
8					
7	FN 17	CIRCUIT BREAKER 4 A	ETA 4 A, P/N:1-987	1	
6	FN 16	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
5					
4					
3	FN 12	ANTENNA COMM	AV-17	1	VHF
2	FN 11	ANTENNA NAV	CI-152c	1	VOR/LOC/GS
1	FN 10	NAV/COMM R/T	GNC 255A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
LETANOVSKÝ		d			
		c			
APPROVED (CE):		b	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017
ZUZELKA		a	INTERCOM PM3000	PZ2015-50	13.07.2015
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL			TITLE: SCHEMATIC NAV/COMM: GNC 255A SYSTEM		DRAWING NO.: D90100005A
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1			DATE: 25.10.2014		



10	V 8	TERMINAL GROUND		1	
9	V 6	TERMINAL GROUND		1	
8					
7	FN 17	CIRCUIT BREAKER 4 A	ETA 4 A, P/N:1-987	1	
6	FN 16	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
5					
4					
3	FN 12	ANTENNA COMM	AV-17	1	VHF
2	FN 11	ANTENNA NAV	CI-152c	1	VOR/LOC/GS
1	FN 10	NAV/COMM R/T	GNC 255A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
		TITLE: SCHEMATIC NAV/COMM SYSTEM /GNC 255A/		DRAWING NO.: D90100005B	
EASA AP-D0A Approval No. AP356					
PAGE: 1 OF 1		DATE: 12.04.2018			

© FA 10 PM3000, P/N:11931A

FA 10/1

A/C RADIO PHONE AUDIO HI
A/C RADIO PHONE AUDIO LO

A/C PTT
A/C MIC AUDIO HI
A/C MIC AUDIO LO

PILOT PHONE AUDIO (L)
PILOT PHONE AUDIO (R)
PILOT PHONE AUDIO LO

PILOT MIC PTT
PILOT MIC AUDIO HI
PILOT MIC AUDIO LO

COPILOT PHONE AUDIO (L)
COPILOT PHONE AUDIO (R)
COPILOT PHONE AUDIO LO

COPILOT MIC PTT
COPILOT MIC AUDIO HI
COPILOT MIC AUDIO LO

GROUND
POWER IN
LIGHTING CONTROLS
UNSWITCHED AUDIO 1
UNSWITCHED AUDIO 1 LO

MUSIC (L)
MUSIC (R)
MUSIC LO

INTERCOM

FA 17

AUDIO

FA 19

INTERCOM
1 A

FN 17

NAV
4 A

FN 16

























































COMM
10 A









FE 16

XPDR
5 A

TA 16

PCAS
1 A






②






③

④


15						
14	V 6	TERMINAL GROUND		1		
13						
12						
11	FA 20	AUDIO TERMINAL BOARD	D39300300A	1		
10	FA 19	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1		
9						
8	FA 17	AUDIO IN SOCKET	P/N:JC115	1		
7	FA 16	COPILOT MICROPHONE SOCKET	M 641/5-1	1		
6	FA 15	PILOT MICROPHONE SOCKET	M 641/5-1	1		
5	FA 14	COPILOT HEADPHONE SOCKET	STEREO: SWC 12B	1	MONO: M641/6-1	
4	FA 13	PILOT HEADPHONE SOCKET	STEREO: SWC 12B	1	MONO: M641/6-1	
3	FA 12	COPILOT PTT SWITCH	PUSH BUTTON, P/N:S028546	1		
2	FA 11	PILOT PTT SWITCH	PUSH BUTTON, P/N:S028546	1		
1	FA 10	INTERCOM	PMA3000, P/N:11931A	1		
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS	
PREPARED (DE): KOPECKÝ		e				
		d	TIS AT-1	Z2020-5	03.07.2020	
		c	XPDR GTX 335	Z2019-6	01.09.2019	
		b	REMOVING OPTIONS,MISTAKES	PZ2017-9	07.03.2017	
APPROVED (CE): LETANOVSKÝ		a	INTERCOM PM3000	PZ2015-50	13.07.2015	
		INDEX	TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
		TYPE: WT9 Dynamic LSA/CLUB		S/N:	W/O:	REGISTRATION:
AEROPOOL EASA AP-DOA Approval No. AP356		TITLE: ④ SCHEMATIC INTERCOM SYSTEM /PM3000/		DRAWING NO.:		
				D90100006A		
PAGE: 1 OF 1		DATE: 25.10.2014				



FA 10 PM3000, P/N:11931A





15					
14	V 6	TERMINAL GROUND		1	
13					
12					
11	FA 20	AUDIO TERMINAL BOARD	D39300300A	1	
10	FA 19	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
9					
8	FA 17	AUDIO IN SOCKET	P/N:JC115	1	
7	FA 16	COPILOT MICROPHONE SOCKET	M 641/5-1	1	
6	FA 15	PILOT MICROPHONE SOCKET	M 641/5-1	1	
5	FA 14	COPILOT HEADPHONE SOCKET	STEREO: SWC 12B	1	MONO: M641/6-1
4	FA 13	PILOT HEADPHONE SOCKET	STEREO: SWC 12B	1	MONO: M641/6-1
3	FA 12	COPILOT PTT SWITCH	PUSH BUTTON, P/N:S028546	1	
2	FA 11	PILOT PTT SWITCH	PUSH BUTTON, P/N:S028546	1	
1	FA 10	INTERCOM	PMA3000, P/N:11931A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ			e		
			d		
			c		
APPROVED (CVE): LETANOVSKÝ			b	TIS AT-1	Z2020-5 03.07.2020
			a	XPDR GTX 335	Z2019-6 01.09.2019
			INDEX	TEMP. CHANGE	VALIDITY DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB S/N:			w/o:		REGISTRATION:
EASA AP-DOA Approval No. AP356			TITLE: SCHEMATIC INTERCOM SYSTEM /PM3000/		
PAGE: 1 OF 1			DATE: 12.04.2018		
			DRAWING NO.: D90100006B		



NOTE: V 1 — RIGHT MANIFOLD GROUND POINT
V 2 — CYLINDER #3 GROUND POINT
V 3 — CYLINDER #2 GROUND POINT
V 4 — ENGINE HOLDER GROUND POINT
V 5 — ENGINE BLOCK GROUND
V 6 — INSTRUMENT PANEL GROUND POINT
V 7 — GENERATOR WIRING SHIELDING
V 8 — GEAR AND ANTENNAS GROUND POINT
V 9 — CONTROL LIGHTS GROUND POINT


FG 912					
27	Re1	RELAY	RM699H-P-12		FOR INFORMATION
26	D1 - D18	DIODE	1N4007, P/N:1-230		FOR INFORMATION
25	V 9	TERMINAL GROUND		1	
24	V 8	TERMINAL GROUND		1	
23	V 7	TERMINAL GROUND		1	
22	V 6	TERMINAL GROUND		1	
21	V 5	TERMINAL GROUND		1	
20	V 4	TERMINAL GROUND		1	
19	V 3	TERMINAL GROUND		1	
18	V 2	TERMINAL GROUND		1	
17	V 1	TERMINAL GROUND		1	
16					
15	A 24	ELECTROLYTIC CAPACITOR	22mF/35V, P/N:CE22000-35V	1	
14	A 15	LED CTRL LAMP TERMINAL BRD	D39300400A	1	
13	A 22	LED CONTROL LAMP	12 V, 20 mA, P/N:1-192	1	GREEN
12	A 21	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
11	A 20	CIRCUIT BREAKER 10 A	ETA 10 A, P/N:1-006	1	
10	A 19	LIGHTER SOCKET	P/N:A13-65A	1	
9	A 18	LIGHTER SOCKET	P/N:A13-65A	1	
8					
7	A 16	RELAY	12V/30A, P/N:1-199	1	
6	A 15	PUSH BUTTON	3 A, P/N:S005660	1	
5	A 14	SWITCH	P/N:1-1100	1	2 POLE, 6 A
4	A 13	SWITCH	P/N:069100	1	1 POLE, 35 A
3	A 12	ELECTRIC KEY SWITCH	P/N:6JK007232-001	1	HELLA
2	A 11	CONNECTOR /EXTERNAL PWR/	90 A, P/N:843350	1	
1	A 10	STARTER BATTERY	12V/17AH, P/N:NP18-12	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
LETANOVSKÝ		d			
		c			
		b			
APPROVED (CE):		a	REM OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017
ZUZELKA		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: W/T9 Dynamic LSA/CLUB/ s/N				W/O:	REGISTRATION
TITLE: SCHEMATIC 12V BUS: DC POWER SUPPLY SYSTEM					D90100002A
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1					
DATE: 10.11.2014					






27	Re1	RELAY	RM699H-P-12	FOR INFORMATION			
26	D1 - D18	DIODE	1N4007, P/N 1-230	FOR INFORMATION			
25	V 9	TERMINAL GROUND					
24	V 8	TERMINAL GROUND					
23	V 7	TERMINAL GROUND					
22	V 6	TERMINAL GROUND					
21	V 5	TERMINAL GROUND					
20	V 4	TERMINAL GROUND					
19	V 3	TERMINAL GROUND					
18	V 2	TERMINAL GROUND					
17	V 1	TERMINAL GROUND					
16							
15	A 24	ELECTROLYTIC CAPACITOR	22mF/35V, P/N CE22000-35V				
14	A 23	LED CTRL LAMP TERMINAL BRD	D393004.00A				
13	A 22	LED CONTROL LAMP	12 V, 20 mA, P/N 1-192	GREEN			
12	A 21	CIRCUIT BREAKER 1 A	ETA 1 A, P/N 1-010				
11	A 20	CIRCUIT BREAKER 10 A	ETA 10 A, P/N 1-006				
10	A 19	LIGHTER SOCKET	P/N A13-65A				
9	A 18	LIGHTER SOCKET	P/N A13-65A				
8							
7	A 16	RELAY	12V/30A, P/N 1-199				
6	A 15	PUSH BUTTON	3 A, P/N S005660				
5	A 14	SWITCH	P/N 1-1100	2 POLE, 6 A			
4	A 13	SWITCH	P/N 069100	1 POLE, 35 A			
3	A 12	ELECTRIC KEY SWITCH	P/N 6 JK007232-001	HELLA			
2	A 11	CONNECTOR /EXTERNAL PWR/	90 A, P/N 843350				
1	A 10	STARTER BATTERY	12V/17AH, P/N NP18-12				
NO.		SYMBOL		DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): ⑤ KOECKÝ							
		e					
		d	TIS AT-1	Z2020-5		03.07.2020	
		c	XPOR GTX 335	Z2019-6		01.09.2019	
		b	DC CVC: OPTIMIZATION	PZ2018-2		12.04.2018	
		a	REMOVING OPTIONS M5TAKES	PZ2017-9		07.03.2017	
APPROVED (CVE): ⑥ LETANOVSKÝ							
		INDEX	TEMP. CHANGE	VALIDITY		DATE	SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB/ S/N:					w/o		REGISTRATION
TITLE: SCHEMATIC DC POWER SUPPLY SYSTEM /12V BUS/					DRAWING NO.: D90100002B		
AEROPOOL EASA AP-004 Approval No. AP356							
PAGE: 1 OF 1		DATE: 10.11.2014					

③ ELT 10 KANNAD 406 AF-COMPACT



10					
9					
8	V 8	TERMINAL GROUND		1	
7	V 6	TERMINAL GROUND		1	
6					
5					
4					
3	ELT 12	REMOTE CONTROL PANEL	RC200	1	
2	ELT 11	ANTENNA	AV-200	1	RAMI
1	ELT 10	ELT	KANNAD 406 AF-COMPACT	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ		e			
		d			
		c			
APPROVED (CE): LETANOVSKÝ		b	ADMINIST. CORRECTION	Z2020-1	01.09.2019
		a	KANAD 406 AF-COMP.	PZ2016-20	18.08.2016
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL EASA AP-DOA Approval No. AP356		TITLE: ③ SCHEMATIC ELT SYSTEM /KANNAD 406 AF-COMPACT/			DRAWING NO.: D90100007A
PAGE: 1 OF 1		DATE: 27.04.2014			

ELT 10 KANNAD AF INTEGRA



10					
9					
8	V 8	TERMINAL GROUND		1	
7	V 6	TERMINAL GROUND		1	
6					
5					
4					
3	ELT 12	REMOTE CONTROL PANEL	RC200	1	
2	ELT 11	ANTENNA	AV-200	1	RAMI
1	ELT 10	ELT	KANNAD AF INTEGRA	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ		e			
		d			
		c			
APPROVED (CE): LETANOVSKÝ		b			
		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB		S/N:	W/O:		REGISTRATION:
 EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC ELT SYSTEM /KANNAD AF INTEGRA/		DRAWING NO.: D90100007B	
PAGE: 1 OF 1		DATE: 01.09.2019			






FIGURE 1: CONNECTOR SET E 15

6	E 15	BOLT	AW8P	1	AMPHENOL
5	E 15	PINS - MALE	AT60-202-16141	8	AMPHENOL
4	E 15	CONNECTOR - MALE	AT04-08PA	1	AMPHENOL
3	E 15	BOLT	AW8S	1	AMPHENOL
2	E 15	PINS - FEMALE	AT62-201-16141	8	AMPHENOL
1	E 15	CONNECTOR - FEMALE	AT06-08SA	1	AMPHENOL

FG 912, FG 912T




17					
16	V 6	TERMINAL GROUND		1	
15					
14	E 23	CABLE	11373 RKT 5-228/2 M	1	
13	E 22	CABLE	0237001-500	1	
12	E 21	CIRCUIT BREAKER 1 A	7277-2-1	1	KLIXON
11	E 20	CIRCUIT BREAKER 7,5 A	7277-2-7½	1	KLIXON
10	E 19	ROLL SERVO	T2-7A	1	
9	E 18	PITCH SERVO	LA23: 2353011014150A6/350	1	
8	E 17	CONNECTOR/PINS - MALE	565-005-000-310/565-290-711	1/5	EDAC
7	E 16	WING/AILERON CONNECTOR	LTW12-05PMMS-SF2001	1	
6	E 15	FUSELAGE/WING CONNECTOR	SEE FIGURE 1		AMPHENOL
5	E 14	CONNECTOR/PINS - FEMALE	565-005-000-410/565-290-721	1/5	EDAC
4	E 13	SWITCH ROLL TRIM	P/N:1839.1407	1	MOUSER
3	E 12	SWITCH PITCH TRIM	P/N:1839.1407	1	MOUSER
2	E 11	TRIM CONTRO ROLL	D27101900A	1	
1	E 10	TRIM CONTROL PITCH	D27304600A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): LETANOVSKÝ		e			
		d			
		c			
		b			
APPROVED (CE): ZUZELKA		a	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017
		INDEX	TEMP. CHANGE	VALIDITY	DATE
					SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB S/N:			W/O: REGISTRATION:		
AEROSPOOL EASA AP-DOA Approval No. AP356			TITLE: SCHEMATIC: TRIM PITCH AND ROLL SYSTEM		
PAGE: 1 OF 1			DRAWING NO.: D90100017A		
			DATE: 07.03.2017		








FG 912, FG 912T


10					
9	V 6	TERMINAL GROUND		1	
8					
7					
6					
5					
4	M 63	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
3	M 62	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
2	M 61	SWITCH - 2 POLE, 6 A	P/N:1-1100	1	
1	M 60	ELECTRIC FUEL PUMP	P/N:000510, Model E1F	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
LETANOVSKÝ		d			
		c			
APPROVED (CE):		b			
ZUZELKA		a			
TYPE: WT9 Dynamic LSA/CLUB		INDEX	TEMP. CHANGE	VALIDITY	DATE
S/N:		W/O:		REGISTRATION:	
EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC FUEL SYSTEM		DRAWING NO.: D90100009A	
PAGE: 1 OF 1		DATE: 27.10.2014			




10					
9	V 6	TERMINAL GROUND		1	
8					
7					
6					
5					
4	M 63	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
3	M 62	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
2	M 61	SWITCH - 2 POLE, 6 A	P/N:1-1100	1	
1	M 60	ELECTRIC FUEL PUMP	P/N:000510, Model E1F	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ			e		
			d		
			c		
APPROVED (CVE): LETANOVSKÝ			b		
			a		
			INDEX	TEMP. CHANGE	VALIDITY
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
EASA AP-DOA Approval No. AP356			DRAWING NO.: D90100009B		
PAGE: 1 OF 1			DATE: 12.04.2018		

FG 912, FG 912T

17						
16	V 6	TERMINAL GROUND		1		
15						
14						
13						
12						
11	M 110	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED	
10	M 109	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED	
9	M 108	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED	
8	M 107	ELECTROLYTIC CAPACITOR	1000 uF/35V, P/N:KM1000/35	1		
7	M 106	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1		
6	M 105	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1		
5						
4	M 103	FUEL LEVER SENSOR	FA10.5013.12	1		
3	M 102	FUEL LEVER SENSOR	FA10.5013.12	1		
2	M 101	OIL PRESSURE SENSOR	P/N:456180	1		
1	M 100	LOW VALUE WARNING	D31500600A	1		
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS	
PREPARED (DE): LETANOVSKÝ		e				
		d				
		c				
		b				
APPROVED (CE): ZUZELKA		a	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017	
		INDEX	TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB		S/N:	W/O:		REGISTRATION:	
 EASA AP-D0A Approval No. AP356		TITLE: SCHEMATIC LOW VALUE WARNING SYSTEM		DRAWING NO.:		
				D90100016A		
PAGE: 1 OF 1		DATE: 26.10.2014				





17					
16	V 6	TERMINAL GROUND		1	
15					
14					
13					
12					
11	M 110	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
10	M 109	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
9	M 108	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
8	M 107	ELECTROLYTIC CAPACITOR	1000 uF/35V, P/N:KM1000/35	1	
7	M 106	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
6	M 105	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
5					
4	M 103	FUEL LEVER SENSOR	FA10.5013.12	1	
3	M 102	FUEL LEVER SENSOR	FA10.5013.12	1	
2	M 101	OIL PRESSURE SENSOR	P/N:456180	1	
1	M 100	LOW VALUE WARNING	D31500600A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ		e			
		d			
		c			
APPROVED (CVE): LETANOVSKÝ		b			
		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB S/N:			W/O:	REGISTRATION:	
 EASA AP-DOA Approval No. AP356			TITLE: SCHEMATIC LOW VALUE WARNING SYSTEM /D31500600A/ DRAWING NO.: D90100016B		
PAGE: 1 OF 1		DATE: 12.04.2018			





FG 912, FG 912T

10	V 6	TERMINAL GROUND		1	
9					
8	A 23	LED CTRL LAMP TERMINAL BRD	D39300400A	INF.	
7	E 36	CONNECTOR (FUSELAGE/WING)	P/N: 1/592	1	2 POLE
6	E 35	CIRCUIT BREAKER	7277-2-1	1	KLIXON
5	E 34	VIBRATOR	D27111100B	1	/SET/
4	E 33	ACI	ACI T.1	1	/SET ACI/
3	E 32	HORN	FROM SET ACI	1	/SET ACI/
2	E 31	LED CONTROL LAMP /FLASH/	SMS-95-RF 12VDC	1	ELECO
1	E 30	STALL WARNING AOA	D27304900A	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
LETANOVSKÝ		d			
		c			
APPROVED (CE):		b			
ZUZELKA		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL		TITLE: SCHEMATIC: STALL WARNING SYSTEM		DRAWING NO.: D90100018A	
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1		DATE: 06.03.2017			










Ⓢ ⓐ **C 12** P/N:AVE-WPSTR-20D



Ⓢ ⓐ **C 13** P/N:AVE-WPSTG-20D





V 6  110 C




TO: MASTER SWITCH BUS

12V BUS
D90100002(x)




TO: MASTER SWITCH BUS

C 17



V 6  122 C

C 18



V 6  142 C


Ⓢ ⓐ Ⓢ
Ⓢ ⓐ Ⓢ

15					
14	V 6	TERMINAL GROUND		1	
13					
12	C 21	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
11	C 20	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
10					
9	C 18	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
8	C 17	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
7	C 16	ENGINE COVER CONNECTOR	P/N:1-592	1	2 POLE
6	C 15	SWITCH	P/N:1-1100	1	2 POLE, 6 A
5	C 14	SWITCH	P/N:1-1100	1	2 POLE, 6 A
4	C 13	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTG-20D	1	RIGHT
3	C 12	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTR-20D	1	LEFT
2	C 11	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
1	C 10	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS


PREPARED (DE): KOPECKÝ		e			
		d			
		c	AVE-WPSTR/G-20D	Z2020-1	01.09.2019
		b	AVE-WPSTR/G-20D MOD(1)	PZ2017-11	06.07.2017
APPROVED (CE): LETANOVSKÝ		a	AVE-WPSTR/G-64 T	PZ2017-10	20.06.2017
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE

TYPE: WT9 Dynamic LSA/CLUB S/N: W/O: REGISTRATION:


 EASA AP-DOA Approval No. AP356	TITLE: © SCHEMATIC LANDING AND POSITION LIGHTS /V-4.5WMR16-W, AVE-WPSTR-20D/		DRAWING NO.: D90100008A
	PAGE: 1 OF 1	DATE: 27.04.2014	





15					
14	V 6	TERMINAL GROUND		1	
13					
12	C 21	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
11	C 20	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
10					
9	C 18	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
8	C 17	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
7	C 16	ENGINE COVER CONNECTOR	P/N:1-592	1	2 POLE
6	C 15	SWITCH	P/N:1-1100	1	2 POLE, 6 A
5	C 14	SWITCH	P/N:1-1100	1	2 POLE, 6 A
4	C 13	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTG-20D MOD(1)	1	RIGHT
3	C 12	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTR-20D MOD(1)	1	LEFT
2	C 11	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
1	C 10	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL		TITLE: SCHEMATIC LANDING AND POSITION LIGHTS /V-4.5WMR16-W, AVE-WPSTR-20D MOD(1)/			DRAWING NO.: D901000008B
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1		DATE: 12.04.2018			




15					
14	V 6	TERMINAL GROUND		1	
13					
12	C 21	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
11	C 20	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
10					
9	C 18	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
8	C 17	WING LIGHT CONNECTOR	P/N:S014725/S018861	1	4 POLE, 6 A
7	C 16	ENGINE COVER CONNECTOR	P/N:1-592	1	2 POLE
6	C 15	SWITCH	P/N:1-1100	1	2 POLE, 6 A
5	C 14	SWITCH	P/N:1-1100	1	2 POLE, 6 A
4	C 13	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTG-20D MOD(1)	1	RIGHT
3	C 12	POSITION/NAV/STROBE LGHT	P/N:AVE-WPSTR-20D MOD(1)	1	LEFT
2	C 11	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
1	C 10	LANDING LIGHT /LED/	P/N:V-4.5WMR16-W	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a	MOD (2)	Z2019-7 (od:19004)	01.09.2019
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB S/N:			W/O: REGISTRATION:		
AEROSPOOL		TITLE: @ SCHEMATIC LANDING AND POSITION LIGHTS /V-4.5WMR16-W, AVE-WPSTR-20D MOD(2)/		DRAWING NO.: D90100008B	
EASA AP-DOA Approval No. AP356		PAGE: 1 OF 1		DATE: 12.04.2018	






FG 912, FG 912T						
10	V 8	TERMINAL GROUND		1		
9	V 6	TERMINAL GROUND		1		
8						
7	FE 16	CIRCUIT BREAKER	5 A	ETA 5 A, P/N:1-007	1	
6						
5	FE 14	ENCODER		A-30	1	
4						
3						
2	FE 11	ANTENNA		AV-22	1	
1	FE 10	XPDR - TRANSPONDER		GTX 328	1	
NO.	SYMBOL	DESCRIPTION		TYPE	QUANTITY	REMARKS
PREPARED (DE): LETANOVSKÝ		e				
		d				
		c				
APPROVED (CE): ZUZELKA		b	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017	
		a	INTERCOM PM3000	PZ2015-50	13.07.2015	
		INDEX	TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB		S/N:		W/O:	REGISTRATION:	
 EASA AP-D0A Approval No. AP356		TITLE: SCHEMATIC XPDR: GTX 328 WITH ENCODER SYSTEM		DRAWING NO.:		
				D90100004A		
PAGE: 1 OF 1		DATE: 25.10.2014				




10	V 8	TERMINAL GROUND		1	
9	V 6	TERMINAL GROUND		1	
8					
7	FE 16	CIRCUIT BREAKER 5 A	ETA 5 A, P/N:1-007	1	
6					
5	FE 14	ENCODER	A-30	1	
4					
3					
2	FE 11	ANTENNA	AV-22	1	
1	FE 10	XPDR - TRANSPONDER	GTX 328	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB		S/N:		W/O:	REGISTRATION:
EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC XPDR SYSTEM /GTX 328 WITH ENCODER/			DRAWING NO.: D90100004B
PAGE: 1 OF 1		DATE: 12.04.2018			







10					
9	V 6	TERMINAL GROUND		1	
8					
7	TA 16	CIRCUIT BREAKER 1 A	ETA 1 A, P/N:1-010	1	
6					
5					
4	TA 13	ANTENNA FLARM	INTERNAL ANT. TRX-1500	1	FROM SET
3	TA 12	ANTENNA ADS-B	INTERNAL ANT. TRX-1500	1	FROM SET
2	TA 11	ANTENNA GPS	INTERNAL ANT. TRX-1500	1	FROM SET
1	TA 10	TRAFFIC SENSOR	TRX-1500	1	SET
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): KOPECKÝ		e			
		d			
		c			
APPROVED (CVE): LETANOVSKÝ		b			
		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC TRAFFIC SENSOR SYSTEM /TRX-1500/			DRAWING NO.: D90100011B
PAGE: 1 OF 1			DATE: 12.04.2018		





10	V 8	TERMINAL GROUND		1	
9	V 6	TERMINAL GROUND		1	
8					
7	FE 16	CIRCUIT BREAKER 3 A	ETA 3 A, P/N:1-008	1	
6	FE 15	CONNECTOR	USB TYPE B RECEPTACLE	1	
5	FE 14	ALTITUDE ENCODER	GAE 12	1	
4					
3	FE 12	ANTENNA GPS/WAAS	GA 35	1	
2	FE 11	ANTENNA XPDR	AV-22	1	
1	FE 10	XPDR - TRANSPONDER	GTX 335 (ADS-B OUT)	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
EASA AP-DOA Approval No. AP356			TITLE: SCHEMATIC XPDR SYSTEM /GTX 335 WITH ENCODER GAE 12/		
PAGE: 1 OF 1			DRAWING NO.: D90100020A		
			DATE: 01.09.2019		




10	V 8	TERMINAL GROUND		1	
9	V 6	TERMINAL GROUND		1	
8					
7	FE 16	CIRCUIT BREAKER 3 A	ETA 3 A, P/N:1-008	1	
6	FE 15	CONNECTOR	USB TYPE B RECEPTACLE	1	
5	FE 14	ALTITUDE ENCODER	GAE 12	1	
4					
3	FE 12	ANTENNA GPS/WAAS	GA 35	1	
2	FE 11	ANTENNA XPDR	AV-22	1	
1	FE 10	XPDR - TRANSPONDER	GTX 335 (ADS-B OUT)	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b			
LETANOVSKÝ		a			
		INDEX	TEMP. CHANGE	VALIDITY	DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
EASA AP-DOA Approval No. AP356			TITLE: SCHEMATIC XPDR SYSTEM /GTX 335 WITH ENCODER GAE 12/		
PAGE: 1 OF 1			DRAWING NO.: D90100020B		
			DATE: 01.09.2019		







FG 912, FG 912T					
19					
18	V 6	TERMINAL GROUND		1	
17					
16	FN 45	CIRCUIT BREAKER 8 A	ETA 8 A, P/N-1-986	1	
15	FN 44	CIRCUIT BREAKER 8 A	ETA 8 A, P/N-1-986	1	
14				1	
13					
12					
11	FN 40	CONNECTOR /BACKUP BAT /	P/N-1-494	1	3 POLE, 5 A
10	FN 39	CONNECTOR /BACKUP BAT /	P/N-1-494	1	3 POLE, 5 A
9	FN 38	USB SOCKET	P/N-AK674-1	1	
8	FN 37	USB SOCKET	P/N-AK674-1	1	
7	FN 36	OAT SENDER	DYNON SV-OAT-340	1	
6	FN 35	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
5	FN 34	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
4	FN 33	SKYVIEW GPS MODULE	DYNON SV-GPS-250/A	1	
3	FN 32	SKYVIEW ADAHRS	DYNON SV-ADAHRS-200/A	1	
2	FN 31	SKYVIEW MFD 2	DYNON SV-D1000	1	
1	FN 30	SKYVIEW MFD 1	DYNON SV-D1000	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
LE TANOVSKÝ		d			
		c			
APPROVED (CE):		b	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017
ZUZELKA		a	INTERCOM PM3000	PZ2015-50	13.07.2015
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB/ S/N:			W/O:	REGISTRATION:	
TITLE: SCHEMATIC SKYVIEW: MFD 1, 2 D1000 SYSTEM			DRAWING NO.: D90100003A		
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1			DATE: 25.10.2014		




19					
18	V 6	TERMINAL GROUND		1	
17					
16	FN 45	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
15	FN 44	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
14				1	
13					
12					
11	FN 40	CONNECTOR /BACKUP BAT /	P/N:1-494	1	3 POLE, 5 A
10	FN 39	CONNECTOR /BACKUP BAT /	P/N:1-494	1	3 POLE, 5 A
9	FN 38	USB SOCKET	P/N:AK674-1	1	
8	FN 37	USB SOCKET	P/N:AK674-1	1	
7	FN 36	OAT SENDER	DYNON SV-OAT-340	1	
6	FN 35	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
5	FN 34	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
4	FN 33	SKYVIEW GPS MODULE	DYNON SV-GPS-250/A	1	
3	FN 32	SKYVIEW ADAHRS	DYNON SV-ADAHRS-200/A	1	
2	FN 31	SKYVIEW MFD 2	DYNON SV-D1000	1	
1	FN 30	SKYVIEW MFD 1	DYNON SV-D1000	1	
NO. SYMBOL		DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):	e				
	d	TIS AT-1	Z2020-5	03.07.2020	
	c	XPDR GTX 335	Z2019-6	01.09.2019	
	b	REMOVING OPTIONS/MISTAKES	PZ2017-9	07.03.2017	
APPROVED (CE):	a	INTERCOM PM3000	PZ2015-50	13.07.2015	
	INDEX	TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
TYPE: W/T9 Dynamic LSA/CLUB		S/N:	W/O:	REGISTRATION:	
TITLE:		SCHEMATIC PFD AND MFD SYSTEM /SKYVIEW D1000/		DRAWING NO.:	
EASA AP-004 Approval No. AP356				D90100003A	
PAGE: 1 OF 1		DATE: 25.10.2014			




19	V 6	TERMINAL GROUND		1	
17					
16	FN 45	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
15	FN 44	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
14				1	
13					
12					
11	FN 40	CONNECTOR /BACKUP BAT. /	P/N:1-494	1	3 POLE, 5 A
10	FN 39	CONNECTOR /BACKUP BAT. /	P/N:1-494	1	3 POLE, 5 A
9	FN 38	USB SOCKET	P/N:AK674-1	1	
8	FN 37	USB SOCKET	P/N:AK674-1	1	
7	FN 36	OAT SENDER	DYNON SV-OAT-340	1	
6	FN 35	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
5	FN 34	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
4	FN 33	SKYVIEW GPS MODULE	DYNON SV-GPS-250/A	1	
3	FN 32	SKYVIEW ADAHRS	DYNON SV-ADAHRS-200/A	1	
2	FN 31	SKYVIEW MFD 2	DYNON SV-D1000	1	
1	FN 30	SKYVIEW MFD 1	DYNON SV-D1000	1	
NO. SYMBOL		DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		©	e		
KOPECKÝ			d		
			c	DE, CVE, OPTIMIZATION	PZ2018-2 12.04.2018
			b	REMOVING OPTIONS, MISTAKES	PZ2017-9 07.03.2017
APPROVED (CVE):		©	a	INTERCOM PM3000	PZ2015-50 13.07.2015
LETANOVSKÝ			INDEX	TEMP. CHANGE	VALIDITY DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB/ S/N			W/O		REGISTRATION
TITLE:			DRAWING NO:		
SCHEMATIC PFD and MFD SYSTEM /SKYVIEW D1000/			D90100003B		
EASA AP-00A Approval No. AP356					
PAGE: 1 OF 1		DATE: 25.10.2014			







19					
18	V 6	TERMINAL GROUND		1	
17					
16	FN 45	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
15	FN 44	CIRCUIT BREAKER 8 A	ETA 8 A, P/N:1-986	1	
14				1	
13					
12					
11	FN 40	CONNECTOR /BACKUP BAT /	P/N:1-494	1	3 POLE, 5 A
10	FN 39	CONNECTOR /BACKUP BAT /	P/N:1-494	1	3 POLE, 5 A
9	FN 38	USB SOCKET	P/N:AK674-1	1	
8	FN 37	USB SOCKET	P/N:AK674-1	1	
7	FN 36	OAT SENDER	DYNON SV-OAT-340	1	
6	FN 35	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
5	FN 34	SKYVIEW BACKUP BATTERY	DYNON SV-BAT-320	1	
4	FN 33	SKYVIEW GPS MODULE	DYNON SV-GPS-250/A	1	
3	FN 32	SKYVIEW ADAHRS	DYNON SV-ADHRS-200/A	1	
2	FN 31	SKYVIEW MFD 2	DYNON SV-D1000	1	
1	FN 30	SKYVIEW MFD 1	DYNON SV-D1000	1	
NO. SYMBOL		DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e	TIS AT-1	Z2020-5	03.07.2020
KOPECKÝ		d	XPDR GTX 335	Z2019-6	01.09.2019
APPROVED (CVE):		c	DE CVE OPTIMIZATION	P22018-2	12.04.2018
LETANOVSKÝ		b	REMOVING OPTIONS MISTAKES	P22017-9	07.03.2017
INDEX		a	INTERCOM PM3000	P22015-50	13.07.2015
TYPE: WT9 Dynamic LSA/CLUB		TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
TITLE:		SCHEMATIC PFD and MFD SYSTEM /SKYVIEW D1000/		REGISTRATION:	
DRAWING NO.:		D90100003B			
PAGE: 1 OF 1		DATE: 25.10.2014			







10					
9	V 6	TERMINAL GROUND		1	
8					
7					
6					
5	M 94	CIRCUIT BREAKER	ETA 1 A, P/N:1-010	1	
4					
3	M 92	FLIGHT HOURS COUNTER	P/N:1510 FSZM	1	
2	M 91	ENGINE HOURS COUNTER	P/N:15000-85094	1	
1					
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): @		e			
KOPECKÝ		d			
		c			
APPROVED (CVE): @		b			
LETANOVSKÝ		a	DE, CVE, OPTIMIZATION	PZ2018-2	12.04.2018
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB		S/N:		W/O:	REGISTRATION:
EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC SINGLE VALUE INSTRUMENTS /without ANALOG RPM/			DRAWING NO.: D90100012B
PAGE: 1 OF 1			DATE: 10.11.2014		









10					
9	V 6	TERMINAL GROUND		1	
8					
7					
6					
5					
4	P 14	CIRCUIT BREAKER	7277-2-10	1	
3					
2	P 11	COLLECTOR HOLDER	FROM PROPELLER SET	1	
1	P 10	PROPELLER REGULATOR	PR1-P	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): @		e			
KOPECKÝ		d			
		c			
APPROVED (CVE): @		b			
LETANOVSKÝ		a	DE, CVE, OPTIMIZATION	PZ2018-2	12.04.2018
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB			S/N:	W/O:	REGISTRATION:
AEROSPOOL		TITLE: SCHEMATIC CONSTANT SPEED SYSTEM /PR1-P/			DRAWING NO.: D90100014B
EASA AP-DOA Approval No. AP356		PAGE: 1 OF 1			DATE: 31.05.2014





26	V 6	TERMINAL GROUND		1	
25	V 5	TERMINAL GROUND		1	
24	V 4	TERMINAL GROUND		1	
23	V 1	TERMINAL GROUND		1	
22	B 30	CONNECTOR	P/N:956413	2	FROM ENGINE KIT
21	B 29	CURRENT MEASURING SHUNT	DYNON, P/N:100412-000	1	D77400100A
20	B 28	CONNECTOR	ROTAX, P/N:265250	1	FROM ENGINE KIT
19	B 27	CONNECTOR	ROTAX, P/N:264087	1	FROM ENGINE KIT
18	B 26	CHARGING RECTIFIER - REG.	ROTAX, P/N:965349	1	D24300300A
17	B 25	FUSE 30 A	30 A, P/N:60347	1	D24600100A
16	B 24A,B	ELECTRIC SWITCH MS-500M	P/N:1-074 3 POLE, 6 A	2	D39100000C, D
15	B 23	STARTER RELAY	ROTAX, P/N:992819	1	D24600300A
14	B 22	TRIGGER COIL KIT	ROTAX, P/N:965176	1	FROM ENGINE KIT
13	B 21	TRIGGER COIL KIT	ROTAX, P/N:965176	1	FROM ENGINE KIT
12	B 20	TRIGGER COIL KIT	ROTAX, P/N:965176	1	FROM ENGINE KIT
11	B 19	TRIGGER COIL KIT	ROTAX, P/N:965176	1	FROM ENGINE KIT
10	B 18	TRIGGER COIL KIT	ROTAX, P/N:965176	1	FROM ENGINE KIT
9	B 17	SMD ELECTRONIC MODULE	ROTAX, P/N:966727 (265210)	1	D90200001A
8	B 16	SMD ELECTRONIC MODULE	ROTAX, P/N:966727 (265275)	1	D90200001A
7	B 15	DOUBLE IGNITION COIL	ROTAX, P/N:966215	1	FROM ENGINE KIT
6	B 14	DOUBLE IGNITION COIL	ROTAX, P/N:966215	1	FROM ENGINE KIT
5	B 13	DOUBLE IGNITION COIL	ROTAX, P/N:966215	1	FROM ENGINE KIT
4	B 12	DOUBLE IGNITION COIL	ROTAX, P/N:966215	1	FROM ENGINE KIT
3					
2	B 10	ELECTRIC STARTER	ROTAX, P/N:889750	1	FROM ENGINE KIT
1	B 1	ENGINE	ROTAX 912 ULS	FOR INFORM.	D71200000A
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		①	e		
KOPECKÝ			d		
			c		
APPROVED (CVE):		①	b	DE, CVE, OPTIMIZATION	PZ2018-2 12.04.2018
LETANOVSKÝ			a	REMOVING, OPTIONS, MISTAKES	PZ2017-9 07.03.2017
			INDEX	TEMP. CHANGE	VALIDITY DATE SIGNATURE
TYPE: WT9 Dynamic LSA/CLUB S/N:			W/O: REGISTRATION:		
TITLE: SCHEMATIC ENGINE SYSTEM /ROTAX 912 ULS/			DRAWING NO.: D90100001B		
EASA AP-DOA Approval No. AP356					
PAGE: 1 OF 1			DATE: 31.10.2014		



FG 912, FG 912T


18	V 6	TERMINAL GROUND		1	
17					
16					
15	M 84	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
14	M 83	CONNECTOR /EGT SENSOR/	P/N:DB-2-63	4	
13	M 82	EGT TEMPERATURE SENSOR	K-TYPE, P/N:100405-000	1	
12	M 81	EGT TEMPERATURE SENSOR	K-TYPE, P/N:100405-000	1	
11	M 80	CONNECTOR /FUEL FLOW S./	P/N:S014725/S018861	1	4 POLE
10	M 79	FUEL FLOW SENSOR	FT60, P/N:100403-003	1	
9	M 78	CONNECTOR /MANIFOLD P. S./	P/N:-	1	3 POLE
8	M 77	MANIFOLD PRESSURE SENSOR	P/N:100434-000	1	
7	M 76	FUEL PRESSURE SENSOR	P906.B001.0S	1	
6	M 75	CONNECTOR /AIRBOX TEMP. S./	P/N:1-592	1	2 POLE
5	M 74	AIRBOX TEMPERATURE SENSOR	P/N:100468-000	1	
4	M 73	OIL TEMPERATURE SENSOR	P/N:323-801-010-001D	1	
3	M 72	COOLANT TEMPERAT. SENSOR	P/N:323-801-010-001D	1	
2					
1	M 70	EMS MODULE DYNON	SV-EMS 220	1	

NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE): LETANOVSKÝ					
APPROVED (CE): ZUZELKA					
TYPE: WT9 Dynamic LSA/CLUB S/N:					
TITLE: SCHEMATIC EMS: SV-EMS 220 SYSTEM					
DRAWING NO.: D90100010A					
DATE: 09.03.2015					

e				
d				
c				
b				
a	REM. OPTIONS, CORRECTIONS	PZ2017-9	07.03.2017	
INDEX	TEMP. CHANGE	VALIDITY	DATE	SIGNATURE
W/O:		REGISTRATION:		

EASA AP-DOA Approval No. AP356

PAGE: 1 OF 1



18					
17	V 6	TERMINAL GROUND		1	
16					
15	M 84	LED CONTROL LAMP	12 V, 20 mA, P/N:1-191	1	RED
14	M 83	CONNECTOR /EGT SENSOR/	P/N:DB-2-63	4	
13	M 82	EGT TEMPERATURE SENSOR	K-TYPE, P/N:100405-000	1	
12	M 81	EGT TEMPERATURE SENSOR	K-TYPE, P/N:100405-000	1	
11	M 80	CONNECTOR /FUEL FLOW S./	P/N:S014725/S018861	1	4 POLE
10	M 79	FUEL FLOW SENSOR	FT60, P/N:100403-003	1	
9	M 78	CONNECTOR /MANIFOLD P. S./	P/N:-	1	3 POLE
8	M 77	MANIFOLD PRESSURE SENSOR	P/N:100434-000	1	
7	M 76	FUEL PRESSURE SENSOR	P906.B001.0S	1	
6	M 75	CONNECTOR /AIRBOX TEMP. S./	P/N:1-592	1	2 POLE
5	M 74	AIRBOX TEMPERATURE SENSOR	P/N:100468-000	1	
4	M 73	OIL TEMPERATURE SENSOR	P/N:323-801-010-001D	1	
3	M 72	COOLANT TEMPERAT. SENSOR	P/N:323-801-010-001D	1	
2					
1	M 70	EMS MODULE DYNON	SV-EMS 220	1	
NO.	SYMBOL	DESCRIPTION	TYPE	QUANTITY	REMARKS
PREPARED (DE):		e			
KOPECKÝ		d			
		c			
APPROVED (CVE):		b	DE, CVE, OPTIMIZATION	PZ2018-2	12.04.2018
LETANOVSKÝ		a	REMOVING OPTIONS, MISTAKES	PZ2017-9	07.03.2017
		INDEX	TEMP. CHANGE	VALIDITY	DATE
TYPE: WT9 Dynamic LSA/CLUB S/N:			W/O:	REGISTRATION:	
EASA AP-DOA Approval No. AP356		TITLE: SCHEMATIC EMS SYSTEM /SV-EMS 220 - without A. RPM/		DRAWING NO.: D90100010B	
PAGE: 1 OF 1		DATE: 09.03.2015			

