FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

SAFE WORK PERMIT

ISSUING DEPT:		SWP Sr.No.	05

SAFE WORK PERMIT IS VALID ONLY FOR 7 DAYS, IF SIGNED BY JOB ISSUER ON DAILY BASIS

SAFE WORK PERMIT IS VALID ONLY UPTO 16.30 HRS (SPECIAL SANCTION REQUIRED FROM HEAD / SHIFT INCHARGE-Engg. FOR EXTENSION OF WORK)

Permit issued to M/s _____

Name & Sign of Contractor Supervisor_____Contact number_____

Below mentioned employees are covered under Group Insurance and Workmen's Compensation Policy.

Name of persons-1) _____ 2) _____ 3) _____

4) _____ 5) _____ 6) _____

Permit Valid Date From_____To _____(Only 7 Days allowed) For _____no of persons

Working Date							
Signature of Issuer							

This is to give clearance to carry out following jobs as mentioned below

Equipment name -_____Eqpt No_____Location_____

Describe Job to be carried out. : _____

_____

APPROPRIATE SAFETY CHECK SHEET MUST BE ATTACHED FOR THE TYPE OF WORK MARKED

Type of work:	Tick Mark which type of job is to be carried out	Tick Mark The Check List attached	Remark
1) Normal Jobs or Cold Work at Floor level	☐	☐	
2) Electrical Work in HT/LT above 24 Volts	☐	☐	
3) Working at Height & Fragile roof & Celling	☐	☐	
4) Hot Work (Welding & Gas Cutting)	☐	☐	
5) Working in Confined space entry	☐	☐	
6) Excavation work & civil work	☐	☐	
7) Work in Hazardous Area, tank cleaning	☐	☐	
8) Machine/Equipment Shifting	☐	☐	
9) EOT Crane Work	☐	☐	

APPROPRIATE SAFETY CHECK SHEET MUST BE ATTACHED FOR THE TYPE OF WORK MARKED

Safety Precautions to be taken:

Common for any type of work	**Yes**	**No**	**Not Reqd**
1. All area concerned personnel notified about nature of work:	☐	☐	☐
2. Surrounding area cleaned for oil & slippery floor	☐	☐	☐

Name & Sign of Area Concerned personnel

Special Precautions: _____

Job issued by: _____ Date: _____ Time: _____Sign: _____

HOD of Job issuer: _____Date: _____ Time: _____Sign: _____

Job Authorized by:_____ Date: _____ Time: _____Sign: _____

(In absence of Safety Officer, Factory Manager / Shift In charge Can Authorize the Work Permit)

Name of the person supervising during extension period : _____

Extension permitted / not permitted up to _____ Hrs In case of emergency please call:

Name & sign of Shift In charge Name & sign of area concerned personnel

Job Completion Accepted by: _____ Date: Time: Sign: _____

Distribution →	Pink Color - Contractor	Yellow Color - EHS Dept.	White Color - Issuing Dept.

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Electrical Work

ISSUING DEPT:		Sr.No.	66

Electrical Work in HT/LT above 24 Volts	Yes	No	Not Applicable
1. Electrical Equipment de-energised & fuses removed:	☐	☐	☐
2. Lock out / Tag out applied (LOTO)	☐	☐	☐
3. If Lock out / Tag out is applied, name of person applying LOTO			
4. All portable tools are connected with plug & Earthing:	☐	☐	☐
5. Are the portable tools double insulated	☐	☐	☐
6. Portable tools fitted with operating switch	☐	☐	☐
7. Ladder with proper supports are being used:	☐	☐	☐

8. Personal protective equipment required:

	Yes	No	Not Applicable
Electric Shock Proof Safety shoes	☐	☐	☐
Helmet	☐	☐	☐
Earplug	☐	☐	☐
Dust respirator	☐	☐	☐
Electrically Tested Hand gloves	☐	☐	☐
Safety belt	☐	☐	☐

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date: _____ Time: _____ Sign: _____

Job issued by: _____ Date: _____ Time: _____ Sign: _____

Special Precautions if Any:

Distribution →	Contractor	EHS Dept.	Issuing Department

19.Mar.2018
QA Signature

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Height & On Fragile Roof Work

ISSUING DEPT:		Sr.No.	208

Working at heights above 02 meters

	Yes	No	Not Applicable
1. Ladder with proper supports are being used:	☐	☐	☐
2. Scaffolding is being used	☐	☐	☐
3. Attendant provided during the course of work	☐	☐	☐
4 Name of Attendant provided during the course of work			
5. Roof Ladder is used for working on roof shed and Fragile roofs:	☐	☐	☐
6. Safety belt is used and properly secured during work	☐	☐	☐
7. Safety shoes is used	☐	☐	☐
8. Helmet is used during work	☐	☐	☐
7. Area barricaded / cordoned for unauthorized entry:	☐	☐	☐
8. Safety Net is provided and used	☐	☐	☐

9 PPE. Is being used as below

	Yes	No	Not Applicable
Safety shoes	☐	☐	☐
Helmet	☐	☐	☐
Earplug	☐	☐	☐
Dust respirator	☐	☐	☐
Safety belt	☐	☐	☐

10 Is the person working medically fit to perform the work at height? ☐ ☐ ☐

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date: _____ Time: _____ Sign: _____

Job issued by: _____ Date: _____ Time: _____ Sign: _____

Special Precautions if Any:

Distribution →	Contractor	EHS Sept.	Issuing Department

19 May 2018
QA Signature

Format No.: SOP/ES/023-F3

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Hot Work Like Welding and Gas Cutting Work

ISSUING DEPT:		Sr.No.	529

Hot Work - Welding & Gas Cutting

		Yes	No	Not Applicable
1	Electrical Equipment de-energised & fuses removed:	☐	☐	☐
2	Pipeline / Tank drained if hot work in tanks	☐	☐	☐
3	Tank / Pipe line Valve closed and blanked	☐	☐	☐
4	Personal protective equipment required:			
	Goggles	☐	☐	☐
	Welding glass	☐	☐	☐
	Hand gloves	☐	☐	☐
	Safety belt	☐	☐	☐
	Safety shoes	☐	☐	☐
	Helmet	☐	☐	☐
	Earplug	☐	☐	☐
	Dust respirator	☐	☐	☐
5	Fire extinguisher kept near hot job:	☐	☐	☐
6	Water bucket kept near hot job:	☐	☐	☐
7	Area barricaded / cordoned for unauthorized access:	☐	☐	☐
8	Surrounding free from Oil, cotton & combustible material up to 11 meter:	☐	☐	☐
9	All open tanks are covered with MS sheet:	☐	☐	☐
10	All Fan and blower near the area kept OFF:	☐	☐	☐
11	Fire Fighters/Security person present for working in HAZARDOUS areas	☐	☐	☐
12	Proper means of escape available:	☐	☐	☐

FIRE WATCH REQUIREMENTS DURING & AFTER THE WORK INCLUDING ANY BREAK ACTIVITY

The work and surrounding areas to which sparks and heat may spread should be inspected during the watch period and found safe.

continuously for one hrs by Mr._____ Signature _____

After the work completion for three hours by Mr._____ Signature_____

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date:_____ Time:_____ Sign:_____

Job issued by: _____ Date: _____ Time: _____Sign: _____

Special Precautions if Any:

Distribution →	Contractor	EHS Dept.	Issuing Department

19 mar.2018
QA Signature

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Confined Space Entry

ISSUING DEPT:		Sr.No.	88

Checklist For Confined Space Entry :

If you intend to perform hotwork within the confined space, you must note this on the form.

Date of Entry:_____ Time:_____

Date of Completion:_____ Time:_____

Site Location (Identity):_____

PURPOSE OF ENTRY INTO SPACE _____

_____

A. SITE PREPARATION:	**Yes**	**No**	**Not Applicable**
1. Work area isolated with signs/barriers?	☐	☐	☐
2. All power sources tagged/locked/tried?	☐	☐	☐
3. All input discharge lines capped/plugged?	☐	☐	☐
4. Contents drained/flushed/neutralized?	☐	☐	☐
5. Space cleaned of contaminant/purged?	☐	☐	☐
6. Space ventilated before entering?	☐	☐	☐

B. ATMOSPHERIC TESTING (pre-entry)

	Yes	**No**	**Not Applicable**
1. Has all test equipment been calibrated?	☐	☐	☐

2. Oxygen Content: _____% Reading Time _____Initials_____
3. Flammable Concentration: _____% LEL
4. Toxic Concentration: _____PPM
5. Toxic Contaminant: _____PEL
6. Temperature Inside Space: _____degree centigrade

C. COMMUNICATION EQUIPMENTS

Nearest Phone Number:_____Extension Number: _____ Mobile Number:_____

Type of emergency/rescue equipment required:

D. SAFETY EQUIPMENT REQUIRED FOR ENTRY (check those required)

Respirator	☐	Protective Clothing	☐	Escape Harness	☐
Lifeline	☐	Fire Extinguisher	☐	Tripod Escape Unit	☐
Gloves	☐	SCBA	☐	Air Ventilation Pump	☐

	Yes	**No**	**Not Applicable**
Additional requirements:	☐	☐	☐
Portable atmospheric monitor required?	☐	☐	☐

E. HOT WORK	**Yes**	**No**	**Not Applicable**
To be Performed:	☐	☐	☐

Type:_____

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date:_____ Time:_____ Sign:_____

Job issued by: _____ Date: _____ Time: _____Sign: _____

Special Precautions if Any:

Distribution →	Contractor	EHS Dept.	Issuing Department

19 Mar 2018
QA Signature

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Excavation & Civil Jobs

ISSUING DEPT:		Sr.No.	199

Excavation Work & Civil Work

	Yes	No	Not Applicable
1 Is the exact route of excavation told to all the people working	☐	☐	☐
2 Area barricaded / cordoned for unauthorized access:	☐	☐	☐
3 Area marked for electrical cables on the route of excavation	☐	☐	☐
4 Electrical Equipment de-energised & fuses removed:	☐	☐	☐
5 Pipe line layout available and given to persons working	☐	☐	☐
6 Electrical cable route diagram available and given	☐	☐	☐
7 Area barricaded / cordoned for unauthorized access:	☐	☐	☐
8 Information about hazards given to persons working	☐	☐	☐
9 Restriction on use of sharp sickle given	☐	☐	☐
10 Are people wearing insulated shoes	☐	☐	☐
11 Proper means of escape available:	☐	☐	☐

Civil Work

	Yes	No	Not Applicable
1 Is the exact work content told to all the people working	☐	☐	☐
2 Area barricaded / cordoned for unauthorized access:	☐	☐	☐
3 Area marked for electrical cables on the route of civil work	☐	☐	☐
4 Electrical Equipment de-energised & fuses removed:	☐	☐	☐
5 Pipe line layout available and given to persons working	☐	☐	☐
6 Electrical cable route diagram available and given	☐	☐	☐
7 Area barricaded / cordoned for unauthorized access:	☐	☐	☐
8 Information about hazards given to persons working	☐	☐	☐

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date: _____ Time: _____ Sign: _____

Job issued by: _____ Date: _____ Time: _____ Sign: _____

Special Precautions if Any:

Distribution →	Contractor	EHS Dept.	Issuing Department

19 mar. 2018
QA Signature

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Work in Hazardous Area

ISSUING DEPT:		Sr.No.	08

Work In Hazardous Area

Type Of Work

1 Hazardous Handling ☐ Tank Cleaning ☐

	Yes	No	Not Appl.
2 Proper handling equipment available	☐	☐	☐
3 Are proper trained and experienced people put on the job	☐	☐	☐
4 Personal protective equipment required:			
Goggles	☐	☐	☐
Hand gloves	☐	☐	☐
Safety shoes	☐	☐	☐
Helmet	☐	☐	☐
Cartridge Filter Respirator	☐	☐	☐
Vapour / Mist Respirator	☐	☐	☐
Dust respirator	☐	☐	☐
Eye washer or Eye Fountain	☐	☐	☐
5 Fire extinguisher kept near work area:	☐	☐	☐
6 Water bucket kept near hot job:	☐	☐	☐
7 Area barricaded / cordoned for unauthorized access:	☐	☐	☐
8 Surrounding free from Oil, cotton & combustible material:	☐	☐	☐
9 Tanks are emptied and washed before start of work	☐	☐	☐
10 Earthing provided to discharge static electicity	☐	☐	☐
11 Fire Fighters/Security person present for working in HAZARDOUS areas	☐	☐	☐
12 Proper means of escape available:	☐	☐	☐
13 Electrical Equipment de-energised & fuses removed:	☐	☐	☐

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date:_____ Time:_____ Sign:_____

Job issued by: _____ Date: _____ Time: _____ Sign: _____

Special Precautions if Any:

Distribution ➡	Contractor	EHS Dept.	Issuing Department

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for Machine / Equipment Shifting

Sr.No. 257

ISSUING DEPT:

Machine / Equipment Shifting

	Yes	No	Not Appl.
1.All the employees are made aware of the Dos & Don'ts in the language understood by them by following the Tool Box Sheet.	☐	☐	☐
2. Instructed & Warned to all the members that, they should not go below the load while Equipment/ Machine being shifted.	☐	☐	☐
3. The Pipes & Rollers should be put by using Tong holders & not by Hands to avoid running Nip.	☐	☐	☐
4 Eqpt. / Material being shifted with certified equipments/tools is made empty & less weight as much as practicable & Toppling prevention/ precautions are taken.	☐	☐	☐
5. Strict & continuous Supervision by the Contractor & Job Executor is ensured. Supervisor is instructed to not to go out, by living his employees at work to bring the material or for any other reason including Lunch	☐	☐	☐
6. All electrical Connections to welding Transformer & Hand Tools are given / taken from appropriate switch boards having the sufficient load carrying capacity.	☐	☐	☐
7. Before Starting the Work, Electrically isolate the Equipment to be shifted & free the Equipment from the Foundation bolts.	☐	☐	☐
8. Remove the Fuses & Put the Warning Board " Man At Work Do not Start"	☐	☐	☐
9. Pl. Ensure that, when you work at Height , the area below is monitored by deputing one person to restrict the movement down below to avoid an accident due to falling tools./objects.	☐	☐	☐

10. Depending on the nature of work, Pl. decide the requirement of Supervision to be provided:

Continuously YES / NO Mr._____

Intermittently - YES / NO Mr._____ is allocated/ asked for Supervise the work.

11. Do not push the Equipment to be shifted unless it is very essential & unavoidable. In all instances try to take the conscious decision whether to Pull or Push the load.

PPE Is being used as below

	Yes	No	Not Appl.
Safety shoes	☐	☐	☐
Helmet	☐	☐	☐
Earplug	☐	☐	☐
Dust respirator	☐	☐	☐
Safety belt	☐	☐	☐

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date:_____ Time:_____ Sign:_____

Job Issued by: _____ Date: _____ Time: _____ Sign: _____

Special Precautions If Any:

Distribution →	Contractor	EHS Dept.	Issuing Department

19 Mar. 2018
QA Signature

Format No.: SOP/ES/023-F8

FRESENIUS KABI
caring for life

Fresenius Kabi India Private Limited
Ranjangaon Ganpati, Pune

Check Sheet for EOT Crane Work

Sr.No. 15

ISSUING DEPT:

EOT Crane Work

	Yes	No	Not Appl.
1. Before starting the work, pl. isolate the equipment electrically & follow the LOTO procedures.	☐	☐	☐
2. Wear the safety belt & safety helmet & then only start reaching at height by anchoring the safety belt hooks to ladder rungs.	☐	☐	☐
3. Before starting the work at height, pl fix the life line i.e.. Rope of safety belt to a rigid support.	☐	☐	☐
4. Only skilled & experienced people should go to work at height do not send the fresher to work at height.	☐	☐	☐
5. Please keep the drinking water & ensure that, no person on fast go to work at height.	☐	☐	☐
6 Is the person working medically fit to perform the work at height?	☐	☐	☐
7. Please ensure that, when you work at height , the area below should be barricaded & is monitored by deputing one person to restrict the movement down below to avoid an accident due to falling tools./objects.	☐	☐	☐
8. While working below the carriage, use rigid supports/ cross members at seven feet level to arrest the accidental fall of the cage.	☐	☐	☐
9. for every work, use TVS/ High tensile /Allen bolts with spring washers or lock nuts.	☐	☐	☐
10. Instruction given to work executor to not leave the work site till completion of the work. strict supervision is provided.	☐	☐	☐

Name of the persons delegated for this purpose

Mr._____(FKIPL)

I/We agree to follow all the applicable safety precautions mentioned above and assure that it will be followed during the entire course of the work

Contractor's Name: _____ Date:_____ Time:_____ Sign:_____

Job issued by: _____ Date: _____ Time: _____ Sign: _____

Any special precautions recommended by HOD /HSE (If any):

Distribution →	Contractor	EHS Dept.	Issuing Department

19may-18
QA Signature

Format No.: SOP/ES/023-F9