# People's Democratic Republic of Algeria Ministery of Higher Education and Scientific Research Ferhat Abbas University of Setif Faculty of Science Informatics Department



#### **DISSERTATION**

Presented in fulfillment of the requirements of obtaining the degree

Master 2 in Informatics

Specialty: Data Engineering and Web Technologies

### **THEME**

## Detecting SQL injections using BERT

BOUHEZILA NASSIM
Publicly defended on: dd/mm/yyyy
In front of the jury composed of:
President :
Examiner:
Supervisor: BENZINE MEHDI MC UFAS

Presented by:

**ATHMANI RAMI** 

# **Dedication**

To our parents,

To our grandparents,

To our brothers and sisters,

To our entire family,

To all our friends.

Athmani Rami, Bouhezila Nassim.

## **Abstract**

Deep learning techniques have improved various domains by using their ability to learn complex patterns from large datasets. In this dissertation, we employed the power of Deep Learning, specifically BERT language model (Bidirectional Encoder Representations from Transformers), to resolve the issue of SQL injection attacks on web applications.

The goal of our study is to develop a Deep Learning model using BERT that can accurately identify SQL injections.

Based on the results, our model demonstrated excellent performance; it also indicated that BERT outperforms the compared machine learning models across different evaluation metrics. These results affirm the effectiveness of BERT in detecting SQL injection attacks, underscoring its superior performance in our study.

## Résumé

Les techniques d'apprentissage profond ont amélioré divers domaines en utilisant leur capacité à apprendre des complexes patterns à partir de grands ensembles de données. Dans ce mémoire, nous avons utilisé la puissance de l'apprentissage profond, en particulier le modèle de langage BERT (Bidirectional Encoder Representations from Transformers), pour résolu le problème des attaques par injection SQL sur les applications web.

L'objectif de notre étude est de développer un modèle d'apprentissage profond en utilisant BERT qui identifier les injections SQL avec précision.

D'après les résultats, notre modèle a démontré d'excellentes performances ; ils ont également indiqués que BERT a surpassé les autres modèles d'apprentissage automatique comparés à travers différents métriques d'évaluation. Ces résultats confirment l'efficacité de BERT dans la détection des attaques par injection SQL, confirmer sa performance supérieure dans notre étude.

#### ملخص

حسنت تقنيات التعلم العميق مجالات مختلفة باستخدام قدرتها على تعلم الأنماط المعقدة من مجموعات البيانات الكبيرة. في هذه الأطروحة، استخدمنا قوة التعلم العميق، وتحديداً نموذج اللغة "BERT" (Representations from Transformers) ، لحل مشكلة هجمات حقن SQL على تطبيقات الويب.

الهدف من در استنا هو تطوير نموذج التعلم العميق باستخدام BERT الذي يمكنه تحديد هجمات حقن SQL بدقة.

بناءً على النتائج المتحصل عليها، أظهر نموذجنا أداءً ممتازًا؛ كما أشار إلى أن BERT يتفوق في الأداء على نماذج التعلم الألي التي تم المقارنة بها عبر مقاييس التقييم المختلفة. تؤكد هذه النتائج فعالية BERT في اكتشاف هجمات حقن SQL ، مما يؤكد أدائها المتفوق في در استنا.

# **Table of contents**

General Introduction		
Chapter 1 SQL Injections	12	
1.1 Introduction	12	
1.2 Understanding How Web Applications Work	13	
1.3 How SQL Injections Work	14	
1.3.1 Definition	14	
1.4 Techniques of SQL Injections	16	
1.4.1 Tautologies	16	
1.4.2 Error based SQL injection	16	
1.4.3 Blind SQL Injection	21	
1.4.4 Union-based SQL Injections	23	
1.5 SQL Injection Defense Techniques	25	
1.5.1 Escaping	25	
1.5.2 Input validation	25	
1.5.3 Parameterized queries	27	
1.5.4 Web Application firewalls WAF	28	
1.6 Future of SQL Injection Detection	28	
1.7 Conclusion	29	

Chapter	2 Dee	p Learning30
2.1 Int	troducti	on30
2.2 M	achine l	earning30
2.2.1	Type	s of machine learning31
2.2	.1.1	Supervised learning31
2.2	.1.2	Unsupervised learning
2.2	.1.3	Reinforcement
2.2.2	Mach	nine learning algorithms32
2.2	.2.1	Linear Regression
2.2	.2.2	Logistic Regression
2.2	.2.3	Support vector machines
2.2	.2.4	K-Means34
2.2.3	Mach	nine learning applications
2.3 De	eep lear	ning35
2.3.1	Activ	ration functions
2.3.2	Deep	Neural Networks
2.3.3	Deep	learning architectures
2.3	.3.1	Recurrent Neural Networks
2.3	.3.2	Long Short-Term Memory Networks
2.3	.3.3	Gated Recurrent Units

2.3.	3.4 Transformers	40
2.3.4	Deep learning applications	3
2.4 Co	nclusion4	4
Chapter	3 Conception and Implimentation 4	5
3.1 Int	roduction4	5
3.2 Ge	neral conception of the solution4	-5
3.3 Ch	osen model: BERT4	-6
3.3.1	BERT Architecture	-8
3.3.2	BERT for Text Classification	8
3.3.3	Why BERT was chosen4	.9
3.3.4	Fine-tuning BERT for SQL Injection Detection:	.9
3.4 Pre	esentation of development tools	.9
3.4.1	Programming language4	.9
3.4.2	Development environment5	0
3.5 Da	taset5	1
3.6 Co	de And Implementation5	3
3.6.1	Import necessary libraries and tools5	3
3.6.2	Split data into training and testing sets and Preprocess data for BERT models	54
3.6.3	Build BERT model:5	5
364	Train RERT model	5

3.6	5.5	Make predictions with BERT model	56
3.7	Cho	pice of hyperparameters	57
3.7	7.1	Preprocessing Hyperparameters:	57
3.7	7.2	Model Training Hyperparameters:	57
3.7	7.3	Data Split Hyperparameters:	57
3.8	Coı	nclusion:	58
Chapt	er 4	4 Test and Evaluation	59
4.1	Intr	oduction	59
4.2	Eva	aluation Metrics for Assessing Model Performance	59
4.2	2.1	Confusion Matrix	59
4.2	2.2	Accuracy	60
4.2	2.3	Precision	60
4.2	2.4	Recall	61
4.2	2.5	F1 Score	61
4.3	Mo	del Performance Analysis	61
4.4	Coı	mparative Analysis with Other Approaches	63
4.5	Rec	commendations and Future Directions	64
4.6	Coı	nclusion	64
Gener	al (	Conclusion	65
Refere	nce	og	67

# List of figures

Figure 1.1 Three tier architecture	13
Figure 1.2 Example of a SQL Injection Attack	15
Figure 1.3 How Information flows during an SQL Injection error	16
Figure 1.4 SQL injection vulnerability in PHP code.	18
Figure 1.5 handle query error with mysql_error() function in PHP	19
Figure 1.6 Character-escaping in PHP code example.	25
Figure 1.7 Parameterized queries using PDO in PHP code example	27
Figure 2.1 Graphical representation of linear regression.	33
Figure 2.2 Graphical representation of logistic regression.	33
Figure 2.3 Graphical representation of Support vector machines	34
Figure 2.4 Graphical representation of k means.	35
Figure 2.5 Schematic representation of a neural network	37
Figure 2.6 Architecture of transformers.	40
Figure 3.1 Sql injection Detection Tool conception and architecture	46
Figure 3.2 BERT model size.	47
Figure 3.3 BERT model architecture.	48
Figure 3.4 Dataset query classes distribution	52
Figure 3.5 Split data into training and testing set with BERT data preprocess Python Code	54
Figure 3.6 Build BERT model Python code.	55
Figure 3.7 Train BERT model Python code	55
Figure 3.8 Make predictions with the trained model.	56

#### **General Introduction**

The rapid growth of web applications has revolutionized the way we interact and conduct various activities online. From e-commerce platforms and social networks to financial systems and government portals, web applications have become an integral part of our daily lives. However, with greater dependence on online applications comes an increased danger of cyber attacks with SQL injections being one of the most common and dangerous vulnerabilities.

To mitigate the growing threat of SQL injections, traditional approaches such as input validation and query parameterization have been widely adopted. While these methods provide some level of protection, they often struggle to keep pace with the evolving attack techniques employed by adversaries. Thus, there is a pressing need for more advanced and proactive defense mechanisms to detect and prevent SQL injection attacks.

In recent years, deep learning approaches have emerged as a promising solution in various domains, leveraging their ability to automatically learn complex patterns from large datasets. One such powerful deep learning model is BERT (Bidirectional Encoder Representations from Transformers), originally developed for natural language processing tasks. BERT has proven to be highly effective in capturing the semantic and contextual understanding of text, leading to remarkable performance in tasks such as text classification.

In this research, we propose using the power of BERT-based deep learning models to address the critical issue of SQL injection attacks. Our objective is to develop a reliable and efficient detection model capable of accurately identifying SQL injection attempts in real-time. By using BERT's contextual understanding and semantic representation capabilities, we aim to create a model that can effectively distinguish between normal and SQL malicious queries.

Our thesis is organized as follows:

In Chapter 1, we explore SQL injection attacks, their definitions, types and their detecting techniques, then we head on machine learning and Deep Learning, we present popular algorithmic approaches in machine learning and explore deep learning architectures in Chapter 2. Chapter 3 is dedicated to the general conception of our work and the materials used, including the dataset and the type of deep learning architecture employed. Furthermore, we cover the preprocessing steps taken to ensure the accuracy and efficiency of our system. In Chapter 4, we discuss the test and evaluation of our model for detecting SQL injection attacks. We use a variety of evaluation metrics, including accuracy, precision, recall, and F1 score. We also compare the performance of our model to other machine learning algorithms and related works.