

Flow 2 - Auto Shipment Delay Monitor

Steps

Scheduled trigger

1  Every hour

2  Find delayed shipments

3 For each row in 2  Rows run these steps

4  Check for open incident

Trigger

Every hour



Every hour

Schedule

First instance

Jun 29, 2026



at

8:00 AM IST



Repeats

Custom (Daily at 8:00 AM IST)



Repeat every

1

d...



Trigger a run

On this date



Start the workflow early if you'd like to run any steps before the scheduled date.

Step 2

Find delayed shipments



Find delayed shipments

Sheet *



shipments



Rows to return *

A list of all matching rows



Identify the rows



Define the fields that identify the rows in Google Sheets.

MATCHING ALL



expected_arrival_date

Comes before



Current date/time



expected_arrival_date

Is not empty



status

Is not

delivered



Step 3

Loop over delayed shipments



Loop over delayed shipments

Select list *

2



Rows



Run steps for

Every item in the list



Loops are limited to 1000 items per run. Use a separate workflow with a batch trigger if you expect more items. [Learn more](#)

Advanced



Step 4

Check for open incident



Check for open incident

Sheet *



incidents



Rows to return *

A single row



Identify the row



Define the fields that identify the row in Google Sheets.

MATCHING ALL

= shipment_id

Is exactly



Row shipment_id



resolved

Is exactly

No



AND



OR

Path A

No open incident exists



Path A

Path name

No open incident exists

Path rules

Set the rules that determine if Relay.app should follow path A.

= Row · shipment_id

Is empty



AND



OR

Step 6

Create incident



Create incident

Sheet *



incidents



Insert at

Bottom of sheet



Fields to populate



Add fields that should be added for the row.

= incident_id

INC-



Current date/time

Format as yyyyMMddHHmmss -



Row shipment_id

= shipment_id



Row shipment_id



= incident_type

delay



Path B



Path B

Path name

Open incident already exists

Path rules

Set the rules that determine if Relay.app should follow path B.

Follow this path when

No other path is matching

AI agents that work for you

⇒ relay.app/templates

