
Un exemple par jour 4.1. the complex torus of form C^{\times}/Z_{\times}

$$C:=\mathbb{C}^{\times}/\mathbb{Z}_{Y}\stackrel{\text{topo}}{=}\mathbb{T}^{-1}$$
 is a cpt Riemannian surface of genus 1. $Y \in \text{Aut}(\mathbb{C}^{\times}) \ Y(\mathbb{Z}) = \alpha \mathbb{Z} \ \alpha \in \mathbb{C}^{\times} \ |\alpha| > 1$

Today: a=2

1. fundamental set:



=> only need 2 local chart

2.
$$0 \rightarrow \mathbb{Z} \longleftrightarrow \mathbb{C} \xrightarrow{f: z \mapsto e^{2\pi i z}} \mathbb{C}^{\times} \longrightarrow 1$$

$$\downarrow + \frac{1}{2\pi i} \ln 2 \qquad \downarrow + \frac{1}{2\pi i} \ln 2 \qquad \downarrow^{\times 2}$$

$$0 \rightarrow \mathbb{Z} + \frac{1}{2\pi i} \ln 2 \rightarrow \mathbb{C} \xrightarrow{} \mathbb{C}^{\times} \longrightarrow 1$$

$$\mathbb{C}^{\times} = \mathbb{C}/_{\mathbb{Z}} \Rightarrow \mathbb{C}^{\times}/_{\mathbb{Z}\gamma} = \mathbb{C}/_{(\mathbb{Z}^{\vee} \oplus \frac{1}{2\pi i} \ln 2\mathbb{Z}^{\vee})}$$

better:
$$a = e^{2\pi} \approx 535.49$$

$$a = e^{-2\pi i w} \approx -230.765$$

3. line bundle on C

Reduced to: find a section s on Z_b st div s = [b] - [1]Reduced to: find a meromorphic functions g on \mathbb{C}^{\times} s.t $\mathcal{O} g(2z) = bg(z) \qquad b \in \mathbb{C}^{+}, \ b \neq 2^{+}; \ e.g. \ b=3$ $\mathcal{O} g \text{ has simple poles on } 2^{-}, \text{ and simple zeros on } 2^{-}b \text{ neZ}$ $b = e^{2\pi i c}, c \in \mathbb{C}$ $t := \frac{1}{2\pi i} \ln 2$ $g(z) = \frac{G[1-2c](\omega(z), \tau)}{G[1](\omega(z), \tau)}$ is the required one. Blue — example

Orange — more than this example

Red — important results

Purple — I don't know the answer/proof

Circen — sketsch of proof: in a minimal way

Circy — some supplementary explanation. Unimportant assumptions.

Hell grey — explanation on well-known notations.

Brown - small title in subsections.

		Mathbb	Mathrsf/Mathcal		
Α	a	A	♣ `		۵
A B	Ь	IB	B		β
С	С	c	e		γ
D	d	ID	D	Δ	8
	e	l E	[ε		ε
E F G	f	IF	E F G		ζ
G	9	G	G		1
Н	ĥ	H	H	Θ	$ \dot{\theta} $
I	li	1	I		ı
J	1	Jī	J		k
K	k ← k	l K	K	Λ	λ
L	l	 L	1		<u> </u>
W	m	M	M		ν
Ν	n	l _N	N		\ \frac{1}{2}
0	0	0	0	π	π
P	P	IP	P Q		ρ
Q R	9	 @	ĮQ	Σ	<u> </u>
	r	IR	\mathcal{R}		τ
2	2	2	-	Φ	φ χ
T	t	π	9		χ
U←U	u	 U	-	₹	↓
V	V	♥	-	σ	ω
W	ω	W	-		
X	x	×	x		
Y = Y	4	Y	-		
Z	2	Z	₹		
	ı	1	•	I	·