
Eine Woche, ein Beispiel
7.25 irreducible representation of Sn/An



S2/A2

	F	□
	اء	2'
	1	(12)
Ð	l	-1
田	1	1

 $S_3 / A_3$ 

	E		田
	13	3'	2.1
	Ιd	(123) (132)	(12)
Ē	ı	1	-1
田	. <mark> </mark>	1 1	ł
田	2	P -1 P	0

S4/A4

		田	F	F		
	14	2	3.1	212	4՝	
	Id	(12)(34)	(123) (132)	(12)	(1234)	
Ē.	١	ı	ı	-1	-1	
Ш	1	1	1	ı	ı	
	1	1	1 1			
P	3	-1	0	-1	1	
田	3	-1	0	ı	-1	
	3	~1	0 0			
H	2	2	-1 6. 6.	0	0	

Ss/As

		甲	町		目	田	冊
	12	2.1	3.12	۲'	2.13	3.2	4.1
	Id	(12) (34)	(123)	(12345) (12345)	(12)	(123)(45)	(1234)
Ē	ı	1	1	l	-1	-1	- (
ш	1	1	1	$\frac{1}{1-\epsilon} = 0$	1	1	l
冒	4	0	ſ	-1	-2	1	0
HIII .	4	0	!	-1 -1 -1	2	-1	Ο
田田	5	1	-1	0	-1	-1	ι
田	5	1	- l -1	0 0	1	l	-1
田	Ь 3 3	-1 -1	0	1+15 1-15 1-15	O	O	0

S<sub>b</sub>/A<sub>b</sub> G outer automorphism action on representation.

			图	F	<b>H</b>	田	HTTP	F	田	F	F	
		16	2.1,	3·1³	3,	4.2	5.1	2.14	2³	3 · 2 · l	4.12	6
		Id	(12)(34)	(123)	(123)(456)	(1234)(56)	(12342) (12354)	(12)	(12)(34)(56)	(123)(45)	(1234)	(123479)
		l	1	ı	1	1	1	-1	-1	-1	-1	-1
Ç	ш	l.	1	l	1	1	1 ,	1	ı	t	1	1
		'			1		1 1					
7	7 1	5	1	2	-1	-1	0	-3	1	o	-1	1
	, <del>                                     </del>	5	I,	2	- l	-1 -1	0 0	3	-1	0	1	-1
/ /	.=		<u> </u>									
(	,里	9	1	0	0	I	- )	-3	-3	0	t	0
	<del>,</del> #*	9	1	0	0	1	-1 -1	3	3	0	-1	0
1		10	-2	ſ	1	0	O	-2	. 2	1	0	-1
$\backslash \backslash $	F	10	-2 -2	1	1	0	<i>O</i> •	2	-2	-1	O	ı
		ځ	1	-1	2	-1	O	-1	3	-1	1	0
)	田	5	(	-!	2	-1	0 0	(	-3	ı	-1	O
	,甲	16	0	-2 -1	-2 -1	0	性 埋	0	٥	0	0	O
		8	o	-i	-1	ő	1-15 115					

We use Frobenius character formula to compute characters of S\_n. For a clear statement of Frobenius character formula, see here: https://mathoverflow.net/questions/323949/frobenius-formula

After this, we can compute characters of  $A_n$  by using the theories in Fulton's book [Rep, Lec 5.1].

 $For a deeper \ research \ on \ the \ symmetry \ of \ the \ representation \ table, see \ here: http://www.ma.rhul.ac.uk/\sim uvah099/Maths/labels.pdf$