## Eine Woche, ein Beispiel 11.14. Stiefel manifold

Ref: https://en.wikipedia.org/wiki/Stiefel\_manifold

For the description of metric, see https://math.stackexchange.com/questions/1371410/geodesic-of-stiefel-manifold For the cellular structure, see https://math.stackexchange.com/questions/58041/cell-structure-on-stiefel-manifolds

Orthogonal basis = 紅正基

1. fiber bundle 
$$O(k, |R) \rightarrow \bigvee_{k}(|R^{n})$$
  $\bigvee_{k-l}(|R^{n-l}) \rightarrow \bigvee_{k}(|R^{n})$   $S^{n-k} \rightarrow \bigvee_{k}(|R^{n})$   $\bigvee_{k-l}(|R^{n})$   $\bigvee_{l}(|R^{n})$   $\bigvee_{k-l}(|R^{n})$   $\bigvee_{k-l}(|R^{n})$ 

 $Ref: https://people.math.ethz.ch/~jagnaw/Seminar\_Notes/Obstruction\_theory\_Stiefel\_Whitney\_classes.pdf$ 

**Lemma 5** The homotopy groups of the Stiefel manifold  $V_k(\mathbb{R}^n)$  for  $l \leq n-k$  are

$$\pi_l(V_k(\mathbb{R}^n)) = \begin{cases} 0 & \text{if } l < n - k \\ \mathbb{Z} & \text{if } l = n - k \text{ and } k = 1 \\ \mathbb{Z} & \text{if } l = n - k \text{ is even} \\ \mathbb{Z}_2 & \text{if } l = n - k \text{ is odd and } k \neq 1. \end{cases}$$

ref:http://math.uchicago.edu/~may/REU2012/REUPapers/Fung.pdf in[Lemma 1.10], the author proved this result by the elementary argument. Really nice!

## For the references on

https://projecteuclid.org/journals/journal-of-the-institute-of-polytechnics-osaka-city-university-series-a-mathematics/volume-6/issue-1/On-the-homotopy-groups-of-Stiefel-manifolds/ojm/1353054734.pdf

https://projecteuclid.org/journals/bulletin-of-the-american-mathematical-society-new-series/volume-71/issue-4/Some-homotopy-groups-of-Stiefel-manifolds/bams/1183527242.full

https://www.maths.ed.ac.uk/~viranick/papers/paechter5.pdf

they all concern only with the stable homotopy group. So in general it's quite difficult to compute the other homotopy groups.

3. cohomology group.

We compute by spectral sequence.

E.g.	n=5	H <sup>i</sup> (V	( R <sup>s</sup> ), <b>Z</b> )	24			20(5)	(z)	
		, X	0 (4)	(	2	3	4	5	
		σ	7/	7/	Z	Z	Z	$Z^{\theta_r}$	
		,	G	ð	υ	υ	υ	υ	
		2	0	o	o	72	21/27/	21/27/	
		3	o	O	υ	υ	Z	72	
		4	0	7/	7/27/	7/27	74271	7427	
		5	O	O	ο	б	7427	7427	
		Ь	o	д	O	74/27	21/22	74/27L <sub>(1)2</sub>	
		7	o	0	7/	Z	Z#2/12	(Z#Z/2)	
		8	o	O	o	o	0	ം ി	
		9	v	O	0	7/	12/27/	71/27/	
			, 0,		0	0	Z	Z 602	
Eig.	n=6	H, (N	( R <sup>6</sup> ), <u>Z</u> )	22				S0(6)	O(6)
		;	0'3	(	2	3	4	5 7	6
		o	<b>Z</b>	<b>Z</b>	72	Z	Z .	72	
		Ι (							
		2					Z	74/27/	
		3						Z	0-
		4			7/	Z/2Z	72/274	74/27/	F (#)2
		5		7	72	7	Z/	Z+ Z/2	E
		6					Z/ <sub>2</sub> Z/		E
		7				72	202	Z1/27/2 ZO Z/2	E R Y
		8						7	Υ
		9			Z	74/271	Z & Z/12		T
		10						Z/ & Z//Z/	H
		11					7/27/	7/21	I
		12				Z	<b>2</b> / <sub>2</sub> 72	Z0 1/2	THING
		13							4
		14					Z	7/17/	
		15						Z	