

56. Wuertz K, Urban JPG, Klasen J, et al. Influence of extracellular osmolarity and mechanical stimulation on gene expression of intervertebral disc cells. *J Orthop Res*. 2007;25:1513-1522.
57. Neidlinger-Wilke C, Mietsch A, Rinkler C, et al. Interactions of environmental conditions and mechanical loads have influence on matrix turnover by nucleus pulposus cells. *J Orthop Res*. 2012;30:112-121.
58. Haschtmann D, Stoyanov JV, Ferguson SJ. Influence of diurnal hyperosmotic loading on the metabolism and matrix gene expression of a whole-organ intervertebral disc model. *J Orthop Res*. 2006;24:1957-1966.
59. Urban JP. The chondrocyte: a cell under pressure. *Br J Rheumatol*. 1994;33:901-908.
60. Roberts N, Hogg D, Whitehouse GH, Dangerfield P. Quantitative analysis of diurnal variation in volume and water content of lumbar intervertebral discs. *Clin Anat*. 1998;11:1-8.
61. Tsai TT, Danielson KG, Guttapalli A, et al. TonEBP/OREBP is a regulator of nucleus pulposus cell function and survival in the intervertebral disc. *J Biol Chem*. 2006;281:25416-25424.
62. Hiyama A, Gogate SS, Gajghate S, et al. BMP-2 and TGF-beta stimulate expression of beta1,3-glucuronosyl transferase 1 (GlcAT-1) in nucleus pulposus cells through AP1, TonEBP, and Sp1: role of MAPKs. *J Bone Miner Res*. 2010;25:1179-1190.
63. Gajghate S, Hiyama A, Shah M, et al. Osmolarity and intracellular calcium regulate aquaporin2 expression through TonEBP in nucleus pulposus cells of the intervertebral disc. *J Bone Miner Res*. 2009;24:992-1001.
64. Johnson ZI, Shapiro IM, Risbud MV. Extracellular osmolarity regulates matrix homeostasis in the intervertebral disc and articular cartilage: evolving role of TonEBP. *Matrix Biol*. 2014;40:10-16.
65. Nakamura SI, et al. The afferent pathways of discogenic low-back pain. Evaluation of L2 spinal nerve infiltration. *J Bone Joint Surg Br*. 1996;78:606-612.
66. Buckwalter JA. Aging and degeneration of the human intervertebral disc. *Spine*. 1995;20:1307-1314.
67. Crock HV. Internal disc disruption. A challenge to disc prolapse fifty years on. *Spine*. 1986;11:650-653.
68. Macnab I. The traction spur. An indicator of segmental instability. *J Bone Joint Surg Am*. 1971;53:663-670.
69. Hangai M, Kaneoka K, Kuno S, et al. Factors associated with lumbar intervertebral disc degeneration in the elderly. *Spine J*. 2008;8:732-740.
70. Kalichman L, Hunter DJ. The genetics of intervertebral disc degeneration. Familial predisposition and heritability estimation. *Joint Bone Spine*. 2008;75:383-387.
71. Battié MC, Videman T, Gibbons LE, et al. 1995 Volvo Award in clinical sciences. Determinants of lumbar disc degeneration. A study relating lifetime exposures and magnetic resonance imaging findings in identical twins. *Spine*. 1995;20:2601-2612.
72. An HS, Silveri CP, Simpson JM, et al. Comparison of smoking habits between patients with surgically confirmed herniated lumbar and cervical disc disease and controls. *J Spinal Disord*. 1994;7:369-373.
73. Kauppila LI. Atherosclerosis and disc degeneration/low-back pain—a systematic review. *Eur J Vasc Endovasc Surg*. 2009;37:661-670.
74. Hassett G, Hart DJ, Manek NJ, Doyle DV, Spector TD. Risk factors for progression of lumbar spine disc degeneration: the Chingford Study. *Arthritis Rheum*. 2003;48(11):3112-3117.
75. Takatalo J, Karppinen J, Taimela S, et al. Body mass index is associated with lumbar disc degeneration in young Finnish males: subsample of Northern Finland birth cohort study 1986. *BMC Musculoskelet Disord*. 2013;14:87.
76. Lis AM, Black KM, Korn H, Nordin M. Association between sitting and occupational LBP. *Eur Spine J*. 2007;16:283-298.
77. Kelsey JL, Hardy RJ. Driving of motor vehicles as a risk factor for acute herniated lumbar intervertebral disc. *Am J Epidemiol*. 1975;102:63-73.
78. Wilder DG. The biomechanics of vibration and low back pain. *Am J Ind Med*. 1993;23:577-588.
79. Arun R, Freeman BJ, Scammell BE, et al. What influence does sustained mechanical load have on diffusion in the human intervertebral disc? an in vivo study using serial postcontrast magnetic resonance imaging. *Spine*. 2009;34:2324-2337.
80. Videman T, Battié MC, Ripatti S, et al. Determinants of the progression in lumbar degeneration: a 5-year follow-up study of adult male monozygotic twins. *Spine*. 2006;31:671-678.
81. MacGregor AJ, Andrew T, Sambrook PN, Spector TD. Structural, psychological, and genetic influences on low back and neck pain: a study of adult female twins. *Arthritis Rheum*. 2004;51:160-167.
82. Hestbaek L, Iachine IA, Leboeuf-Yde C, Kyvik KO, Manniche C. Heredity of low back pain in a young population: a classical twin study. *Twin Res*. 2004;7:16-26.
83. Hartvigsen J, Christensen K, Frederiksen H, Petersen HC. Genetic and environmental contributions to back pain in old age: a study of 2,108 Danish twins aged 70 and older. *Spine*. 2004;29:897-901.
84. Paassilta P, Lohiniva J, Göring HH, et al. Identification of a novel common genetic risk factor for lumbar disc disease. *JAMA*. 2001;285:1843-1849.
85. Jim JJ, Nojonen-Hietala N, Cheung KM, et al. The TRP2 allele of COL9A2 is an age-dependent risk factor for the development and severity of intervertebral disc degeneration. *Spine*. 2005;30:2735-2742.
86. Solovieva S, Lohiniva J, Leino-Arjas P, et al. Intervertebral disc degeneration in relation to the COL9A3 and the IL-1ss gene polymorphisms. *Eur Spine J*. 2006;15: 613-619.
87. Kalichman L, Hunter DJ. The genetics of intervertebral disc degeneration. Associated genes. *Joint Bone Spine*. 2008;75:388-396.
88. Williams FM, Bansal AT, van Meurs JB, et al. Novel genetic variants associated with lumbar disc degeneration in northern Europeans: a meta-analysis of 4600 subjects. *Ann Rheum Dis*. 2013;72(7):1141-1148.
89. Song YQ, Karasugi T, Cheung KM, et al. Lumbar disc degeneration is linked to a carbohydrate sulfotransferase 3 variant. *J Clin Invest*. 2013;123(11):4909-4917.
90. Crock HV. A reappraisal of intervertebral disc lesions. *Med J Aust*. 1970;1:983-989.
91. Haughton VM. MR imaging of the spine. *Radiology*. 1988;166:297-301.
92. Cuellar JM, Stauff MP, Herzog RJ, et al. Does provocative discography cause clinically important injury to the lumbar intervertebral disc? A 10-year matched cohort study. *Spine J*. 2016;16(3):273-280.
93. Borthakur A, Maurer PM, Fenty M, et al. T1p magnetic resonance imaging and discography pressure as novel biomarkers for disc degeneration and low back pain. *Spine*. 2011;36(25):2190-2196.

94. Binch AL, Cole AA, Breakwell LM, et al. Nerves are more abundant than blood vessels in the degenerate human intervertebral disc. *Arthritis Res Ther*. 2015;17:370.
95. Maidhof R, Jacobsen T, Papatheodorou A, Chahine NO. Inflammation induces irreversible biophysical changes in isolated nucleus pulposus cells. *PLoS One*. 2014;9:1-11.
96. Ellman MB, Kim J-S, An HS, et al. Toll-like receptor adaptor signaling molecule MyD88 on intervertebral disk homeostasis: in vitro, ex vivo studies. *Gene*. 2012;505:283-290.
97. Le Maitre CL, Freemont AJ, Hoyland JA. The role of interleukin-1 in the pathogenesis of human intervertebral disc degeneration. *Arthritis Res Ther*. 2005;7:R732-R745.
98. Wang J, Markova D, Anderson DG, et al. TNF- α and IL-1 β promote a disintegrin-like and metalloprotease with thrombospondin type I motif-5-mediated aggrecan degradation through syndecan-4 in intervertebral disc. *J Biol Chem*. 2011;286:39738-39749.
99. Wang X, Wang H, Yang H, et al. Tumor necrosis factor- α - and interleukin-1 β -dependent matrix metalloproteinase-3 expression in nucleus pulposus cells requires cooperative signaling via syndecan 4 and mitogen-activated protein kinase-nuclear factor κ B axis: implications in inflammatory disease. *Am J Pathol*. 2014;184:1-13.
100. Murata Y, Rydevik B, Nannmark U, et al. Local application of interleukin-6 to the dorsal root ganglion induces tumor necrosis factor- α in the dorsal root ganglion and results in apoptosis of the dorsal root ganglion cells. *Spine (Phila Pa)*. 2011;36:926-932.
101. Burke JG, Watson RWG, McCormack D, et al. Intervertebral discs which cause low back pain secrete high levels of proinflammatory mediators. *J Bone Joint Surg Br*. 2002;84:196-201.
102. Abe Y, Akeda K, An HS, et al. Proinflammatory cytokines stimulate the expression of nerve growth factor by human intervertebral disc cells. *Spine (Phila Pa)*. 2007;32:635-642.
103. García-Cosamalón J, del Valle ME, Calavia MG, et al. Intervertebral disc, sensory nerves and neurotrophins: who is who in discogenic pain? *J Anat*. 2010;217:1-15.
104. Purmessur D, Freemont AJ, Hoyland JA. Expression and regulation of neurotrophins in the nondegenerate and degenerate human intervertebral disc. *Arthritis Res Ther*. 2008;10:R99.
105. Kepler CK, Markova DZ, Hilibrand AS, et al. Substance P stimulates production of inflammatory cytokines in human disc cells. *Spine J*. 2012;12:S109.
106. Carragee EJ, Kim D, van der Vlugt T, Vittum D. The clinical use of erythrocyte sedimentation rate in pyogenic vertebral osteomyelitis. *Spine (Phila Pa)*. 1997;18:2089-2093.
107. Sapico FL, Montgomerie JZ. Pyogenic vertebral osteomyelitis: report of nine cases and review of the literature. *Rev Infect Dis*. 1979;1:754-776.
108. Modic MT, Steinberg PM, Ross JS, Masaryk TJ, Carter JR. Degenerative disk disease: assessment of changes in vertebral body marrow with MR imaging. *Radiology*. 1988;166:193-199.
109. Jensen TS, Karppinen J, Sorensen JS, Niinimäki J, Leboeuf-Yde C. Vertebral endplate signal changes (Modic change): A systematic literature review of prevalence and association with non-specific low back pain. *Eur Spine J*. 2008;17:1407-1422.
110. Albert HB, Lambert P, Rollason J, et al. Does nuclear tissue infected with bacteria following disc herniations lead to Modic changes in the adjacent vertebrae? *Eur Spine J*. 2013;22:690-696.
111. Agarwal VJ, Golish R, Kondrashov D, Alamin TF. Results of bacterial culture from surgically excised intervertebral disc in 52 patients undergoing primary lumbar microdiscectomy at a single level. *Spine J*. 2010;10:S45-S46.
112. Fritzell P, Bergström T, Welinder-Olsson C. Detection of bacterial DNA in painful degenerated spinal discs in patients without signs of clinical infection. *Eur Spine J*. 2004;13:702-706.
113. Albert HB, Sorensen JS, Christensen BS, Manniche C. Antibiotic treatment in patients with chronic low back pain and vertebral bone edema (Modic type 1 changes): a double-blind randomized clinical controlled trial of efficacy. *Eur Spine J*. 2013;22:697-707.
114. Casellas F, Borruel N, Papo M, et al. Antiinflammatory effects of enterically coated amoxicillin-clavulanic acid in active ulcerative colitis. *Inflamm Bowel Dis*. 1998;4:1-5.
115. Hajhashemi V, Dehdashti K. Antinociceptive effect of clavulanic acid and its preventive activity against development of morphine tolerance and dependence in animal models. *Res Pharm Sci*. 2014;9:315-321.
116. Roca I, Akova M, Baquero F, et al. The global threat of antimicrobial resistance: Science for intervention. *New Microbes New Infect*. 2015;6:22-29.
117. Quero L, Klawitter M, Schmaus A, et al. Hyaluronic acid fragments enhance the inflammatory and catabolic response in human intervertebral disc cells through modulation of toll-like receptor 2 signalling pathways. *Arthritis Res Ther*. 2013;15:R94.
118. Kawagoe T, Sato S, Matsushita K, et al. Sequential control of Toll-like receptor-dependent responses by IRAK1 and IRAK2. *Nat Immunol*. 2008;9:684-691.
119. Scheibner KA, Lutz MA, Boodoo S, et al. Hyaluronan fragments act as an endogenous danger signal by engaging TLR2. *J Immunol*. 2006;177:1272-1281.
120. Campo GM, Avenoso A, D'Ascola A, et al. Hyaluronan differently modulates TLR-4 and the inflammatory response in mouse chondrocytes. *Biofactors*. 2012;38:69-76.
121. Campo GM, Avenoso A, Campo S, et al. Small hyaluronan oligosaccharides induce inflammation by engaging both toll-like-4 and CD44 receptors in human chondrocytes. *Biochem Pharmacol*. 2010;80:480-490.
122. Scaffidi P, Misteli T, Bianchi ME. Release of chromatin protein HMGB1 by necrotic cells triggers inflammation. *Nature*. 2002;418:191-195.
123. Voll RE, Urbanaviciute V, Herrmann M, Kalden JR. High mobility group box 1 in the pathogenesis of inflammatory and autoimmune diseases. *Isr Med Assoc J*. 2008;10:26-28.
124. Tang D, Kang R, Cheh CW, et al. HMGB1 release and redox regulates autophagy and apoptosis in cancer cells. *Oncogene*. 2010;29(38):5299-5310.
125. Otschi K, Kikuchi S, Kato K, Sekiguchi M, Konno S. Anti-HMGB1 neutralization antibody improves pain-related behavior induced by application of autologous nucleus pulposus onto nerve roots in rats. *Spine (Phila Pa)*. 2011;36:E692-E698.
126. Ruel N, Markova DZ, Adams SL, et al. Fibronectin fragments and the cleaving enzyme ADAM-8 in the degenerative human intervertebral disc. *Spine (Phila Pa)*. 2014;39:1274-1279.
127. Liu H-F, Zhang H, Qiao G-X, et al. A novel rabbit disc degeneration model induced by fibronectin fragment. *Joint Bone Spine*. 2013;80:301-306.

128. Anderson DG, Li X, Balian GA. Fibronectin fragment alters the metabolism by rabbit intervertebral disc cells in vitro. *Spine (Phila Pa)*. 2005;30:1242-1246.
129. Xia M, Zhu Y. Fibronectin fragment activation of ERK increasing integrin $\alpha 5$ and $\beta 1$ subunit expression to degenerate nucleus pulposus cells. *J Orthop Res*. 2011;29:556-561.
130. Tran CM, Schoepflin ZR, Markova DZ, et al. CCN2 suppresses catabolic effects of interleukin-1 β through $\alpha 5 \beta 1$ and $\alpha V \beta 3$ integrins in nucleus pulposus cells: implications in intervertebral disc degeneration. *J Biol Chem*. 2014;289:7374-7387.
131. Fields AJ, Berg-Johansen B, Metz LN, et al. Alterations in intervertebral disc composition, matrix homeostasis and biomechanical behavior in the UCD-T2DM rat model of type 2 diabetes. *J Orthop Res*. 2015;33:738-746.
132. Tsai T-T, Ho NY-J, Lin Y-T, et al. Advanced glycation end products in degenerative nucleus pulposus with diabetes. *J Orthop Res*. 2014;32:238-244.
133. Illien-Junger S, Grosjean F, Laudier DM, et al. Combined anti-inflammatory and anti-AGE drug treatments have a protective effect on intervertebral discs in mice with diabetes. *PLoS One*. 2013;8:e64302.
134. Johnson WEB, Stephan S, Roberts S. The influence of serum, glucose and oxygen on intervertebral disc cell growth in vitro: implications for degenerative disc disease. *Arthritis Res Ther*. 2008;10:R46.
- 134a. Videman T, Battie MC, Gibbons LE, et al. Disc degeneration and bone density in monozygotic twins discordant for insulin-dependent diabetes mellitus. *J Orthop Res*. 2000;18(5):768-772.
- 134b. Fabiane SM, Ward KJ, Iatridis JC, et al. Does type 2 diabetes mellitus promote intervertebral disc degeneration? *Eur Spine J*. 2016;25(9):2716-2720.
135. Deyo RA, et al. Outcome measures for low back pain research. A proposal for standardized use. *Spine*. 1998;23:2003-2013.
136. Spruit M, Jacobs WC. Pain and function after intradiscal electrothermal treatment (IDET) for symptomatic lumbar disc degeneration. *Eur Spine J*. 2002;11:589-593.
137. Derby R, Eek B, Chen Y. Intradiscal electrothermal annuloplasty (IDET): a novel approach for treating chronic discogenic back pain. *Neuromodulation*. 2000;3(2):82-88.
138. Weinstein J, Claverie W, Gibson S. The pain of discography. *Spine*. 1988;13:1344-1348.
139. Weinstein J. Neurogenic and nonneurogenic pain and inflammatory mediators. *Orthop Clin North Am*. 1991;22:235-246.
140. Kawakami M, et al. Possible mechanism of painful radiculopathy in lumbar disc herniation. *Clin Orthop Relat Res*. 1998;351:241-251.
141. Byröd G, et al. A rapid transport route between the epidural space and the intraneural capillaries of the nerve roots. *Spine*. 1995;20:138-143.
142. Freemont AJ, et al. Nerve ingrowth into diseased intervertebral disc in chronic back pain. *Lancet*. 1997;350:178-181.
143. Evans W, Jobe W, Seibert C. A cross-sectional prevalence study of lumbar disc degeneration in a working population. *Spine*. 1989;14:60-64.
144. Gibson MJ, et al. Magnetic resonance imaging and discography in the diagnosis of disc degeneration. A comparative study of 50 discs. *J Bone Joint Surg Br*. 1986;68:369-373.
145. Saal JS, et al. High levels of inflammatory phospholipase A2 activity in lumbar disc herniations. *Spine*. 1990;15:674-678.
146. Nygaard OP, Mellgren SI, Osterud B. The inflammatory properties of contained and noncontained lumbar disc herniation. *Spine*. 1997;22:2484-2488.
147. O'Donnell JL, O'Donnell AL. Prostaglandin E2 content in herniated lumbar disc disease. *Spine*. 1996;21:1653-1655.
148. Franson RC, Saal JS, Saal JA. Human disc phospholipase A2 is inflammatory. *Spine*. 1992;17(suppl 6):S129-S132.
149. Burke JG, Watson RW, McCormack D, et al. Intervertebral discs which cause low back pain secrete high levels of proinflammatory mediators. *J Bone Joint Surg Br*. 2002;84:196-201.
150. Igarashi A, Kikuchi S, Konno S, Olmarker K. Inflammatory cytokines released from the facet joint tissue in degenerative lumbar spinal disorders. *Spine*. 2004;29:2091-2095.
151. Ohtori S, et al. Tumor necrosis factor-immunoreactive cells and PGP 9.5-immunoreactive nerve fibers in vertebral endplates of patients with discogenic low back pain and Modic type 1 or type 2 changes on MRI. *Spine*. 2006;31:1026-1031.
152. Ashton IK, et al. Substance P in intervertebral discs. Binding sites on vascular endothelium of the human annulus fibrosus. *Acta Orthop Scand*. 1994;65:635-639.
153. Palmgren T, et al. An immunohistochemical study of nerve structures in the annulus fibrosus of human normal lumbar intervertebral discs. *Spine*. 1999;24:2075-2079.
154. Coppes MH, et al. Innervation of "painful" lumbar discs. *Spine*. 1997;22:2342-2349.
155. Peng B, et al. The pathogenesis of discogenic low back pain. *J Bone Joint Surg Br*. 2005;87:62-67.
156. Brown MF, et al. Sensory and sympathetic innervation of the vertebral endplate in patients with degenerative disc disease. *J Bone Joint Surg Br*. 1997;79:147-153.
157. Takebayashi T, et al. Sympathetic afferent units from lumbar intervertebral discs. *J Bone Joint Surg Br*. 2006;88:554-557.
158. Aoki Y, et al. Innervation of the lumbar intervertebral disc by nerve growth factor-dependent neurons related to inflammatory pain. *Spine*. 2004;29:1077-1081.
159. Edgar MA. The nerve supply of the lumbar intervertebral disc. *J Bone Joint Surg Br*. 2007;89:1135-1139.
160. Jarvik JG, et al. Three-year incidence of low back pain in an initially asymptomatic cohort: clinical and imaging risk factors. *Spine*. 2005;30:1541-1548.
161. Carragee EJ, et al. Discographic, MRI and psychosocial determinants of low back pain disability and remission: a prospective study in subjects with benign persistent back pain. *Spine J*. 2005;5:24-35.
162. Carragee EJ, Paragioudakis SJ, Khurana S. 2000 Volvo Award winner in clinical studies: Lumbar high-intensity zone and discography in subjects without low back problems. *Spine*. 2000;25:2987-2992.
163. Carragee EJ, Alamin TF, Carragee JM. Low-pressure positive discography in subjects asymptomatic of significant low back pain illness. *Spine*. 2006;31:505-509.
164. Carragee EJ, et al. The rates of false-positive lumbar discography in select patients without low back symptoms. *Spine*. 2000;25:1373-1380.
165. O'Neill CW, et al. Disc stimulation and patterns of referred pain. *Spine*. 2002;27:2776-2781.