

default

POST

/tickets/

Create Ticket

Parameters

Try it out

Name	Description
<div><div>user_email</div><div>* required</div></div> <div>string</div> <div>(query)</div>	<div>user_email</div>
<div><div>subject</div><div>* required</div></div> <div>string</div> <div>(query)</div>	<div>subject</div>
<div><div>description</div><div>* required</div></div> <div>string</div> <div>(query)</div>	<div>description</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div>	No links

Code	Description	Links
	<div>application/json</div> <div><div>Example Value</div><div>Schema</div></div> <pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre>	

GET

/tickets/

Get Tickets

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links

GET

/tickets/{ticket\_id}

Get Ticket

^

Parameters

Try it out

Name	Description
<b>ticket_id</b> * required integer (path)	<div>ticket_id</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value   Schema</div> <div>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</div>	No links

PUT   /tickets/{ticket\_id}   Update Ticket

^

Parameters

Try it out

Name	Description
<b>ticket_id</b> * required integer (path)	<div>ticket_id</div>
<b>status</b> * required string (query)	<div>status</div>
<b>description</b> * required string (query)	<div>description</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div><div>application/json</div></div> <div><div>Example Value</div><div>Schema</div></div> <div>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</div>	No links



Parameters

Try it out

Name	Description
------	-------------

<div><div>ticket_id</div><div><div>*</div><div>required</div></div></div> <div>integer</div> <div>(path)</div>	<div>ticket_id</div>
--	----------------------

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value

Schema

"string"

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value

Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Schemas



**HTTPValidationError** ^ Collapse all object

```
detail ^ Collapse all array<object>
  Items ^ Collapse all object
    loc* ^ Collapse all array<(string | integer)>
      Items ^ Collapse all (string | integer)
        Any of ^ Collapse all (string | integer)
          #0 string
          #1 integer
    msg* string
    type* string
```

**ValidationError** ^ Collapse all object

```
loc* ^ Collapse all array<(string | integer)>
  Items ^ Collapse all (string | integer)
    Any of ^ Collapse all (string | integer)
      #0 string
      #1 integer
  msg* string
  type* string
```