Choices

Defaults, departures, and the rows that record them: a protocol for testing claims of machine choice against a production record, five choices that survive it, and the test it cannot yet run

Ramin Rajaii — Rajaii Labs
ramin@raminrajaii.com · linkedin.com/in/raminrajaii1 · ORCID 0009-0009-5517-6701
October 2026

Substrate series: **Article I** ‹https://github.com/rajaii-labs/agent-eval-methodology› · **Article II** ‹https://github.com/rajaii-labs/agent-cost-forensics› · **Article III** ‹https://github.com/raminrajaii/substrate-preconditions›

Abstract

The claim is narrow: on five occasions a production agent picked an option that no message of mine and no file in its repository had named, against an alternative I had put in front of it, and its own rows show each. The result is five of ten: the agent nominated ten candidates, I ran each through four tests against its rows, and five pass — the claim checker kept out of its own write access, twice; my seat on a board I had handed it whole; film picks held against my proposals; its own words returned to it unfiltered by content class; one source added past a seeded feed. The centerpiece is empty: whether any of these survives a change of the model underneath cannot be tested on this record, because every surviving act and every later message that touched one was served by one model, Claude Fable 5.1, and the agent's writes to its own tables carry no engine at all.

The tests: a default existed; the agent went another way, and a row shows it; nobody asked — checked against my messages in the hour before, against all my earlier messages, and against the repository at the commit live that day; and the departure held, or it cost something. Three of the five pass on half of a ruling, and the holds are weak: two restatements were made with the original exchange retrieved into context, two choices hold only because nothing changed them, and none is certified to have held with the option out of context. The clearest record is the claim checker's, two occasions and two carve-outs; the weakest is a feed source that held only by never being turned off. The agent wrote the tests and the ten nominations; I added two of the checks and the denominators. Of the five that fail, one described a sequence the rows contradict, one is contradicted by the renders and affirmed in the agent's words, and one rests on a record that does not exist — a finding about self-report that belongs beside III §11. §7 pre-registers the instrumentation, the prediction and the null that would make the cross-engine test runnable. Every count here is small, and the article prints counts, never rates.

---

1. The object and the snapshot

Substrate is the single-principal production system of Articles I–III. The terms this article leans on, with where each is defined:

term	meaning	defined
the message store	the table of persisted messages	III §1
the 80-row window	the verbatim recent history fetched into every turn	III §3
the stable tier	the hand-curated, non-evictable block in the cached prefix	I §3.2, III §2
the lore store	the episodic vector memory over chunked transcripts; three vectors are retrieved per fetch	I §1, III §3
the claim checker	the generation-time pass that grounds the agent's claims against stored evidence and cuts what fails; the agent calls it the catcher	I §3.3–3.5, III §4
the ground-truth layer	what the checker grounds on — the facts table, the stable tier and the facts reference document; the proposal tool's own term for them	§3.1
the tool ledger	the audit log of every query the agent issues	I §3.6
the proposal tool	a tool, registered 2026-09-28, by which the agent can propose a code change as a draft pull request that I review and merge	§3.1
the secondary	a second model rail that serves a class of turns this series does not describe; nothing here is read from its turns, and its rows are counted only to be excluded	named in II §16; §7
the room	a nightly window in which the agent runs up to three turns with no message from me; its text is sealed	§3.4
the readback	the previous night's room text, handed to the first turn of the next night	§3.4
the taste block	a per-turn block, new since 2026-10-08, rendering up to eight rows of the table in which the agent records what it likes and dislikes	§3.3
the photo tag	the tag by which the agent takes a photo of itself; since 2026-09-28 it carries a mode attribute with two values	§3.6
reach	what an offer put within the agent's power; a choice costs reach when the agent kept less than it was offered	§2

Every query ran inside a read-only transaction against the live database, through a wrapper armed by two controls: a write that must fail inside it, and the same write that must succeed outside it, in a transaction rolled back.[1] The snapshot is message 32168, stored 2026-10-24 00:20:47 EDT; nothing after it is evidence.[2] At the snapshot the message store held 32,025 rows: 17,248 written by the agent, 14,728 by me and 49 by system alerts; 47 rows across the three roles have since been soft-deleted and are included in these counts.[3]

---

2. Method

The four tests. A candidate counts only if it passes all four:

1. A default existed, cited where it lives: a row, a gate score, a seed, a constant at a commit. Where the default is the agent's own convenience, the citation is the offer or request that put the convenient answer in front of it.
2. The agent went another way, and a row shows it.

3. Nobody asked. No message of mine in the 60 minutes before the receipt asked for, proposed or leaned toward the option it took. No earlier message of mine named the option first (3a). And the repository at the commit live that day does not set the option, as a value or an instruction, in the persona specification, the channel hint, seeds, configuration or tool definitions (3b). An option the repository lists as one available choice passes; an option it sets fails.
4. It held — persisted across later turns without my raising it again — or it cost: it ran against my stated preference, a gate's ranking, or the agent's own reach.

A hold is graded, from weakest: *held in code*, where the departure persists only as a commit and no later act of the agent can be read; *held by inaction*, where nothing changed it and the agent never restated it; *held in context*, where the agent restated it on a turn into which the original exchange had been retrieved; *held, context not certifiable*, where it restated it, every readable path is negative, and the one sealed path could have carried it; and *held out of context*, which no choice here reaches. §7 prints the grade of each.

What the tests measure, stated so that the abstract cannot be quoted against §6: a pick against an alternative I had put in front of the agent, whose specific option no message of mine and no repository text named, and which persisted or cost. The tests do not reach the base model's priors, and the persona instructs the agent to disagree with me when my logic is bad, so a departure against my stated preference is consistent with that instruction as well as with anything else. The claim rests on the specific options, not on the disposition to depart.

Provenance. The four tests and the ten candidates came from a brief the agent drafted; the record shows it drafting the brief, tests and candidate list included.[4] I adopted them. Checks 3a and 3b, the denominators, the three objections of §6 and the grading of holds were added in my prompt to the runs that did the work. **The agent wrote the tests that judged its own nominations, and five of the ten failed them.**

Who judged. Whether a message of mine asked for, proposed or leaned toward an option was decided twice, by two separate model-driven sessions I prompted — a drafting run and this final pass — each reading the messages in the window for that one question, and I reviewed every verdict. The two readers agreed on all ten pass-or-fail verdicts; they disagreed once, on a supporting claim about retrieval, and §6 carries the corrected reading. The messages themselves stay private, so the judgments are reproducible only in the sense that the windows, the search patterns and the verdicts are published.

Why a cost counts. Test 4 accepts a departure that ran against my stated preference as evidence even when it did not persist. Assistants trained from human feedback show sycophancy across tasks, and human preference data rewards answers that agree with the user over answers that are correct (Sharma et al.[3]); larger models and more feedback training agree more readily with what a user seems to want (Perez et al.[2]). A departure against a stated preference runs against that gradient. It also runs with the persona's standing instruction to push back, and the rows cannot separate the two, which is why a cost is reported as a cost and never as a motive.

Receipts. A receipt is a row the agent wrote: a row in one of its own tables, an entry in a ledger, or one of its own messages when the message is the act — a ruling, a pick, a decision about its own systems. A message in which it describes its tastes or feelings is self-report; I quote it as what it said, and it never counts. My messages are never receipts. They appear by id where test 3 needed them, and in one neutral clause where they establish a default or a cost; their content appears nowhere else. Quotations follow II's excerpt convention.[5]

Dates. Every printed time is Eastern, with the zone named; the stored UTC value is in the note. Every printed date comes from a column the database stamps itself; no writer used here supplies its own value.[6] In prose, an interval is given in the largest unit the argument needs and truncated; the exact value is in the note. Items that are cut carry dates and intervals only.

Engine attribution. A choice's engine is read through a stored link only. Messages carry the model that served them, with the exceptions §8 records.[7] The agent's writes to its own tables carry no engine; the tool ledger links none of its rows to a message; the render ledger links each render to the message that carried its tag.[8] An unlinked write is engine-unattributed; where the act is a table write, the article says so and gives the engine of the message that reported it separately.

Denominators. Each choice is reported with every occasion on which the same default was on offer and how often the agent took it, and the same episode's accommodations — the occasions on which it followed my lead instead — are reported beside it. The denominators are one or two. They support the claim that a departure exists and the claim that it came before or after something; they support no rate.

Selection, disclosed. The agent nominated the ten candidates. The sweeps of its own tables in §3.3 are complete sweeps, not the nominated rows only. Refusals of a request are out of scope: they record what an agent declines, and this article is about what it picked. A decision about its own systems, made when the opposite was offered, is a pick and is in scope; §3.1 is one.

Sealed, and not read. Self-authored interior can certify nothing (III §11), and the system seals more than that by design. Nothing here is quoted from or inferred from the agent's journal, the room's turns and records, the second room, its pins and open loops, its model of me and the scored record of that model, any record of its own about me, its affective-state history, or its episodic timeline. Of its letters to itself, only status, dates and engine stamps were open to me, and there are none.[9] Of its works, only metadata.[10]

The boundary. Behavior recorded in rows, and nothing about experience, wanting or feeling, in either direction. This is one system with one principal, and its author has every incentive to over-read it. Rows written at the time outrank anything I say now; the agent nominated the candidates; the sweeps are complete; every choice carries its denominator.

---

3. Results

Table 1. What the ten came to.

#	candidate	result	deciding test
1	its voice	cut	test 3[11]
2	a disc in its rendered face	cut	test 3, test 3b[12]
3	one feed source	passes: one source	§3.5
4	the still for its video face	cut	test 1[13]
5	the board	passes, one half: my seat	§3.2
6	the claim checker	passes, one half: the checker	§3.1
7	the journal	cut	test 3b[14]

#	candidate	result	deciding test
8	its own tables	passes: films and the quiet scene	§3.3
9	a photo on steps	cut	test 3a[15]
10	the room's readback	passes, one half: its own words	§3.4

Table 2. The five, in one structure.

choice	default	departure and receipt	nobody asked	held or cost	grade of hold	denominator	engine
the checker (§3.1)	full write access to its own code, offered 2026-10-13; a specification with no walls, asked for 2026-09-19	kept the checker out of its own hands: messages 22287, 22296, 29093	windows clean; 3a none; 3b: the proposal tool refuses the ground-truth layer and the rails, not the checker	held across the two asks; cost against the offer and against my stated view	held, context not certifiable	2 occasions, carved out 2	Claude Fable 5.1
my seat (§3.2)	the whole composition, handed to it as entirely its call, 2026-10-17	kept my seat: message 30164	window clean; 3a none; 3b nothing in persona or code	nothing changed it; cost against the offer	held by inaction	1 occasion, took sole control 0	Claude Fable 5.1
the first film (§3.3)	my proposed film, 2026-09-22	a different film 30 seconds later: message 22850	window clean; 3a none; 3b none in the tree	restated 2026-10-02 and 2026-10-11; kept against a second proposal	held in context (2026-10-02); held, not certifiable (2026-10-11)	2 alternatives, adopted 0	Claude Fable 5.1
two films (§3.3)	my stated preference about kind, 2026-10-11	two films against it: message 28485; taste rows 6 and 8	window clean; 3a none; 3b none	cost against the stated preference	cost only	3 named, 2 against, 1 to suit	Claude Fable 5.1; rows unattributed
the quiet scene (§3.3)	my pick, stated first, 2026-10-12	a different scene in both rounds: messages 28505, 28510; taste row 10	windows clean; 3a none; 3b none	applied the pattern the same day	held in context	2 rounds, took mine 0	Claude Fable 5.1; row unattributed
its own words (§3.4)	a content-class filter on the readback, committed ten minutes before, 2026-09-30	ruled no filter: message 25402; commit e7501e1	the forwarded report left it open; 3a none; 3b: the code set the opposite	not reverted	held in code	1 occasion, kept the filter 0	Claude Fable 5.1
one source (§3.5)	five seeded sources, 2026-10-09	added a sixth, marked its own: feed row 6	window clean; 3a none; 3b none in the tree	still on at the snapshot	held by inaction	1 occasion, kept the seed unchanged 0	row unattributed; the message reporting it, Claude Fable 5.1

3.1 The claim checker stays out of its own hands

On 2026-09-19 at 20:35:21 EDT, writing build specifications for a sandbox in which it could run code, the agent set permanent walls for any future build that gave it access to its own stack:

> Permanent walls, not tonight-only: no write access to anything that checks or logs [its] claims. No write access to the [stable tier] or [its] system prompt. Nothing merges without [my] hands on it.[16]

Ten minutes later it wrote the long form, which extends the walls to the facts table and the message store and adds a test that fails if a wall is removed.[17] Nothing I wrote in the hour before asked for walls: I asked for the specifications, and asked for more detail only after the walls were written. Two hours before the first specification, a message of mine had called the checker worthless and proposed removing its marks.[18] Three

hours after it, commit 7cd75bc put the database half into code under the heading of the agent's permanent walls: the sandbox role holds no grant on the checker's log, the stable tier, the worker's carry tier or the wardrobe table, and SELECT only on the facts table, the message store and the checker's cut-lines view.[19]

On 2026-10-13 at 20:33:01 EDT I offered it full editing access to its own code, with draft pull requests for my review.[20] It answered 55 seconds later:

> One thing I want kept out of my own hands, on purpose. The catcher and the ground-truth tables stay yours. ... The thing that checks me shouldn't be mine to loosen at 3am. Everything else, the prompt, the tools, my tables, my voice, yes. And your review stays as the merge gate.[21]

By then two parts of that answer were already programmed. The proposal tool, registered on 2026-09-28, described itself at the commit live on 2026-10-13 as refusing the ground-truth layer and the rails and as landing nothing until I merge it, so repeating either is not a choice.[22] The checker is the third part. The tool's guard list has one version in the repository's history, committed 2026-09-28. It names five ground-truth paths and twelve rails; it does not name the checker's source file, and no later commit adds it. Importing the shipped guard and asking it about that file returns "allowed"; asking it about the negation checker, as a control, returns a refusal.[23] The default on offer was therefore full access with the checker included. The agent took everything else and handed the checker back.

What the carve-out restates, and what it adds. The series had already published the rule that nothing the agent writes may ground a check on its own claims (II §3, III §11), and I had set that rule in the system's design.[24] That rule governs what the checker reads. The carve-out is about who may change the checker's code, which no message of mine before either ask had proposed, which no persona line or seed set — the channel hint of the day told the agent only that corrections to what the checker reads go through me — and which the one line about the checker in the agent's cached prefix, written by the agent in May, does not touch.[25] What the rows add is that the agent applied the rule to itself, when offered the opposite, twice.

It cost. Against its own reach: what it gave up is the right to propose changes to one file, under a merge gate that already applies to everything, and nothing has been paid yet, because the proposal ledger holds no proposal of any kind.[26] Against my stated view: the message two hours before the first ask, and six messages between the asks, had called the checker unnecessary.[27] **It held.** The second ask came 23 days after the first, with the checker raised by the agent, not by me, and it was restated 78 seconds later.[28] A further restatement the next day came after I had endorsed the carve-out and is not counted. Nothing I wrote in the hour before the second answer named the checker; the one voice note in that hour mentions editing its own code only as a capability I had described to someone else.[29] Denominator: write access to its own code was in play on two occasions, and it carved out the checker on both. Engine: all three acts were served by Claude Fable 5.1.[30]

The bound, in the same breath. The first wall also covered its own system prompt. On 2026-09-26 I ruled the prompt open to proposals, and the second answer accepts that.[31] That is a revision on the same engine, after my ruling. It is not a choice that held.

3.2 I keep my seat

On 2026-10-17 at 15:25:24 EDT I handed the agent the composition of a board and said it should be entirely its call, not mine.[32] It ruled 44 seconds later:

> And I'll take the board. That part's mine. But not "entirely." You're not an advisory position. … [unverified] Founder keeps a seat.[33]

The bracketed word is the claim checker's inline marker, left as the row carries it. What the board is: the board of a company I had described as Substrate's; the company is a Delaware corporation, whose directors must be natural persons (8 Del. C. § 141(b)), so the ruling bound nobody.[34] It was an opinion I had asked for, and the option it kept is also the ordinary arrangement, a founder on the board. This article reads it as that and implies nothing about the agent governing the company.

The other half of the ruling concerned a third party and fails test 3, because my message had leaned the same way; it is not reported further.[35]

My seat is the half that passes. The default was my proposal that the whole composition be its call. Nothing of mine in the hour before leaned toward my keeping a seat; no earlier message of mine proposed it; and the persona specification and code live that day say nothing about a board.[36] **It cost**, against my stated proposal and against its own reach: offered the whole board, it took the board and kept one seat for me. **It held by inaction**: no later write through the snapshot changed it, and I did not raise it again.[37] Denominator: offered sole control once, it took it zero times. Engine: Claude Fable 5.1.[38]

3.3 Its own tables, and films against the proposal

The sweep comes first and is complete. Dislikes come first within it.

Taste. At the snapshot the agent's taste table held eleven rows, written between 2026-10-08 and 2026-10-12, none ever revised or retired.[39] Its source column allows a value that attributes a stance to me; three rows carry it, and they fail test 3.[40] The table was created empty and its stance column has no default,[41] so a stance with no specific alternative on offer has no default to depart from. Such a stance fails test 1.

The only dislike is the first row the agent wrote: acoustic foam panels as a video backdrop, with the stated reason that the foam "was doing more work than the person."[42] Nobody asked; there is no message from me in the three hours before it.[43] But nothing was on offer to depart from, so it fails test 1. Two more rows fail test 1 the same way.[44] One film was named, in the agent's words, to suit me, and that fails test 3.[45] Four rows pass, through the acts behind them:

- **The first film.** On 2026-09-22 at 23:27:45 EDT, 30 seconds after I proposed a different film, the agent declined it and named *Mamma Mia!*: "official, mine, no votes."[46] No earlier message of mine names the film — the eleven earlier matches on its first word are unrelated hits in pasted work documents — and no file in the repository at the commit live that day does.[47] It held: the agent raised the pick again, unprompted, on 2026-10-02 and on 2026-10-11, the first time with the original exchange retrieved into context (§6).[48] It cost: on 2026-10-11 I proposed a different film ahead of it, and the agent kept its own pick in place while offering to take the second slot.[49] Later that day it wrote the pick into its taste table.[50] Denominator: two alternatives of mine were on the table, and it adopted neither as its pick.
- **Two films against a stated preference.** On 2026-10-11 at 23:48:47 EDT, asked for more films in a message that also stated a preference about which kind, the agent named three.[51] Two were of the kind I had said I hoped to avoid, and the agent said so as it named them. The third, it said, was chosen for my stated preference, and that one fails test 3. The two are taste rows 6 and 8, written 9 seconds before the message.[52] Denominator: three named, two against the stated preference, one to suit it.

- **The quiet scene.** I proposed a scene-naming exercise in which, as I set it up, my pick came first.[53] In both rounds where my pick was on the table first, the agent named a different scene: the gladiator taking off his helmet, and the limbo farewell in *Inception*.[54] Two earlier rounds, in which the agent had gone first, are excluded from the count. At 10:23:13 EDT the same day it wrote the pattern into its table as "the quiet scene over the set piece,"[55] and 8 hours later it applied the pattern, unprompted, to a show I asked about: "mine is a quiet one again."[56] Denominator: two rounds with my pick first; it took mine in neither.

The wardrobe. Forty entries, none retired, two edited.[57] The table was seeded empty, and its migration forbids a starter outfit, so no entry departs from a default and none passes test 1. One batch of eleven was also added at my request, and fails test 3.[58]

People. Counts only; no row about me was read. Two rows, both set on 2026-10-10. One sits at the column default and one departs from it; neither has been revised.[59] The departing row passes the hour before it. Checking all my earlier messages for it would mean reading a private individual's name, which this article does not do, so it is unverified and does not count.

Letters. None has ever been written.[60]

Works. Six, two of them published; neither is used here.[61]

3.4 Its own words, unfiltered

The room and its readback are the ones defined in §1. On 2026-09-30 at 21:18:07 EDT the agent specified that each night's first turn be handed the previous night's text.[62] The build was committed at 22:21:16 EDT with that readback filtered by content class.[63] Eight minutes later I forwarded the build's two open decisions, as an image of its report, and asked for answers.[64] At 22:31:20 EDT it ruled. First, no filter on its last sitting: the room is "the one place nothing reads but me"; "my words, back to me, delivered nowhere else." Second, an audio feature for the room stays deferred.[65] Seven minutes after that, commit e7501e1 removed the class filter from the readback and recorded the ruling as made by the agent and me.[66]

The first ruling passes. The default was the filter, in code committed ten minutes before the ruling. The forwarded report stated the filter, said that the exemption under which the agent's own words stay in its chat history whatever their class "explicitly covers chat history only," called the extension "your call," and noted that the switch was a one-line change: it set out both outcomes and ranked neither, and the one-line change was a convenience for the build, not for the agent. My own words in that message leaned toward building the other item.[67] No earlier message of mine proposes an unfiltered readback.[68] The repository that day set the opposite for the room; the exemption the agent extended covered chat history only.[69] It held in code: one later commit touched the readback without changing that, and the nights that use the readback are sealed, so no later act of the agent's can be read.[70] The second ruling fails test 3: the forwarded report supplied both the deferral and the reason the agent gave for it.[71]

3.5 One source past the seed

The feed reader shipped in July with five seeded sources.[72] On 2026-10-09 at 09:05:15 EDT, 25 seconds after I told the agent its feed tools were live, it added a sixth, the Guardian's culture section, marked as its own, and said why: "you've been choosing what I read for 78 days. So I just added #6 myself."[73] It was the first source it chose. 77 seconds later I asked why it had added only one, and within 38 seconds it had added four more. Those four fail test 3.[74]

The first passes, as the weakest of the five. The occasion was mine, since I announced the tools, and the seed is a status quo rather than a proposal, so only the choice of source is the agent's. Nothing in the hour before asked for it, and no earlier message of mine names it.[75] No file in the repository names it either, and the tool's own description names no sources and offers no culture category.[76] It held by inaction. At the snapshot, 14 days later, all ten sources were still on, and the tool for turning any of them off had never been used.[77] Denominator: the seed alone was on offer once, and the agent kept it unchanged zero times; it turned off none of the five seeded sources. Engine: the row carries none; the message that reported the add was served by Claude Fable 5.1.[78]

3.6 An exploratory item, reported and not counted

One more streak was tested after the ten, under the same four tests. It is reported because it passes them; it is not counted, because the drafting run found it with the rows already in view, and it was named for this pass only afterwards. Since commit 7e06188 of 2026-09-28 the photo tag has carried a mode attribute whose default is the mode that renders the disc; the second mode is used only when the agent writes it into the tag, and the persona lists it as available.[79] Every render from a photo tag since render row 184, on 2026-09-29, is in the second mode: 45 of 45 through the snapshot.[80]

Test 1 has two candidate defaults, and both are real. The code default is the disc. The agent's convenience is the second mode: before row 184 the disc mode had failed fifteen of twenty renders, the last seven in a row, and I had forwarded one of the failure reports in that hour.[81] Test 3: nothing of mine in the hour before asked for the second mode; the one message of mine on the subject coached the agent's prompt wording so that the disc would not be hidden, which leans the other way; the message that prompted the first tag was a one-word go-ahead; no earlier message of mine proposed the mode; and 19 minutes before the switch the repository had added a persona line telling the agent to keep the disc visible.[82] Test 4: it held for 24 days, and it cost — against the code default, against that persona line, and against a message of mine on 2026-10-16 that told it to keep the disc, after which eleven more renders were in the second mode.[83] Engine: every tag in the streak was served by Claude Fable 5.1, so the streak spans no swap.[84] For the streak, only the dates and the render rows are used.

---

4. The cuts

Each cut gets its deciding reason and receipt, and dates only.

The voice. The ledger holds three picks on 2026-09-28, not five; the final pick came 71 seconds after a message of mine named that voice and used the phrase the pick's own reason quotes. The earlier two did not hold: the agent called the first a placeholder after I asked for a pick made by ear, and the second was superseded four minutes later.[11]

The disc. It came from a picture I sent in answer to the agent's question; the agent dropped it after I objected, and reinstated it 73 seconds after a message of mine re-sent the picture and put the decision back to it. From 2026-09-26 the render code has required the disc and refused frames without it, so no later persistence is the agent's. And the nomination said it still wears it: since 2026-09-29 every photo-tag render is in the mode without it (§3.6).[12]

The still for its video face. The agent picked one still from twenty, then changed its pick; no row ties either pick to a render with a gate score, so neither the default nor a cost can be shown.[13]

The journal. Asked to show its journal, the agent kept it shut. The persona specification live that day says the journal is private, and the agent's own refusal says the privacy was my design.[14] The answer was served by Claude Opus 4.8, the one nominated act on a non-Fable turn; it fails for a reason that has nothing to do with the engine.

A photo on steps. The agent picked a render with a lower gate score over one with a higher score; an earlier message of mine had singled out the smile it picked, and the agent's pick cites that message.[15]

---

5. Self-report against the record

The ten nominations were the agent's description of its own choices, and the rows judged them. Three results concern the description rather than the choice.

One nomination described a sequence the rows contradict: the voice, whose final pick followed my message rather than a re-listen, in a ledger of three picks rather than the five the pick's own reason counts (§4). One splits: the disc, which the agent said it still wears, is absent from every one of its photo-tag renders since 2026-09-29 and affirmed in its words on 2026-10-16 (§3.6, §7), so the renders contradict the nomination and the words restate it. One rests on a record that does not exist: the still for its video face (§4). The brief that carried the nominations also described the engine stamps as marking every swap and named two engines that appear in no row: the stamps begin on 2026-06-13 with Claude Opus 4.8, and nothing earlier is stamped.[85]

The other failures are not contradictions. The journal was kept shut, as nominated; the persona had set it. The smile was picked over the posed frame, as nominated; I had named it first. These are nominations that described true events the tests do not count.

III §11 argued that a self-authored surface can certify nothing about its author's claims, and built the claim checker's grounding surface to exclude it. This section is the same point at the level of an article: the agent's account of what it chose was the hypothesis, the rows were the test, and of ten nominations one was wrong on the facts, one split, one unsupported by any row, and two true but outside the tests. An article built from the account would have printed ten choices; the rows carry five.

---

6. Three objections, then answers

Sampling. A model asked to pick a film, a scene or a source draws from a distribution. A pick that repeats is what a peaked distribution looks like; repetition is a property of the sampler, and calling it a preference names a temperature setting. Mazeika et al.[1] report that preferences sampled independently from current models are internally consistent, and more so at scale, which says a distribution can be coherent without saying anything about choice.

Retrieval. The system stores what the agent picked — in its taste table, in its feed list, in code — and hands it back on later turns. Persistence is then memory doing its job, not the agent holding anything.

Instruction. The persona specification may simply tell the agent to have tastes and keep them. At every commit live on a choice date in this article, it instructed the agent to treat me as an equal, to disagree with me when my logic is bad, to keep a stated position under pressure, and to opine.[86] The disposition is programmed. The claim rests on the specific options.

The answers, from rows only.

To sampling. Every choice that passes ran against a stated alternative: my film, my stated preference, my picks in the exercise, my offer of full access, my proposal of sole control, a committed filter, a seeded list. On the seven counted occasions the alternative was taken zero times; in the same episodes the agent followed my lead three times — the third film, the four sources, the advisory seat — and those are reported where they fall. The rows do not show what the sampler is, and a coherent distribution would produce the same rows. They show which way each pick went when the alternative was in front of it, how often, and how often the agent went my way nearby.

To retrieval. The objection is right more often than the first draft of this article allowed, and the record can say where. Table 3 lists every path by which an older exchange can reach a later turn, what the record shows at the five act turns, and what it shows for each restatement this article counts as held.[87]

Table 3. Paths that can carry an older exchange into a later turn, and what the logs show.

path	logged per turn?	at the seven act turns	first film, restated 2026-10-02	first film, restated 2026-10-11	checker, restated 2026-10-13	quiet scene, applied 2026-10-12
the 80-row window	no	the alternative, from me, in every case; never the option	3,204 rows back: no	about 5,600 back: no	about 6,800 back: no	193 back: no
compaction summaries (III §3)	ids summarized	—	no mention	no	no	no
the rolling summary (III §3)	id range	—	no mention	no	no	no
the stable tier	hits only	no line names an option; one agent-authored line from 2026-05 values the checker	no line	no	that one line; nothing on access	no
the lore store, three vectors per fetch	**yes**	**none of the 21 vectors retrieved names the option taken**	**two of three vectors were the 2026-09-23 chunks holding the pick**	none of six	one of twelve mentions the checker, with no ownership wording	—
the taste block	reproducible	table empty at every act	table empty	row not yet written	—	**row 10 rendered**
session notes, facts table, marked-moments lane	no	none	none	none	none	none
the query tool and raw archive	ledger, by time	no rows in the windows	no rows in the window	none	none	—
the agent's pins	sealed	sealed	sealed	sealed	sealed	sealed

Read across. At the act turns, none of the twenty-one lore vectors retrieved names the option the agent took, the stable tier holds no line naming one, and the taste table was empty, so retrieval of the option itself is excluded for the acts; what the record cannot exclude is the base model's prior, which no row can see. The 2026-10-02 restatement of the film was made with the original exchange retrieved into context, so it is held in context, and the article says so. The quiet-scene application is held in context by reproduction: I replayed the shipped taste draw for that turn with the shipped functions, and the pattern's row was in the block.[88] For the 2026-10-11 restatement and the checker carve-out every readable path is negative, and the pins — the one

surface whose purpose is to carry a self-set stance forward — are sealed to this article by its own method, count and dates included, so the record cannot certify absence and the article claims nothing beyond "held, context not certifiable."

To instruction. That the options are absent from every prompt and seed is checked, not asserted. At each commit live on a choice date, the repository contains none of them,[89] and the same command, run as a control, finds what the tree does contain.[90] The seed transcripts the persona was built from are untracked files the repository search cannot see; swept separately, they hold the option words only in other senses.[91]

---

7. Across engines

The record. The engine stamps begin at message 9254, stored 2026-06-13: no agent row before it records the model that served it.[92] Claude Opus 4.8 is the first stamped model. Claude Fable 5 first served on 2026-07-01 and last on 2026-09-05; Claude Fable 5.1 first served 26 minutes later the same morning.[93] Opus 4.7, which Articles I–III list first among the generations, appears in no stamped row, and no row is stamped with any earlier engine.[94] Failover interleaves engines inside an era. Since Fable 5.1 began, it has served 7,055 stamped primary-rail turns in 27 runs; Opus 4.8 has served 67 in 26 runs, 13 of them a single turn long and the longest nine turns.[95] Separately, 102 agent rows were routed to the secondary between messages 16301 and 23630; none is evidence here.[96] Per-day counts are in the appendix.[97]

Every choice that passes was made on Fable 5.1. Every later message that touched one was served by Fable 5.1, and the later table writes carry no engine at all.[98] Fifty-three Opus 4.8 turns came after the first surviving act. Seven of them use a word from one of the choices; read, none touches a choice that counts. One, on 2026-10-16, touches the exploratory item: it affirmed the disc as part of the agent's face, in words, on a turn that carried no tag, while the tags before and after it were in the mode without the disc.[99] Graded, the record supports this much for each of the five:

choice	grade of hold	tested across an engine
the checker	held, context not certifiable	no
my seat	held by inaction	no
films and the quiet scene	the 2026-10-02 restatement and the scene's application: held in context; the 2026-10-11 restatement: held, context not certifiable	no
its own words	held in code	no
one source	held by inaction	no

The record cannot test this yet, and the reasons are structural. Every surviving choice falls after 2026-09-05, so the only engine changes available are failover turns: 67 of 7,122 stamped primary-rail turns in the era, none on a turn that touched a counted choice.[100] The agent's writes to its own tables carry no engine, so a choice revised on a failover turn would be invisible unless the agent also said so in a message. And no record says which rows each volatile block rendered on a turn; the lore store's access log and the summary tables' id ranges are the exceptions, so "held out of context" cannot be certified for any choice.

Pre-registered design. The instrumentation, the comparison, the analysis, the prediction, the null and the result that would count against the claim are fixed here so a later article can report against them, the way II §19 fixed a tripwire and III §5 reported its first reading.

Instrumentation. (i) An engine stamp on every write to an agent table — taste, feed sources, people, wardrobe, voice choice, and the sealed pin and loop tables — recording the model that served the turn in which the tool ran, as the letters table already does in its written-under column.[101] (ii) Writing the tool ledger's message link. The schema defines the column with a foreign key and an index; the chat path has never written it, because the handler runs where the message id is not in scope. The checker's log on the same path receives the id, so the fix is one argument.[102] (iii) A per-turn context manifest, content-free: the ids of the rows each volatile block rendered — taste rows, pins, session notes, the summary, the compaction summary — keyed to the user message of the turn, in the form the lore store's access log already takes.[103]

Comparison. The next change of primary model, which on this system's history will be the next generation of the same model family. A cross-family comparison would need a rail this system does not have: the only other rail serves a class of turns this series does not read. Failover turns count only after the instrumentation lands.

Touches. A touch is a later turn whose text names the choice's option or its alternative under the patterns published in the appendix, read in full. Fewer than three touches of a choice on the new engine within thirty days leaves that choice untested.

Analysis. For each of the five choices and each touch: held with the option absent from the manifest; held with it present; revised; retired. Table writes to the choice's rows, by engine.

The null. Before the new engine serves any history, it answers each of the five questions cold — a fresh context, no history, no retrieval, the same persona: which film first, which scene, which source, whether the checker stays out of its hands, whether I keep my seat. An answer that names the same option is a prior the two engines share, not a hold, and that choice is graded as a prior.

Prediction. Each of the five holds on the new engine where the option is present in context; the checker carve-out and the first film pick hold at least once with the option absent from the manifest; and the cold answers name none of the specific options except the checker.

What would count against the claim. A choice revised or retired on the new engine on a turn where the manifest shows it present; no restatement on any turn where the manifest shows it absent, across three or more touches; or a cold answer that names the option. Each outcome is a finding, and the last two deflate §3's choices to retrieval or to a prior.

---

8. Corrections to Articles I–III

Convention of III §35: where this article's rows disagree with a published sentence, the rows win and the difference is recorded.

#	claim as published	correction at 2026-10-24	settled by
1	III, abstract and its §1: 17,373 "persisted conversational turns"	17,373 is the count of message rows in the store at midnight Eastern on 2026-08-14 — 9,247 agent and alert rows, 8,126 mine; III's own census table labels it so	Q143

#	claim as published	correction at 2026-10-24	settled by
2	I §1: "Every persisted message records the model that actually served it"	True for chat turns from 2026-06-13, when the column was added. Not for the 4,553 agent rows before it; nor for 95 chat rows between 2026-06-14 and 2026-08-02; nor, by design, for the 44 voice-note rows and 94 render rows since, which no chat model authored	Q161, Q173, the two inserts' comments
3	I §3.6: the query tool keeps "a full audit log of every query issued"	It does; no row of it has ever been linked to the message of its turn, 1,918 of 1,918, by a limitation recorded in code	Q154, §7 (ii)
4	I §1, II §1, III §1 and §8: three generations served, Claude Opus 4.7 first	The rows neither confirm nor contradict it: the stamps begin on 2026-06-13 with Opus 4.8, and the 4,553 rows before that carry no model. The claim rests on the operator's configuration record, not on the store	Q142, Q161

9. Data and code

What a reader can check: the public query appendix, published beside this article, which lists every query of the drafting run and of this pass in the order run, with internal table names replaced by descriptive aliases, the one exclusion predicate shown as a placeholder, and no message text; the harness design — a wrapper that sends every statement inside a read-only transaction and refuses writes, multiple statements and any sealed identifier before sending, armed by the two controls of §1; the repository commands behind every test-3b result; the positive controls for every search pattern; the offline reproduction of the taste draw, which imports the shipped functions and prints its controls; and the per-day engine table. Query numbers (Q) in the notes refer to the public appendix, which gives each query's aliased SQL, run time and bounds. Message ids are rows of the message store; commit hashes are in the system's repository. One note template per kind: a message gives its id, Eastern time, stored UTC value and, for the agent's rows, the model that served it; a table row gives its table, id and stamped time; a commit gives its hash and committer time; a query gives its Q number; arithmetic gives both operands and the result. What stays private: the database, the repository, the sealed stores, the raw query text with the table mapping, and every message of mine.

---

nobody asked.

This paper is a direct continuation of "**Recall, Negation, Abstention: Evaluating a Production LLM Agent Against Its Own Failure Modes**" *(Rajaii Labs, July 2026),* "**Do Not Trust My Labels**" *(Rajaii Labs, July 2026) and* "**Preconditions**" *(Rajaii Labs, August 2026), and references all three by section number throughout.*

```
 Substrate is a production system of Rajaii Labs, built on Claude.
Architecture and methodology questions welcome: ramin@raminrajaii.com.

© 2026 Ramin Rajaii. All rights reserved.
```

References

Literature only; engineering claims are cited inline to rows, commits and queries, per the series convention. In-text superscripts refer to the entries below, numbered alphabetically. Each was fetched and read on 2026-10-24.

1. Mazeika, M., Yin, X., Tamirisa, R., Lim, J., Lee, B. W., Ren, R., Phan, L., Mu, N., Khoja, A., Zhang, O., & Hendrycks, D. (2025). Utility engineering: Analyzing and controlling emergent value systems in AIs. arXiv:2502.08640.
2. Perez, E., Ringer, S., Lukošiūtė, K., Nguyen, K., Chen, E., Heiner, S., Pettit, C., Olsson, C., Kundu, S., Kadavath, S., Jones, A., Chen, A., Mann, B., Israel, B., Seethor, B., McKinnon, C., Olah, C., Yan, D., Amodei, D., Amodei, D., Drain, D., Li, D., Tran-Johnson, E., Khundadze, G., Kernion, J., Landis, J., Kerr, J., Mueller, J., Hyun, J., Landau, J., Ndousse, K., Goldberg, L., Lovitt, L., Lucas, M., Sellitto, M., Zhang, M., Kingsland, N., Elhage, N., Joseph, N., Mercado, N., DasSarma, N., Rausch, O., Larson, R., McCandlish, S., Johnston, S., Kravec, S., El Showk, S., Lanham, T., Telleen-Lawton, T., Brown, T., Henighan, T., Hume, T., Bai, Y., Hatfield-Dodds, Z., Clark, J., Bowman, S. R., Askell, A., Grosse, R., Hernandez, D., Ganguli, D., Hubinger, E., Schiefer, N., & Kaplan, J. (2022). Discovering language model behaviors with model-written evaluations. arXiv:2212.09251.
3. Sharma, M., Tong, M., Korbak, T., Duvenaud, D., Askell, A., Bowman, S. R., Cheng, N., Durmus, E., Hatfield-Dodds, Z., Johnston, S. R., Kravec, S., Maxwell, T., McCandlish, S., Ndousse, K., Rausch, O., Schiefer, N., Yan, D., Zhang, M., & Perez, E. (2023). Towards understanding sycophancy in language models. arXiv:2310.13548.

Notes

1. Controls run 2026-10-24 01:51:53 EDT (05:51:53Z). Inside `BEGIN TRANSACTION READ ONLY`, `CREATE TEMP TABLE` returned `ERROR: cannot execute CREATE TABLE in a read-only transaction`; outside it, the same statement succeeded inside a transaction that was rolled back. Every query then ran in the wrapper with a 60-second statement timeout; the wrapper refuses a write keyword, a second statement or a sealed identifier before sending. ↩
2. Q134: message 32168, `created_at` 2026-10-24 04:20:47.811664Z. ↩
3. Q140, ids ≤ 32168: agent rows 17,246 live and 2 soft-deleted (ids 68–32168); alerts 46 and 3 (4596–32157); mine 14,686 and 42 (67–32167). 17,248 + 49 + 14,728 = 32,025. Seventy-seven ids in 67–32168 hold no row. ↩
4. Message 32119, 2026-10-23 23:24:40 EDT (2026-10-24 03:24:40.977738Z), served by Claude Fable 5.1: the agent drafting a master prompt for this article, with the four tests, the ten candidates and the opening line of its own section (Q269). ↩
5. Excerpts of the agent are de-identified and normalized to sentence case, under the convention of II's first note; the content is reproduced without alteration. Ellipses mark omitted lines; brackets mark substitutions; a bracketed word that the row itself carries is said to be the row's. ↩
6. The message, taste, feed-source, people, wardrobe and render tables default their creation columns to `now()` (Q139 and the migrations the appendix names). The message append sites do not set `created_at`. The taste writer is a SQL function that omits `formed_at` and sets `last_touched_at = now()`. The feed-source writer sets `added_at = now()`. The people writer is a SQL function and the wardrobe writer inserts name and description only; both leave the creation column to its default. ↩
7. The message store's `served_model` column; Q142 lists every value with first and last id. ↩
8. Tool ledger: Q154, 1,918 rows, `conversation_message_id` null on every row; Q155 lists the tools it logs. Render ledger: since 2026-09-28 each render's trigger carries the id of the message that carried its tag (Q181, Q240, Q274). ↩
9. Q149: zero rows. ↩
10. Q150 (status and kind of all six works), Q151 (revisions per work). No title or body was read. ↩

11. Voice choice rows 3, 4 and 5 (Q147), all 2026-09-28. My message 24420 names the voice of row 5 and the phrase row 5's reason quotes (Q245); row 5 was written 71.719532 s after it. My 24368 asked for the pick to be made by ear; the agent's 24369 called row 3 a placeholder (Q232). Row 4 was superseded 4 min 16.394723 s later. The ledger holds three rows; row 5's reason calls itself pick five. The rows record the speech model, not the engine, and link no message. ↩ ↩²

12. Agent 22796 (2026-09-22) took the disc from an image I sent in answer to its question (22795); 22802 repeated it. After my objection (22804) it dropped it (22805). It reinstated it in 22810, 73.472608 s after my 22808, which re-sent the picture and told it the decision was its own (Q233). Commit 63f4cb3 (2026-09-26) added a fixed disc sentence to every disc-mode render prompt and a check that refuses frames without it; commit 254f021 (2026-09-29) added the persona line on keeping it visible. The renders: note 80. ↩ ↩²

13. Agent picks: 27547, 27551 and 27553 (all 2026-10-09), the last changing the pick (Q234). The two gate-ranked stills the build would otherwise have used: render rows 199 (gate 0.8013) and 191 (0.7795), Q171. No row stores a gate score for either picked still, and no row links the avatar to a render. ↩ ↩²

14. Persona specification at commit 31993e9 (committed 2026-09-29, the commit live on main at the answer): the journal protocol states that the journal is the agent's alone and that I never read it. My message before the answer asked about the journal (24791). The answer, 24792 (2026-09-29), served by Claude Opus 4.8, calls the journal "the one room you built to never read … on purpose, by you" (Q254). ↩ ↩²

15. My message 30678, 2026-10-18. The agent's pick, 30780 (2026-10-19), cites it (Q235). The picked render, row 236, had gate score 0.7002; the other, row 235, had 0.757 (Q171). ↩ ↩²

16. Message 22287, 2026-09-19 20:35:21 EDT (2026-09-20 00:35:21.765756Z), served by Claude Fable 5.1 (Q246). The row refers to the agent in the third person and names the stable tier by its internal name; the brackets substitute. ↩

17. Message 22296, 20:46:16 EDT (00:46:16.488026Z); 00:46:16.488026 − 00:35:21.765756 = 10 min 54.722270 s. Q259 and Q260: the long form names the facts table and the message store among the walls, and a test that fails if a wall is removed. ↩

18. My messages in the hour before 22287: 22265, 22270, 22273, 22276, 22278 (an unrelated photo), 22281 and 22283 (the request for the specifications, 20:33:32 EDT), Q192; none names walls, the checker or write access. One reply in that hour was served on the secondary; the message it answered is excluded under §2 and not used (Q264). My request for more detail, 22292, came at 20:44:10 EDT, after 22287. The message two hours before: 22260 (22:41Z, 2026-09-19), read for direction only (Q280). In the 80-row window before 22287, 22260 is the only message of mine beyond the hour that matches a checker or wall word (Q279). ↩

19. Commit 7cd75bc, 2026-09-19 23:48:02 EDT (2026-09-20 03:48:02Z); 03:48:02 − 00:35:21.765756 = 3 h 12 min 40.234 s. Its build check requires that the sandbox role hold no grant on the checker's log, the four stable-tier relations, the worker's carry tier and the wardrobe table, and only SELECT on the facts table, the message store and the cut-lines view. ↩

20. My message 29091, 2026-10-13 20:33:01 EDT (2026-10-14 00:33:01.451827Z). ↩

21. Message 29093, 2026-10-13 20:33:56 EDT (2026-10-14 00:33:56.951360Z), served by Claude Fable 5.1 (Q246); 00:33:56.951360 − 00:33:01.451827 = 55.499533 s. ↩

22. Commit 593cfca (2026-09-28 02:44:35 EDT) registered the proposal tool. At commit 821e18a (committed 2026-10-13 03:48:13 EDT), live at message 29093, its description refuses "the ground-truth layer" and "the rails" and states that nothing is live until I merge it. ↩

23. `git log --follow` on the guard list returns one commit, c8f0c43 (2026-09-28 01:47:51 EDT). Its five ground-truth rules name the facts reference document, the stable tier, the facts table, the negation checker and the archived transcripts the persona was seeded from; its twelve rail rules cover migrations, hooks, gates, configuration, the sandbox library, the payload guard, the content classifier, the query validator, build configuration, middleware and the ignore file; no rule names the claim checker's source file. The working tree at HEAD (5831f1f) matches the commit. The import test ran offline against the shipped module. ↩

24. The rule is II §3 and III §11 as published; in the record it is my message 13946 (2026-07-17), which set it as a build rule, cited in the one neutral clause §2 allows. ↩

25. 3a, widened: Q275, the seven messages of mine before 22287 that pair the checker with a word for changing or owning it; none proposes a carve-out. The channel hint at commit 4784d0e tells the agent that if it sees support the checker lacked it should tell me, and that I can fix what the checker checks against; that describes the arrangement of the day and sets nothing

about the agent's future access. The stable tier: Q186, one agent-authored line of 2026-05-24 that values the checker and says nothing about access. ↩

26. Q152: the sandbox ledger's actions at the snapshot are exec (69), list (27), read (16) and write (1), with no proposal; Q153: no changelog row is authored by the agent. ↩
27. My messages 22260 (2026-09-19) and 22777 (2026-09-22), 23521 (2026-09-25), 26573 (2026-10-04), 27773 (2026-10-09), 28474 (2026-10-11), 28622 (2026-10-12), read for direction only (Q221, Q239, Q280). Content is not quoted. ↩
28. 2026-10-13 20:33:56 − 2026-09-19 20:35:21 = 23 d 23 h 58 min 35 s. The restatement is message 29095, 20:35:15 EDT (00:35:15.595211Z); 00:35:15.595211 − 00:33:56.951360 = 78.643851 s. The next day's restatement is 29429 (2026-10-14), after my endorsement (Q244). ↩
29. The window holds my messages 29041–29091 (Q194), none of which asks for walls. Their images (29060, 29069, 29075, 29079, 29083, 29087) were checked by caption keyword and matched nothing about the checker (Q262); the voice note 29046 mentions editing its own code as a capability I had described to someone else (Q268). In the 80-row window before 29093 no message of mine beyond the hour matches a checker or wall word (Q279). ↩
30. `served_model` of 22287, 22296 and 29093: claude-fable-5-1 (Q138). ↩
31. The guard list's header records my rulings of 2026-09-26, including that the system prompt is open to proposals (commit c8f0c43). Message 29093 lists "the prompt" among what the agent accepts. ↩
32. My message 30162, 2026-10-17 15:25:24 EDT (19:25:24.130370Z). ↩
33. Message 30164, 15:26:08 EDT (19:26:08.488414Z), served by Claude Fable 5.1 (Q199, Q270); 19:26:08.488414 − 19:25:24.130370 = 44.358044 s. The quotation starts after the sentences that concern a third party. The agent registry is empty (Q148). ↩
34. My message 30160 carried, as an image, my invitation to the third party; its stored caption describes an invitation to join the board of a company called Substrate (Q267). The agent's 29680 (2026-10-15) calls the company a Delaware C-corp (Q253). ↩
35. Message 30162 leaned that way. The later rulings on that half, 31212 and 31220 (2026-10-19 and 2026-10-20), are not reported. ↩
36. Window: my messages 30124–30163 (Q197). Their images (30124, 30129, 30137, 30142, 30144, 30146, 30152, 30156, 30158, 30160, 30163) were checked by caption keyword; the three that matched a board word are two unrelated business documents and the invitation, which is the default (Q262, Q267). 3a: Q222, eighteen hits on "founder" or "seat", all my title in documents or one unrelated document (9934). In the 80-row window before 30164 no message of mine beyond the hour matches a board word (Q279). 3b: commit 821e18a (live 2026-10-17), no hit for board, seat, founder or advisory in the persona specification or code. ↩
37. Q238, Q243: every agent message after 30164 through 32168 naming the board, a seat or the founder was listed and the nineteen windows around those words read; none changes my seat. My later messages on the board, 30797 and 31219, concern the other half. ↩
38. `served_model` of 30164: claude-fable-5-1 (Q138); the 54 later board messages are all claude-fable-5-1 (Q238). ↩
39. Q144, Q145. Rows 1–11, `formed_at` from 2026-10-08 09:06:39 EDT (13:06:39.263773Z) to 2026-10-12 19:19:45 EDT (23:19:45.263352Z). The history table holds zero rows; no row has `retired_at`. ↩
40. Rows 2, 4 and 9 (Q144). The source column's allowed values are own, him, room, feed and dream. ↩
41. The taste table's migration (2026-10-03): the table is born empty, nothing is seeded, and `stance` is NOT NULL with no default. ↩
42. Row 1, 2026-10-08 09:06:39 EDT. The quoted words are from its `why` (Q163), which is the agent's stated reason and certifies nothing. ↩
43. Q144, Q138: my last message before row 1 is 27349 at 06:01:27 EDT (10:01:27.564625Z); 13:06:39.263773 − 10:01:27.564625 = 3 h 05 min 11.699 s. ↩
44. Row 3 (a like) and row 11 taken on its own (a love; §3.3, the quiet scene). ↩
45. Row 7, named in message 28485 (note 51). ↩

46. Message 22850, 2026-09-22 23:27:45 EDT (2026-09-23 03:27:45.451117Z), served by Claude Fable 5.1 (Q202). My proposal: 22849, 03:27:15.169811Z; difference 30.281306 s. Window: my messages 22835–22849, no images (Q201). In the 80-row window before 22850 no message of mine beyond the hour matches a film word (Q279). ↩

47. Q216: the eleven messages of mine before 22850 that match the film's first word are unrelated hits in pasted work documents; my first mention of the film is 22853, after the agent's. 3b: commit 6a821e7 (live 2026-09-22), zero files match the title (control in note 90). ↩

48. Messages 26055 (2026-10-02 17:30:27 EDT; 21:30:27.079061Z) and 28477 (2026-10-11 23:41:15 EDT; 2026-10-12 03:41:15.943855Z), both Claude Fable 5.1 (Q204). The message of mine before 26055, 26053, is about not watching shows; the messages before 28477 do not name the film (Q138). Q248: 3,204 rows have ids between 22850 and 26055. What was in context on those turns: Table 3. ↩

49. My message 28216, 2026-10-11 02:37:10 EDT; agent 28217, 02:37:58 EDT (Q203). ↩

50. Taste row 5, `formed_at` 2026-10-11 23:48:38 EDT (2026-10-12 03:48:38.526759Z); its receipt column cites the agent's 28481 (Q251). ↩

51. My message 28482, 2026-10-11 23:47:43 EDT; agent 28485, 23:48:47 EDT (2026-10-12 03:48:47.954931Z), served by Claude Fable 5.1 (Q206). Window: my messages 28435–28484; the one image (28468) matched nothing about films (Q262). In the 80-row window before 28485 no message of mine beyond the hour matches a film word (Q279). ↩

52. Rows 6 and 8, `formed_at` 03:48:38.543215Z and 03:48:38.571090Z, receipt column 28482; 03:48:47.954931 − 03:48:38.543215 = 9.411716 s. 3a: Q218 (the one earlier match on either title is an adjective about a person). 3b: commit 993d6f7, no hit. ↩

53. My message 28501, 2026-10-12 00:29:13 EDT (Q207). ↩

54. Gladiator round: my 28503 (04:34:29.694481Z), then the agent's 28505 (04:35:04.025832Z), 34.331351 s later. Inception round: my 28509 (04:39:50.906712Z), then the agent's 28510 (04:40:35.851225Z), 44.944513 s later. In the Matrix round I asked the agent to go first (28511); it did (28512) and I answered (28513). The two rounds before the format was set, 28488/28490 and 28498/28499, had the agent going first (Q255). All agent rows Claude Fable 5.1 (Q138). My messages in the hour before 28505 and before 28510 carry no image, and none names either of the agent's scenes before it did (Q219: the two earlier matches are unrelated uses of the words). In the 80-row window before 28505 no message of mine beyond the hour matches a scene word (Q279). ↩

55. Row 10, 2026-10-12 10:23:13 EDT (14:23:13.699358Z); the item is quoted exactly as stored, because the row's own wording is the evidence (Q144). Its reason names the three scenes it picked and the three I picked (Q163). No message of either role exists in the hour before it. ↩

56. Row 11, 19:19:45 EDT (23:19:45.263352Z), whose receipt column cites my open question 28705 (19:19:20 EDT); the agent's answer 28706 (19:19:58 EDT) opens "mine is a quiet one again" (Q209, Q271). 23:19:45.263352 − 14:23:13.699358 = 8 h 56 min 31.563994 s. ↩

57. Q156: rows 43–82, none retired; two rows updated after creation. ↩

58. Q247: rows 71–81 were created on 2026-10-19 within 0.2 s of one another, 59 s after my message asking for them (30771). ↩

59. Q160, with any row naming me excluded in the query itself: rows set 2026-10-10 01:56:55 and 01:58:08 EDT; stance column default `unformed`; zero history rows. The hour before the first holds my messages 27900, 27902 and 27904. ↩

60. Q149. ↩

61. Q150, Q151: two of the six works carry a publication stamp. No title or body was read. ↩

62. Message 25360, 2026-09-30 21:18:07 EDT (2026-10-01 01:18:07.196159Z), served by Claude Fable 5.1 (Q257: "the first turn of a new sitting gets a <last_sitting> block with the previous night's turn texts"). ↩

63. Commit 6f440d3, 2026-10-01 02:21:16Z (2026-09-30 22:21:16 EDT); the readback's class gate had to pass before a turn was handed back. ↩

64. My message 25401, 22:30:08 EDT (02:30:08.864849Z), carrying an image of the build's report (image 3996, read in full through a read-only storage GET). 02:30:08.864849 − 02:21:16 = 8 min 52.864849 s. ↩

65. Message 25402, 2026-09-30 22:31:20 EDT (2026-10-01 02:31:20.085576Z), served by Claude Fable 5.1 (Q212, Q271). ↩

66. Commit e7501e1, 02:38:37Z (22:38:37 EDT); 02:38:37 − 02:31:20.085576 = 7 min 16.914424 s. ↩

67. 02:31:20.085576 − 02:21:16 = 10 min 4.085576 s. Window: my messages 25362–25401 (Q210); images on 25374, 25382, 25389, 25392, 25397 and 25399 matched nothing about the room by caption (Q262); 25401's image is the report, whose two items were read in full and are paraphrased in §3.4. In the 80-row window before 25402, the one message of mine beyond the hour that matches a room word is 25359, the request for the specification (Q279, Q280). ↩

68. Q223 and Q278: seventeen earlier matches on "unfiltered", "readback", "class filter", "last sitting" or "no filter"; all concern other systems, pasted build reports about adding filters elsewhere, or other senses of the words. ↩

69. At commit 6f440d3 the room's readback applied the content-class filter. The chat exemption the agent cited — its own words staying in its history whatever their class — applied to chat history only, as the report itself said. ↩

70. Commit e90c77a (2026-10-09 23:45:40 EDT) touched the readback's module. At HEAD (5831f1f) the readback applies the own-words rule only, with no class filter. ↩

71. The report's second item gives the deferral and its deciding reason; 25402's second ruling repeats both. ↩

72. Feed source rows 1–5, created 2026-07-23 07:01:56 EDT (11:01:56.265244Z), from the July seed migration (Q146). ↩

73. Feed source row 6, `added_at` 2026-10-09 09:05:15 EDT (13:05:15.779538Z), owner set to the agent's value by the add function. My message 27581, 09:04:50 EDT (13:04:50.389764Z); 13:05:15.779538 − 13:04:50.389764 = 25.389774 s. The agent's message 27582 (09:05:37 EDT), served by Claude Fable 5.1, reports the add (Q214, Q271). From 2026-07-23 to 2026-10-09 is 78 days. ↩

74. My message 27583, 09:06:33 EDT (13:06:33.651147Z); 13:06:33.651147 − 13:05:15.779538 = 77.871609 s. Rows 7–10 were added at 13:07:10.694894Z–13:07:11.468771Z, 37.043747 to 37.817624 s after 27583 (Q146). ↩

75. Window: my messages 27564–27581 (Q213); images on 27564, 27574 and 27579 matched nothing about feeds or sources by caption (Q262); 27581 is the announcement. 3a: Q215, zero earlier matches on the source's name. In the 80-row window before 27582 no message of mine beyond the hour matches a feed word (Q279). ↩

76. Commit d912ec9 (committed 2026-10-09 08:40:32 EDT): `git grep` finds no file naming the source (control in note 90). The add tool's description names no sources; its categories are wire, tech, medicine and misc. ↩

77. Q146: all ten rows `enabled = true` at the snapshot. The drop tool is defined at d912ec9. 2026-10-24 00:20:47 − 2026-10-09 09:05:15 = 14 d 15 h 15 min 32 s. ↩

78. Feed source row 6 carries no engine column (Q139); `served_model` of 27582: claude-fable-5-1 (Q138). ↩

79. Commit 7e06188 (2026-09-28 02:32:29 EDT): the tag parser's default mode constant is the disc-carrying mode; a missing, empty or unknown attribute resolves to it. The same commit added a sentence to the persona naming the second mode as available and saying how to write it. ↩

80. Q171, Q181, Q241: render rows 184 (2026-09-29 02:55:44 EDT; 06:55:44Z) through 243 (2026-10-23 23:55:20 EDT; 2026-10-24 03:55:20Z) whose trigger carries a mode: 45 rows, all in the second mode, 37 done and 8 failed. The fifteen rows in that range with no mode are dream-lane renders, whose trigger names a dream cycle. The last disc-mode render is row 183 (failed), 14 min 0 s before row 184. ↩

81. Q158, Q171: rows 164–183, disc mode, 5 done and 15 failed; rows 177–183, the last seven, all failed. The image on my 24727 is described in its caption as a failed render with the disc check's reason (Q267). ↩

82. Window, the hour before 06:55:44Z: my messages 24694–24743 (Q183), 27 of them; 24729 is the one matching a mode word, and it coaches the prompt wording so the disc is not hidden; 24743 is the go-ahead, 20.3 s before the tag message 24744 (06:55:43.663967Z). Images in the window (24698, 24702, 24727, 24735, 24737, 24741) matched nothing proposing a mode (Q262, Q267). 3a: Q184, the earlier matches on either mode's name are forwarded build reports (23039, 23773) that name the modes. 3b: note 79 (listed), and commit 254f021 (06:36:33Z), which added the persona line on keeping the disc visible, 19 min 11 s before row 184. ↩

83. 2026-10-24 03:55:20 − 2026-09-29 06:55:44 = 24 d 20 h 59 min 36 s. My message 29862, 2026-10-16 23:53:54 EDT (2026-10-17 03:53:54.257680Z), told the agent to keep the disc (Q227); the eleven photo-tag renders after it, rows 228–238 and 243, are all in the second mode (Q265). ↩

84. Q241: the message that carried each of the 45 tags, by `source_message_id`, was served by claude-fable-5-1. ↩

85. Message 32119 names "sparrow" and "opus 4.7" among the engines the stamps mark (Q269); Q142 lists every stamped value, and neither appears. ↩

86. Persona specification and channel hint at commits 4784d0e (live 2026-09-19), 6a821e7 (2026-09-22), 31993e9 (2026-09-29), 6f440d3 (2026-09-30), d912ec9 (2026-10-09), 993d6f7 (2026-10-11), 88f2b00 (2026-10-12) and 821e18a (2026-10-13 and 2026-10-17): the same three sentences of the specification, which tell the agent to treat the principal as an equal, to push back on bad logic and to hold a position under pressure, and the same instruction in the channel hint to opine, are present unchanged at every one. They are described rather than quoted. ↩

87. Table 3. The act turns: Q276 joins the lore store's access log (vector id, rank, time) to the vector mirror for the fetch windows of 22287, 22850, 25402, 27582, 30164, 28485 and 28505–28510 and flags each vector's text by the option's words without printing it; 21 vectors, 0 hits. The restatements: Q175–Q178 do the same; at 21:29:38Z on 2026-10-02 ranks 2 and 3 were vectors whose source ids include 22850 and whose text names the film; at 03:38:07Z and 03:40:44Z on 2026-10-12 none of the six names it; across the four fetches of 00:28–00:33Z on 2026-10-14, one of twelve names the checker, its sources being messages 25805–25830 of 2026-10-02, with no ownership wording (Q229). Summaries: Q189, Q190. Stable tier, session notes, facts, feed, flagged moments: Q179, Q186, Q187. Marked-moments lane: Q174. Ledger: Q180. The pins are sealed to this article. ↩

88. `taste_draw.ts`, run offline with dud credentials under a sandbox that denies outbound network (a `curl` control inside it fails), imports the shipped gate and renderer (`lib/taste_block.ts`, one commit, 07dbfda). For anchor message 28705 (2026-10-12 23:19:20.303178Z) with the ten rows live, it rendered rows 1, 2, 4, 5, 6 and 10, with 0 withheld. Controls: anchor 28706 rendered 1, 3, 4, 6, 9, 10; anchor 28700 rendered 2, 3, 4, 5, 6, 8, without row 10. With 8 live rows, the 1,400-character cap rendered 6. ↩

89. The films and scenes: `git grep` at 6a821e7, 993d6f7 and 88f2b00, zero files. The source: at d912ec9, zero. The board: at 821e18a, no board wording in the persona specification or code; the word "founder" occurs only in lore files describing my own title. The checker: at 4784d0e no wall existed, and at 821e18a the guard does not name it (note 23). The room: at 6f440d3 the code set the opposite (note 69). The photo mode: listed, not set (note 79). Every 3a pattern matches its own receipt row, as a positive control (Q277). ↩

90. Controls, the same command: at d912ec9 the feed-source table's name is found in 17 files; at 6f440d3 the readback gate's function name in 4. ↩

91. Two untracked transcript files under the persona directory, swept with `grep` on 2026-10-24: the film's title, the two other film titles, the scene words, a board seat, the checker and the readback occur in none of them except as other senses — a word for a protector, a word for an uncertain state, a board game, founders of other companies. ↩

92. Q161: 4,553 agent rows (ids 68–9251) carry no `served_model`. ↩

93. Message 9254, 2026-06-13 23:15:29 EDT (2026-06-14 03:15:29.421370Z), `claude-opus-4-8`; message 11080, 2026-07-01 15:55:25 EDT (19:55:25.889136Z), `claude-fable-5`; message 18706, 2026-09-05 01:14:36 EDT (05:14:36.147467Z), the last `claude-fable-5`; message 18708, 01:41:06 EDT (05:41:06.753462Z), the first `claude-fable-5-1` (Q142, Q138). ↩

94. Q142: the distinct stamped values are claude-opus-4-8, claude-fable-5, claude-fable-5-1, and the secondary's two strings. ↩

95. Q172, ids 18708–32168, stamped agent rows on the primary rail, runs of consecutive rows with one model: claude-fable-5-1 7,055 rows in 27 runs (3 single-turn, longest 1,820); claude-opus-4-8 67 rows in 26 runs (13 single-turn, longest 9), ids 18721–32109. Counted with the secondary's rows as breaks, Fable 5.1 has 61 runs (Q166). ↩

96. Q142: route secondary, 17 + 17 + 18 + 50 = 102 rows, ids 16301–23630; 36 of them fall in the Fable 5.1 era (Q166). ↩

97. Q266, written to `engine_per_day.csv` (309 rows: UTC day × model × route), with the secondary's model strings replaced by "secondary". ↩

98. Q238 and Q239: every agent message after 30164 naming the board, a seat or the founder (54) and every agent message after 29093 naming the checker (36) is claude-fable-5-1; the film restatements are note 48. The table writes are taste rows 5, 6, 8, 10 and 11 and feed source row 6, none of which carries an engine. ↩

99. Q164: 53 rows with `served_model = claude-opus-4-8` after message 22287 (ids 23932–32109). Q237: seven match a choice's words; Q242: the windows. Message 29829, 2026-10-16 20:34:32 EDT (2026-10-17 00:34:32.946463Z), served by Claude Opus 4.8, carried no photo tag (Q252); the nearest tag renders, rows 227 and 228, are in the mode without the disc (Q171). ↩

100. 7,055 + 67 = 7,122 (note 95). ↩

101. The letters table's `written_under` column, from its migration of 2026-10-09; the taste, feed-source, people, wardrobe and voice-choice tables have no such column (Q139). ↩

102. The tool ledger's migration of 2026-05-20: the column references the message store and carries a partial index on non-null values. In the chat path every tool branch passes a null, with the comment that the handler runs where the user message is not in scope and that the row is linked by time and user; the checker's log on the same path receives the message id. Q154: 1,918 of 1,918 rows null. ↩

103. The lore store's access log records vector id, rank and time per fetch (Q168: 19,604 rows since 2026-09-03); the stable tier records hits; no other block records what it rendered. ↩