



@ FILE NAME: M\_CTC\_ID\_020.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for LPRU: v1.0.16

Test Description: This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control user privileges.

The scenario corresponds to the following chapters in [3]:

3.4 NETCONF Access Control



\_\_\_\_\_

\*\*\*\*\*\* Initial Get \*\*\*\*\*\*\*

> connect --ssh --host 192.168.98.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

## > get --filter-xpath /o-ran-usermgmt:users/user

\_\_\_\_\_\_

```
<?xml version="1.0" ?>
```

<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">

<users xmlns="urn:o-ran:user-mgmt:1.0">

<user>

<name>oranuser</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>observer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>installer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator11879338448155316</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator35813916948</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator6221</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>



```
</user>
<user>
 <name>operator9152751046350691512312</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator1930927930649</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator213245180307904</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator429298006246159886060</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator92526982514</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator23128973556</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator0710008545411089</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
<user>
 <name>operator603</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
</user>
</users>
</data>
```



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_

> listen --ssh --login installer

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.98.37' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 10

Host: 192.168.98.37

Port : 830 Transport : SSH

Capabilities:

 $urn: ietf: params: netconf: base: 1.0 \ urn: ietf: params: netconf: base: 1.1 \ urn: ietf: params: netconf: capability: writable-running: 1.0 \ urn: ietf: params: netconf: base: 1.0 \ urn: ietf: params: n$ 

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$ 

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim

 $urn: ietf: params: netconf: capability: notification: 1.0 \ urn: ietf: params: netconf: capability: interleave: 1.0 \ urn: ietf: params: netconf: capability: ne$ 

 $urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module = ietf-yang-metadata \& revision = 2016-08-05 \\ ietf-yang-metadata = ietf$ 

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn: ietf: params: xml: ns: yang: ietf-netconf-acm? module = ietf-netconf-acm& revision = 2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history

urn: ietf: params: xml: ns: yang: iana-if-type? module = iana-if-type & revision = 2017-01-19

\_\_\_\_\_\_\_

> subscribe --filter-xpath /ietf-netconf-notifications:\*

\_\_\_\_\_

Ok



Step 2 TER NETCONF client attempts to configure a new user/password.

-----

> edit-config --target running --config --defop merge

\_\_\_\_\_\_

\*\*\*\*\*\* Replace with below xml \*\*\*\*\*\*

\_\_\_\_\_\_\_

\_\_\_\_\_

# Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error

### **ERROR**

type : protocol tag : access-denied severity : error

path : /o-ran-usermgmt:users/user

message : Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.



\_\_\_\_\_\_

#### 

- Nov 4 00:29:33 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.98.88:4334.
- Nov 4 00:29:33 vvdn lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
- Nov 4 00:29:34 vvdn lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.98.88:4334.
- Nov 4 00:29:34 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
- Nov 4 00:29:34 vvdn\_lpru user.notice SYNCMNGR[1174]: Received message from S-Plane
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.98.88:4334.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.98.88:4334 over IPv4.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 244 (user "root", CID 1) created.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: User "installer" authenticated.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 10 established.
- Nov 4 00:29:35 vvdn lpru daemon.info netopeer2-server[858]: Session 245 (user "root", CID 1) created.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 23 priority 0 for 1 subscribers.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 23 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 23 priority 0 (remaining 0 subscribers).
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 23 priority 0 succeeded.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 3 event new RPC.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 24 priority 0 for 1 subscribers.
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 24 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:35 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 23
- Nov 4 00:29:35 vvdn\_lpru user.notice fw\_manager[928]: RPC #23 recieved. xpath -> /o-ran-software-management:software-inventory
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 23 succeeded.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 24 priority 0 (remaining 0 subscribers).

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 24 priority 0 succeeded.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 3 event new RPC.

Nov 4 00:29:36 vvdn lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 11 priority 0 for 1 subscribers.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 11 priority 0 (remaining 1 subscribers).

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 11 priority 0 (remaining 0 subscribers).

Nov 4 00:29:36 vvdn lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 11 priority 0 succeeded.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov  $4\,00:29:36\,vvdn\_lpru\,daemon.info\,netopeer2-server[858]:$  There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

 $Nov\ 4\ 00:29:36\ vvdn\_lpru\ daemon.info\ netopeer2-server[858]:\ Session\ 10:\ thread\ 0\ event\ new\ RPC.$ 

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Accepted a connection on :::830.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 250 (user "root", CID 1) created.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 251 (user "root", CID 1) created.

Nov 4 00:29:36 vvdn lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...



- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 25 priority 0 for 1 subscribers.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 25 priority 0 succeeded.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 11: thread 0 event new RPC.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 11: thread 3 event new RPC.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Session 11: thread 3 event session terminated.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:29:36 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 7 priority 0 for 1 subscribers.
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 7 priority 0 succeeded.
- Nov 4 00:29:41 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 0 event new RPC.
- Nov 4 00:29:44 vvdn\_lpru user.notice SYNCMNGR[1174]: Received message from S-Plane
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
- Nov 4 00:29:54 vvdn\_lpru daemon.err netopeer2-server[858]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Failed processing of "rpc" event with ID 3 priority 0 (remaining 1 subscribers).
- Nov 4 00:29:54 vvdn\_lpru daemon.err netopeer2-server[858]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.
- Nov 4 00:29:54 vvdn\_lpru daemon.warn netopeer2-server[858]: Event "rpc" with ID 3 priority 0 failed (User callback failed).
- Nov 4 00:29:54 vvdn\_lpru daemon.err netopeer2-server[858]: Failed to send an RPC (User callback failed).
- Nov 4 00:29:54 vvdn lpru daemon.info netopeer2-server[858]: Session 10: thread 4 event new RPC.
- Nov 4 00:29:54 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 4 event reply error.
- Nov 4 00:29:54 vvdn\_lpru user.notice SYNCMNGR[1174]: Received message from S-Plane



- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 3 event new RPC.
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: Session 10: thread 3 event session terminated.
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.98.88:4334.
- Nov 4 00:29:59 vvdn\_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
- Nov 4 00:29:59 vvdn\_lpru authpriv.debug sshd[26091]: pam\_unix(sshd:account): account installer has password changed in future
- Nov 4 00:29:59 vvdn\_lpru auth.info sshd[26091]: Accepted password for installer from 192.168.98.88 port 45662 ssh2
- Nov 4 00:29:59 vvdn\_lpru authpriv.info sshd[26091]: pam\_unix(sshd:session): session opened for user installer by (uid=0)



Expected Result: The NETCONF server replies rejecting the protocol operation with an			
"access-denied" error.			
**************************************			
	========	===========	========
=======================================			==========
Access Control NMS (negative case)	=	SUCCESS	