@ **FILE NAME:** **M_CTC_ID_022.txt**

@ **TEST SCOPE:** **M PLANE O-RAN CONFORMANCE**

@ **Software Release for MCB1:** **v1.0.1**

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control user privileges.

The scenario corresponds to the following chapters in [3]:

3.4 NETCONF Access Control

==

********** Connect to the NETCONF Server ***********

==

> connect --ssh --host 192.168.170.37 --port 830 --login operator

      Interactive SSH Authentication

      Type your password:

      Password:

      > status

      Current NETCONF session:

      ID   : 35

      Host   : 192.168.170.37

      Port   : 830

      Transport : SSH

      Capabilities:

      urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01 urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06 urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04 urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14 urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14 urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10 urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

==

> subscribe

==

Ok

===
######### Initial Get Filter #########
===

===
> get --filter-xpath /o-ran-usermgmt:users/user
===

```xml
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
   <name>oranuser</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>observer</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>installer</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>garuda</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator11302326379</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator44567591</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator8075861281902</name>
   <account-type>PASSWORD</account-type>
```

```
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator17619020756748090</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator86938204120707827368</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 <user>
 <name>operator7596639986022389968</name>
 <account-type>PASSWORD</account-type>
 <enabled>true</enabled>
 </user>
 </users>
</data>
```

===
> edit-config --target running --config --defop merge
===

===
******* **Replace with below xml** ********
===

```
    <config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
    <users xmlns="urn:o-ran:user-mgmt:1.0">
      <user>
        <name>operator0126795795152205</name>
        <account-type>PASSWORD</account-type>

<password>RdP1GycV9r]R15N_k7Hnz5wF)vjY~dxBE!v^MxSq4Gke1nCkSCW+1)1z%2}kOtLnjiWbj]EY7QUk%15H0g~QYlrR0bRkZMz1xTy
Dy3ca6-r</password>
        <enabled>true</enabled>
      </user>
    </users>
    </config>
```

Ok

===
******* **NOTIFICATIONS** *******
===
```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
 <eventTime>2103-10-30T00:02:30Z</eventTime>
```

```
<netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
 <changed-by>
  <username>root</username>
  <session-id>35</session-id>
 </changed-by>
 <datastore>running</datastore>
 <edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator0126795795152205']</target>
  <operation>create</operation>
 </edit>
 <edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator0126795795152205']/o-ran-usermgmt:name</target>
  <operation>create</operation>
 </edit>
 <edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator0126795795152205']/o-ran-usermgmt:account-type</target>
  <operation>create</operation>
 </edit>
 <edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator0126795795152205']/o-ran-usermgmt:password</target>
  <operation>create</operation>
 </edit>
 <edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator0126795795152205']/o-ran-usermgmt:enabled</target>
  <operation>create</operation>
 </edit>
 </netconf-config-change>
</notification>
```

===
> edit-config --target running --config --defop merge
===

===
******* Replace with below xml *******
===

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
 <groups>
```

```
  <group>
    <name>swm</name>
    <user-name>operator0126795795152205</user-name>
  </group>
 </groups>
</nacm>
</config>
```

Ok

===
******* NOTIFICATIONS *******
===

```xml
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
 <eventTime>2103-10-30T00:02:30Z</eventTime>
 <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
 <changed-by>
  <username>root</username>
  <session-id>35</session-id>
 </changed-by>
 <datastore>running</datastore>
 <edit>
  <target xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">/nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator0126795795152205']</target>
  <operation>create</operation>
 </edit>
 </netconf-config-change>
</notification>
```

===
> get --filter-xpath /ietf-netconf-acm:nacm/groups
===

```xml
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
 <groups>
  <group>
   <name>sudo</name>
   <user-name>operator</user-name>
  </group>
  <group>
   <name>fm-pm</name>
   <user-name>observer</user-name>
  </group>
  <group>
   <name>nms</name>
   <user-name>installer</user-name>
  </group>
  <group>
   <name>swm</name>
   <user-name>operator86938204120707827368</user-name>
   <user-name>operator7596639986022389968</user-name>
   <user-name>operator0126795795152205</user-name>
  </group>
 </groups>
 </nacm>
```

</data>

==
> get --filter-xpath /o-ran-usermgmt:users/user
==

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
 <users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
   <name>oranuser</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>observer</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>installer</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>garuda</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator11302326379</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator44567591</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>
   <name>operator8075861281902</name>
   <account-type>PASSWORD</account-type>
   <enabled>true</enabled>
  </user>
  <user>

```
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator86938204120707827368</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator7596639986022389968</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
<user>
<name>operator0126795795152205</name>
<account-type>PASSWORD</account-type>
<enabled>true</enabled>
</user>
</users>
</data>
```

===

STEP 1 TER NETCONF client establishes a connection using a user account with swm privileges.

===

===

********** Connect to the NETCONF Server **********

===

> connect --ssh --host 192.168.170.37 --port 830 --login operator0126795795152205

        Interactive SSH Authentication

        Type your password:

        Password:

        > status

        Current NETCONF session:

        ID   : 36

        Host   : 192.168.170.37

        Port   : 830

        Transport : SSH

        Capabilities:

        urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

===

> subscribe

===

Ok

===

Step 2 TER NETCONF client attempts to configure a new o-ran-sync.yang on the NETCONF server.

===

===
> edit-config --target running --config --defop replace
===

===
******* Replace with below xml ********
===

<sync xmlns="urn:o-ran:sync:1.0">
<ptp-config>
<domain-number>24</domain-number>
<accepted-clock-classes>
<clock-classes>255</clock-classes>
</accepted-clock-classes>
<ptp-profile>G_8275_1</ptp-profile>
<g-8275-1-config>
<multicast-mac-address>FORWARDABLE</multicast-mac-address>
<delay-asymmetry>0</delay-asymmetry>
</g-8275-1-config>
</ptp-config>
<ptp-status>
<reporting-period>10</reporting-period>
</ptp-status>
<synce-config>
<acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
<ssm-timeout>10</ssm-timeout>
</synce-config>
<synce-status>
<reporting-period>10</reporting-period>
</synce-status>
</sync>

===
Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error.
===
ERROR
    type   :   access-denied
    tag   :   protocol
   severity   :   error
    path   :   /o-ran-sync:sync/synce-config/acceptance-list-of-ssm
   message   :   Access to the data model "o-ran-sync" is denied because "operator0126795795152205" NACM authorization failed.

```
================================================================================
   ############ SYSTEM LOGS #############
================================================================================
```

Oct 30 00:02:21 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:02:21 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 00:02:22 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:02:22 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Successfully connected to 192.168.170.85:4334 over IPv4.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Session 341 (user "root", CID 1) created.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: User "operator" authenticated.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session 35 established.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Session 342 (user "root", CID 1) created.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 51 priority 0 for 1 subscribers.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 51 priority 0 (remaining 1 subscribers).

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 51 priority 0 (remaining 0 subscribers).

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 51 priority 0 succeeded.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:23 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 3 event new RPC.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get" with ID 52 priority 0 for 1 subscribers.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get" "rpc" event with ID 52 priority 0 (remaining 1 subscribers).

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 19.

Oct 30 00:02:24 mcb1 user.notice fw_manager[1064]: RPC #19 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Event "operational" with ID 19 succeeded.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 52 priority 0 (remaining 0 subscribers).

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 52 priority 0 succeeded.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 4 event new RPC.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 36 priority 0 for 1 subscribers.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 36 priority 0 (remaining 1 subscribers).

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 36 priority 0 (remaining 0 subscribers).

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 36 priority 0 succeeded.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:24 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 2 event new RPC.

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager

Oct 30 00:02:26 mcb1 user.notice wd_manager[1442]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Oct 30 00:02:29 mcb1 user.notice SYNCMNGR[1310]: Received message from S-Plane

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 14 priority 0 for 1 subscribers.

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 14 priority 0 succeeded.

Oct 30 00:02:29 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 2 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 37 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 37 priority 0 (remaining 1 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 37 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 37 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 3 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 15 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "change" "o-ran-usermgmt" with ID 3 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 user.notice USERMGMT[1052]: operator0126795795152205 added successfully !!

Oct 30 00:02:30 mcb1 user.notice USERMGMT[1052]: operator0126795795152205 enabled !!

Oct 30 00:02:30 mcb1 user.notice USERMGMT[1052]: END OF CHANGES

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "change" with ID 3 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "done" "o-ran-usermgmt" with ID 3 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 user.notice USERMGMT[1052]: END OF CHANGES

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/name", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/account-type", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/password", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/enabled", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 4 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/name", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/account-type", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/password", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator01267957951522205']/enabled", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 15 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 4 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 16 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "done" "ietf-netconf-acm" with ID 5 priority 0 for 4 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "ietf-netconf-acm" "done" event with ID 5 priority 0 (remaining 4 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "done" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "notif" "ietf-netconf-notifications" with ID 6 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator0126795795152205']", but it is not required.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 16 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 3 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 38 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 38 priority 0 (remaining 1 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 38 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 38 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 4 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:get-config" with ID 39 priority 0 for 1 subscribers.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:get-config" "rpc" event with ID 39 priority 0 (remaining 1 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 39 priority 0 (remaining 0 subscribers).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 39 priority 0 succeeded.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 1 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 4 event new RPC.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 35: thread 4 event session terminated.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Call Home client "default-client" session terminated.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Accepted a connection on :::830.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 366 (user "root", CID 1) created.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-auth" of subtype "password".

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: User "operator0126795795152205" authenticated.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Session 367 (user "root", CID 1) created.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:02:30 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-start).

Oct 30 00:02:31 mcb1 daemon.err netopeer2-server[980]: Session 35: waiting for Call Home thread failed (Connection timed out).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: getsockopt() error (Connection refused).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/notifications:create-subscription" with ID 15 priority 0 for 1 subscribers.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Processing "/notifications:create-subscription" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Event "rpc" with ID 15 priority 0 succeeded.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Session 36: thread 3 event new RPC.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Resolving unresolved data nodes and their constraints...

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: All data nodes and constraints resolved.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Published event "rpc" "/ietf-netconf:edit-config" with ID 17 priority 0 for 1 subscribers.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Oct 30 00:02:31 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-sync" is denied because "operator0126795795152205" NACM authorization failed.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Failed processing of "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Oct 30 00:02:31 mcb1 daemon.err netopeer2-server[980]: Access to the data model "o-ran-sync" is denied because "operator0126795795152205" NACM authorization failed.

Oct 30 00:02:31 mcb1 daemon.warn netopeer2-server[980]: Event "rpc" with ID 17 priority 0 failed (User callback failed).

Oct 30 00:02:31 mcb1 daemon.err netopeer2-server[980]: Failed to send an RPC (User callback failed).

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Session 36: thread 0 event new RPC.

Oct 30 00:02:31 mcb1 daemon.info netopeer2-server[980]: Session 36: thread 0 event reply error.

Oct 30 00:02:32 mcb1 daemon.info netopeer2-server[980]: Session 36: thread 0 event new RPC.

Oct 30 00:02:32 mcb1 daemon.info netopeer2-server[980]: Session 36: thread 0 event session terminated.

Oct 30 00:02:32 mcb1 daemon.info netopeer2-server[980]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:02:32 mcb1 daemon.info netopeer2-server[980]: Generated new event (netconf-session-end).

Oct 30 00:02:32 mcb1 auth.info sshd[11675]: Accepted password for operator from 192.168.170.85 port 35640 ssh2

Oct 30 00:02:32 mcb1 authpriv.info sshd[11675]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The NETCONF server replies rejecting the protocol operation with an "access-denied" error.

```
========================================================================
 ***************** Actual Result *****************
========================================================================


=========================================================================
Access Control SWM (negative case)              =         SUCCESS

=========================================================================
```