

@ FILE NAME: M\_CTC\_ID\_012\_.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda\_RevD: v5.0.0

Test Description: The minimum functions of the TER described in section 2.1 that support validation of the M-Plane are operational, configured and connected to the O-RU.

## \*\*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*\*

\_\_\_\_\_\_

> connect --ssh --host 192.168.4.46 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 8

Host : 192.168.4.46

Port: 830 Transport: SSH Capabilities:

 $urn: ietf: params: netconf: base: 1.0\ urn: ietf: params: netconf: base: 1.1\ urn: ietf: params: netconf: capability: writable-running: 1.0\ urn: ietf: pa$ 

 $urn: ietf: params: netconf: capability: candidate: 1.0\ urn: ietf: params: netconf: capability: rollback-on-error: 1.0\ urn: ietf: params: netconf: par$ 

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: xpath: xpath: xpath: xpath: xpa$ 

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim, explicit & also-supported =

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module = ietf-yang-metadata & revision = 2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module = ietf-netconf-acm&revision = 2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module= ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, validate, rollback-on-error, rollback-on-e

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-netconf-notifications? module = ietf-netconf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

\_\_\_\_\_\_

#### >subscribe

\_\_\_\_\_\_

Ok

\_\_\_\_\_\_ >get --filter-xpath /o-ran-sync:sync \_\_\_\_\_ <?xml version="1.0" ?> <data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"> <sync xmlns="urn:o-ran:sync:1.0"> <ptp-config> <domain-number>24</domain-number> <accepted-clock-classes> <clock-classes>255</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>248</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>165</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>160</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>150</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>140</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>135</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>7</clock-classes> </accepted-clock-classes> <accepted-clock-classes> <clock-classes>6</clock-classes> </accepted-clock-classes> <ptp-profile>G\_8275\_1</ptp-profile> <g-8275-1-config> <multicast-mac-address>FORWARDABLE</multicast-mac-address> <delay-asymmetry>0</delay-asymmetry>

</g-8275-1-config> </ptp-config>

```
<ptp-status>
<reporting-period>10</reporting-period>
<lock-state>UNLOCKED</lock-state>
<clock-class>255</clock-class>
<clock-identity>0x98AE71FFFE0164D8</clock-identity>
<partial-timing-supported>false</partial-timing-supported>
<sources>
 <local-port-number>0</local-port-number>
 <state>DISABLED</state>
 <two-step-flag>true</two-step-flag>
 <leap61>false</leap61>
 <leap59>false</leap59>
 <current-utc-offset-valid>false/current-utc-offset-valid>
 <ptp-timescale>true</ptp-timescale>
 <time-traceable>false</time-traceable>
 <frequency-traceable>false</frequency-traceable>
 <source-clock-identity>0x98AE71FFFE0164D8</source-clock-identity>
 <source-port-number>0</source-port-number>
 <current-utc-offset>37</current-utc-offset>
 <priority1>128</priority1>
 <clock-class>255</clock-class>
 <clock-accuracy>254</clock-accuracy>
 <offset-scaled-log-variance>65535</offset-scaled-log-variance>
 <priority2>255</priority2>
 <grandmaster-clock-identity>0x98AE71FFFE0164D8</grandmaster-clock-identity>
 <steps-removed>0</steps-removed>
 <time-source>160</time-source>
</sources>
</ptp-status>
<synce-config>
<acceptance-list-of-ssm>PRC</acceptance-list-of-ssm>
<acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
<acceptance-list-of-ssm>DNU</acceptance-list-of-ssm>
<acceptance-list-of-ssm>NONE</acceptance-list-of-ssm>
<ssm-timeout>5</ssm-timeout>
</synce-config>
<synce-status>
<reporting-period>10</reporting-period>
<lock-state>UNLOCKED</lock-state>
<sources>
 <local-port-number>0</local-port-number>
 <state>DISABLED</state>
 <quality-level>0</quality-level>
</sources>
</synce-status>
<sync-status>
<sync-state>FREERUN</sync-state>
```

# **QA TEST REPORT**

- <supported-reference-types>
- <item>PTP</item>
- </supported-reference-types>
- <supported-reference-types>
- <item>SYNCE</item>
- </supported-reference-types>
- </sync-status>
- <sync-capability>
- $<\!\!sync\text{-}t\text{-}tsc\!\!>\!\!ENCHANCED<\!\!/sync\text{-}t\text{-}tsc\!\!>$
- </sync-capability>
- </sync>
- </data>

Step 1 The TER NETCONF Client periodically tests O-RU's sync-status until the LOCKED state is reached.

## >get --filter-xpath /o-ran-sync:sync

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<sync xmlns="urn:o-ran:sync:1.0">
<ptp-config>
 <domain-number>24</domain-number>
 <accepted-clock-classes>
  <clock-classes>255</clock-classes>
 </accepted-clock-classes>
 <accepted-clock-classes>
  <clock-classes>248</clock-classes>
 </accepted-clock-classes>
 <accepted-clock-classes>
  <clock-classes>165</clock-classes>
 </accepted-clock-classes>
 <accepted-clock-classes>
  <clock-classes>160</clock-classes>
 </accepted-clock-classes>
 <accepted-clock-classes>
```

- </accepted-clock-classes>
- <accepted-clock-classes>
- <clock-classes>140</clock-classes>

<clock-classes>150</clock-classes>

- </accepted-clock-classes>
- <accepted-clock-classes>
- <clock-classes>135</clock-classes>
- </accepted-clock-classes>
- <accepted-clock-classes>
- <clock-classes>7</clock-classes>
- </accepted-clock-classes>
- <accepted-clock-classes>
- <clock-classes>6</clock-classes>
- </accepted-clock-classes>
- <ptp-profile>G\_8275\_1</ptp-profile>
- <g-8275-1-config>
- <multicast-mac-address>FORWARDABLE</multicast-mac-address>
- <delay-asymmetry>0</delay-asymmetry>
- </g-8275-1-config>

## **QA TEST REPORT**

## M PLANE CONFORMANCE

```
</ptp-config>
<ptp-status>
<reporting-period>10</reporting-period>
<lock-state>LOCKED</lock-state>
<clock-class>255</clock-class>
<clock-identity>0x98AE71FFFE0164D8</clock-identity>
<partial-timing-supported>false</partial-timing-supported>
<sources>
 <local-port-number>0</local-port-number>
 <state>PARENT</state>
 <two-step-flag>true</two-step-flag>
 <leap61>false</leap61>
 <leap59>false</leap59>
 <current-utc-offset-valid>true</current-utc-offset-valid>
 <ptp-timescale>true</ptp-timescale>
 <time-traceable>true</time-traceable>
 <frequency-traceable>true</frequency-traceable>
 <source-clock-identity>0x00000000000001</source-clock-identity>
 <source-port-number>1</source-port-number>
 <current-utc-offset>37</current-utc-offset>
 <priority1>128</priority1>
 <clock-class>6</clock-class>
 <clock-accuracy>33</clock-accuracy>
 <offset-scaled-log-variance>65535</offset-scaled-log-variance>
 <priority2>128</priority2>
 <grandmaster-clock-identity>0x0000000000001/grandmaster-clock-identity>
 <steps-removed>1</steps-removed>
 <time-source>160</time-source>
</sources>
</ptp-status>
<synce-config>
<acceptance-list-of-ssm>PRC</acceptance-list-of-ssm>
<acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
<acceptance-list-of-ssm>DNU</acceptance-list-of-ssm>
<acceptance-list-of-ssm>NONE</acceptance-list-of-ssm>
<ssm-timeout>5</ssm-timeout>
</synce-config>
<synce-status>
<reporting-period>10</reporting-period>
<lock-state>LOCKED</lock-state>
<sources>
 <local-port-number>0</local-port-number>
 <state>PARENT</state>
 <quality-level>2</quality-level>
</sources>
</synce-status>
```

<sync-status>

# **QA TEST REPORT**

- <sync-state>LOCKED</sync-state>
- <supported-reference-types>
- <item>PTP</item>
- </supported-reference-types>
- <supported-reference-types>
- $<\!\!item\!\!>\!\!SYNCE<\!\!/item\!\!>$
- </supported-reference-types>
- </sync-status>
- <sync-capability>
- <sync-t-tsc>ENCHANCED</sync-t-tsc>
- </sync-capability>
- </sync>
- </data>

####### NOTIFICATIONS #######	
Step 3 After a while (time depends on implementation) the O-RU NETCONF SERVER senotification for alarm 17: No external sync source.	ends a
xml version="1.0" ?	
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"></notification>	
<eventtime>2022-08-02T18:41:05Z</eventtime>	
<alarm-notif xmlns="urn:o-ran:fm:1.0"></alarm-notif>	
<fault-id>17</fault-id>	
<fault-source>Module</fault-source>	
<affected-objects></affected-objects>	
<name>Sync Module</name>	
<fault-severity>MAJOR</fault-severity>	
<is-cleared>false</is-cleared>	
<fault-text>No external sync source</fault-text>	
<event-time>2022-08-02T18:41:05Z</event-time>	

</notification>

\_\_\_\_\_\_

### 

Apr 14 05:19:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:19:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Accepted a connection on :::830.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Session 93 (user "root", CID 1) created.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-service" of subtype "ssh-userauth".

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-auth" of subtype "password".

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: User "operator" authenticated.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-channel-open" of subtype "session".

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Received an SSH message "request-channel" of subtype "subsystem".

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Session 94 (user "root", CID 1) created.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: There are no subscribers for "ietf-netconf-notifications" notifications.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Generated new event (netconf-session-start).

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 1 priority 0 succeeded.

Apr 14 05:19:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 4.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 4 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 5 priority 0 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 6 priority 0 for 1 subscribers.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 5.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 5 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 6 priority 0 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 7 priority 0 for 1 subscribers.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 6.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 6 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 7 priority 0 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 8 priority 0 for 1 subscribers.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 7.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 7 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 8 priority 0 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 9 priority 0 for 1 subscribers.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 9 priority 0 (remaining 1 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 8.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 8 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 9 priority 0 (remaining 0 subscribers).

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 9 priority 0 succeeded.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 10 priority 0 for 1 subscribers.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 10 priority 0 (remaining 1 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 9.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 9 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 10 priority 0 (remaining 0 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 10 priority 0 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 11 priority 0 for 1 subscribers.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 11 priority 0 (remaining 1 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 10.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 10 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 11 priority 0 (remaining 0 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 11 priority 0 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 12 priority 0 for 1 subscribers.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 12 priority 0 (remaining 1 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 11.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 11 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 12 priority 0 (remaining 0 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 12 priority 0 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 13 priority 0 for 1 subscribers.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 13 priority 0 (remaining 1 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 12.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 12 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 13 priority 0 (remaining 0 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 13 priority 0 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 14 priority 0 for 1 subscribers.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 14 priority 0 (remaining 1 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 13.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 13 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 14 priority 0 (remaining 0 subscribers).

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 14 priority 0 succeeded.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 15 priority 0 for 1 subscribers.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 15 priority 0 (remaining 1 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 14.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 14 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 15 priority 0 (remaining 0 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 15 priority 0 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 16 priority 0 for 1 subscribers.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 16 priority 0 (remaining 1 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 15.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 15 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 16 priority 0 (remaining 0 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 16 priority 0 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 17 priority 0 for 1 subscribers.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 17 priority 0 (remaining 1 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 16.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 16 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 17 priority 0 (remaining 0 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 17 priority 0 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 18 priority 0 for 1 subscribers.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 18 priority 0 (remaining 1 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 17.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 17 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 18 priority 0 (remaining 0 subscribers).

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 18 priority 0 succeeded.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 19 priority 0 for 1 subscribers.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 19 priority 0 (remaining 1 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 18.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 18 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 19 priority 0 (remaining 0 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 19 priority 0 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 20 priority 0 for 1 subscribers.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 20 priority 0 (remaining 1 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 19.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 19 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 20 priority 0 (remaining 0 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 20 priority 0 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 21 priority 0 for 1 subscribers.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 21 priority 0 (remaining 1 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 20.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 20 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 21 priority 0 (remaining 0 subscribers).

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 21 priority 0 succeeded.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:19:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 22 priority 0 for 1 subscribers.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 21.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 21 succeeded.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 22 priority 0 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 23 priority 0 for 1 subscribers.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 23 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 22.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 22 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 23 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 23 priority 0 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- $Aug\ 2\ 18:38:15\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 24 priority 0 for 1 subscribers.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 24 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 23.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 23 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 24 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 24 priority 0 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 25 priority 0 for 1 subscribers.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 24.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 24 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 25 priority 0 succeeded.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 26 priority 0 for 1 subscribers.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 26 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 25.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 25 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 26 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 26 priority 0 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 27 priority 0 for 1 subscribers.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 27 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 26.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 26 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 27 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 27 priority 0 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 28 priority 0 for 1 subscribers.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 28 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 27.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 27 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 28 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 28 priority 0 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 29 priority 0 for 1 subscribers.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 29 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 28.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 28 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 29 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 29 priority 0 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 30 priority 0 for 1 subscribers.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 30 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 29.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 29 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 30 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 30 priority 0 succeeded.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 1.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 2.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 3.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 4.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.

- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 5.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 6.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 7.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 8.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 9.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:38:17 garuda user.notice SYNCMNGR[1160]: SYNCE Lock state: LOCKED
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 10.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 11.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 12.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/synce-status/lock-state" with the value "LOCKED", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 1.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 31 priority 0 for 1 subscribers.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 31 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 31.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 31 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 31 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 31 priority 0 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 32 priority 0 for 1 subscribers.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 32 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 32.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 32 succeeded.

- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 32 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 32 priority 0 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 33 priority 0 for 1 subscribers.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 33 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 33.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 33 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 33 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 33 priority 0 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 13.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 34 priority 0 for 1 subscribers.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 34 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 34.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 34 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 34 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 34 priority 0 succeeded.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 14.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 15.
- Aug 2 18:38:17 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 35 priority 0 for 1 subscribers.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 35 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 35.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 35 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 35 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 35 priority 0 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ \ 2\ 18:38:18\ garuda\ daemon. info\ net opeer 2-server [846]:\ Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4334.$
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 36 priority 0 for 1 subscribers.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 36 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 36.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 36 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 36 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 36 priority 0 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 16.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 17.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 37 priority 0 for 1 subscribers.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 37 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 37.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 37 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 37 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 37 priority 0 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 38 priority 0 for 1 subscribers.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 38 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 38.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 38 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 38 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 38 priority 0 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 39 priority 0 for 1 subscribers.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 39 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 39.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 39 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 39 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 39 priority 0 succeeded.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:38:19\ garuda\ daemon. info\ net opeer 2-server [846]: Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 40\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 40 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 40.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 40 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 40 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 40 priority 0 succeeded.

- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 41 priority 0 for 1 subscribers.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 41 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 41.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 41 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 41 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 41 priority 0 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 18.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 18 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 42 priority 0 for 1 subscribers.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 42 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 42.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 42 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 42 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 42 priority 0 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 43 priority 0 for 1 subscribers.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 43 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 43.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 43 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 43 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 43 priority 0 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 19.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 19 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 44 priority 0 for 1 subscribers.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 44 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 44.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 44 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 44 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 44 priority 0 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 20.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 20 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 45 priority 0 for 1 subscribers.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 45 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 45.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 45 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 45 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 45 priority 0 succeeded.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 0 event new RPC.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 46 priority 0 for 1 subscribers.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 46 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 46.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 46 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 46 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 46 priority 0 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 21.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 21 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 47 priority 0 for 1 subscribers.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 47 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 47.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 47 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 47 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 47 priority 0 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 48 priority 0 for 1 subscribers.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 48 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 48.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 48 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 48 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 48 priority 0 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:38:20\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 49 priority 0 for 1 subscribers.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 49 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 49.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 49 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 49 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 49 priority 0 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 22.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 22 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 50 priority 0 for 1 subscribers.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 50 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 50.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 50 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 50 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 50 priority 0 succeeded.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 4 event new RPC.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 51 priority 0 for 1 subscribers.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 51 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 51.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 51 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 51 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 51 priority 0 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 52 priority 0 for 1 subscribers.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 52 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 52.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 52 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 52 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 52 priority 0 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:38:21\ garuda\ daemon. info\ net opeer 2-server [846]: Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 53\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 53 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 53.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 53 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 53 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 53 priority 0 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 23.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 23 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 54 priority 0 for 1 subscribers.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 54 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 54.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 54 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 54 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 54 priority 0 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 24.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 24 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 55 priority 0 for 1 subscribers.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 55 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 55.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 55 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 55 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 55 priority 0 succeeded.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 56 priority 0 for 1 subscribers.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 56 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 56.

- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 56 succeeded.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 56 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 56 priority 0 succeeded.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 57 priority 0 for 1 subscribers.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 57 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 57.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 57 succeeded.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 57 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 57 priority 0 succeeded.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 58 priority 0 for 1 subscribers.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 58 priority 0 (remaining 1 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 58.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 58 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 58 priority 0 (remaining 0 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 58 priority 0 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 59 priority 0 for 1 subscribers.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 59 priority 0 (remaining 1 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 59.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 59 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 59 priority 0 (remaining 0 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 59 priority 0 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 60 priority 0 for 1 subscribers.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 60 priority 0 (remaining 1 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 60.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 60 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 60 priority 0 (remaining 0 subscribers).

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 60 priority 0 succeeded.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 61 priority 0 for 1 subscribers.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 61 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 61.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 61 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 61 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 61 priority 0 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:38:23\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 62 priority 0 for 1 subscribers.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 62 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 62.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 62 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 62 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 62 priority 0 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 63 priority 0 for 1 subscribers.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 63 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 63.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 63 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 63 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 63 priority 0 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 64 priority 0 for 1 subscribers.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 64 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 64.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 64 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 64 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 64 priority 0 succeeded.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 65 priority 0 for 1 subscribers.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 65 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 65.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 65 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 65 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 65 priority 0 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 66 priority 0 for 1 subscribers.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 66 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 66.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 66 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 66 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 66 priority 0 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 67 priority 0 for 1 subscribers.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 67 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 67.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 67 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 67 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 67 priority 0 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 68 priority 0 for 1 subscribers.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 68 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 68.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 68 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 68 priority 0 (remaining 0 subscribers).

- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 68 priority 0 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 69 priority 0 for 1 subscribers.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 69 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 69.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 69 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 69 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 69 priority 0 succeeded.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 70 priority 0 for 1 subscribers.

- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 70 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 70.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 70 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 70 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 70 priority 0 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 71 priority 0 for 1 subscribers.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 71 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 71.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 71 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 71 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 71 priority 0 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 72 priority 0 for 1 subscribers.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 72 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 72.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 72 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 72 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 72 priority 0 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:25\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 73 priority 0 for 1 subscribers.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 73 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 73.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 73 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 73 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 73 priority 0 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 74 priority 0 for 1 subscribers.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 74 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 74.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 74 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 74 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 74 priority 0 succeeded.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 75 priority 0 for 1 subscribers.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 75 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 75.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 75 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 75 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 75 priority 0 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 76 priority 0 for 1 subscribers.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 76 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 76.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 76 succeeded.

- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 76 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 76 priority 0 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 77 priority 0 for 1 subscribers.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 77 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 77.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 77 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 77 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 77 priority 0 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 78 priority 0 for 1 subscribers.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 78 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 78.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 78 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 78 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 78 priority 0 succeeded.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 79 priority 0 for 1 subscribers.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 79 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 79.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 79 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 79 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 79 priority 0 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 80 priority 0 for 1 subscribers.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 80 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 80.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 80 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 80 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 80 priority 0 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 81 priority 0 for 1 subscribers.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 81 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 81.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 81 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 81 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 81 priority 0 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 82 priority 0 for 1 subscribers.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 82 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 82.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 82 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 82 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 82 priority 0 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 83 priority 0 for 1 subscribers.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 83 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 83.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 83 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 83 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 83 priority 0 succeeded.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 84 priority 0 for 1 subscribers.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 84 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 84.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 84 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 84 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 84 priority 0 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 85 priority 0 for 1 subscribers.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 85 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 85.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 85 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 85 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 85 priority 0 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 86 priority 0 for 1 subscribers.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 86 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 86.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 86 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 86 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 86 priority 0 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 87 priority 0 for 1 subscribers.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 87 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 87.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 87 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 87 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 87 priority 0 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 88 priority 0 for 1 subscribers.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 88 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 88.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 88 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 88 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 88 priority 0 succeeded.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 89 priority 0 for 1 subscribers.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 89 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 89.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 89 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 89 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 89 priority 0 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 90 priority 0 for 1 subscribers.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 90 priority 0 (remaining 1

subscribers).

- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 90.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 90 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 90 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 90 priority 0 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 91 priority 0 for 1 subscribers.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 91 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 91.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 91 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 91 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 91 priority 0 succeeded.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 92 priority 0 for 1 subscribers.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 92 priority 0 (remaining 1 subscribers).

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 92.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 92 succeeded.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 92 priority 0 (remaining 0 subscribers).

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 92 priority 0 succeeded.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 93 priority 0 for 1 subscribers.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 93 priority 0 (remaining 1 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 93.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 93 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 93 priority 0 (remaining 0 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 93 priority 0 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

 $Aug\ \ 2\ 18:38:30\ garuda\ daemon. info\ net opeer 2-server [846]:\ All\ data\ nodes\ and\ constraints\ resolved.$ 

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 94 priority 0 for 1 subscribers.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 94 priority 0 (remaining 1 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 94.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 94 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 94 priority 0 (remaining 0 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 94 priority 0 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 95 priority 0 for 1 subscribers.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 95 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 95.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 95 succeeded.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 95 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 95 priority 0 succeeded.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ \ 2\ 18:38:30\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 96 priority 0 for 1 subscribers.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 96 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 96.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 96 succeeded.
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 96 priority 0 (remaining 0 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 96 priority 0 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 97 priority 0 for 1 subscribers.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 97 priority 0 (remaining 1 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 97.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 97 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 97 priority 0 (remaining 0 subscribers).

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 97 priority 0 succeeded.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:31 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 98 priority 0 for 1 subscribers.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 98 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 98.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 98 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 98 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 98 priority 0 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 99 priority 0 for 1 subscribers.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 99 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 99.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 99 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 99 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 99 priority 0 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 100 priority 0 for 1 subscribers.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 100 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 100.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 100 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 100 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 100 priority 0 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 101 priority 0 for 1 subscribers.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 101 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 101.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 101 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 101 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 101 priority 0 succeeded.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 102 priority 0 for 1 subscribers.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 102 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 102.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 102 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 102 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 102 priority 0 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 103 priority 0 for 1 subscribers.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 103 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 103.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 103 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 103 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 103 priority 0 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 104 priority 0 for 1 subscribers.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 104 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 104.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 104 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 104 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 104 priority 0 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 105 priority 0 for 1 subscribers.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 105 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 105.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 105 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 105 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 105 priority 0 succeeded.

- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 106 priority 0 for 1 subscribers.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 106 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 106.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 106 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 106 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 106 priority 0 succeeded.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 107 priority 0 for 1 subscribers.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 107 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 107.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 107 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 107 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 107 priority 0 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 108 priority 0 for 1 subscribers.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 108 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 108.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 108 succeeded.
- $Aug\ 2\ 18:38:33\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 108 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 108 priority 0 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 109 priority 0 for 1 subscribers.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 109 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 109.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 109 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 109 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 109 priority 0 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 110 priority 0 for 1 subscribers.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 110 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 110.

- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 110 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 110 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 110 priority 0 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 111 priority 0 for 1 subscribers.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 111 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 111.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 111 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:33\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 111 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 111 priority 0 succeeded.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 112 priority 0 for 1 subscribers.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 112 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 112.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 112 succeeded.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 112 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 112 priority 0 succeeded.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ 2\ 18:38:34\ garuda\ daemon. info\ net opeer 2-server [846]:\ Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4334.$
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 113 priority 0 for 1 subscribers.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 113 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 113.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 113 succeeded.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 113 priority 0 (remaining 0 subscribers).

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 113 priority 0 succeeded.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 114 priority 0 for 1 subscribers.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 114 priority 0 (remaining 1 subscribers).

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 114.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 114 succeeded.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 114 priority 0 (remaining 0 subscribers).

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 114 priority 0 succeeded.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 115 priority 0 for 1 subscribers.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 115 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 115.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 115 succeeded.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 115 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 115 priority 0 succeeded.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 116 priority 0 for 1 subscribers.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 116 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 116.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 116 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 116 priority 0 (remaining 0 subscribers).

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 116 priority 0 succeeded.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 117 priority 0 for 1 subscribers.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 117 priority 0 (remaining 1 subscribers).

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 117.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 117 succeeded.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 117 priority 0 (remaining 0 subscribers).

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 117 priority 0 succeeded.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 118 priority 0 for 1 subscribers.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 118 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 118.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 118 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 118 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 118 priority 0 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 119 priority 0 for 1 subscribers.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 119 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 119.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 119 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 119 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 119 priority 0 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 120 priority 0 for 1 subscribers.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 120 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 120.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 120 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 120 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 120 priority 0 succeeded.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:38:35\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 121 priority 0 for 1 subscribers.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 121 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 121.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 121 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 121 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 121 priority 0 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 122 priority 0 for 1 subscribers.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 122 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 122.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 122 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 122 priority 0 (remaining 0 subscribers).

- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 122 priority 0 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 123 priority 0 for 1 subscribers.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 123 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 123.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 123 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 123 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 123 priority 0 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 124 priority 0 for 1 subscribers.

- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 124 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 124.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 124 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 124 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 124 priority 0 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 125 priority 0 for 1 subscribers.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 125 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 125.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 125 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 125 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 125 priority 0 succeeded.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 126 priority 0 for 1 subscribers.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 126 priority 0 (remaining 1 subscribers).

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 126.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 126 succeeded.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 126 priority 0 (remaining 0 subscribers).

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 126 priority 0 succeeded.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 127 priority 0 for 1 subscribers.

Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 127 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 127.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 127 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 127 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 127 priority 0 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 128 priority 0 for 1 subscribers.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 128 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 128.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 128 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 128 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 128 priority 0 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 129 priority 0 for 1 subscribers.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 129 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 129.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 129 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 129 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 129 priority 0 succeeded.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 130 priority 0 for 1 subscribers.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 130 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 130.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 130 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 130 priority 0 (remaining 0 subscribers).

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 130 priority 0 succeeded.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 131 priority 0 for 1 subscribers.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 131 priority 0 (remaining 1 subscribers).

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 131.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 131 succeeded.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 131 priority 0 (remaining 0 subscribers).

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 131 priority 0 succeeded.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 132 priority 0 for 1 subscribers.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 132 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 132.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 132 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 132 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 132 priority 0 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 133 priority 0 for 1 subscribers.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 133 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 133.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 133 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 133 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 133 priority 0 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 134 priority 0 for 1 subscribers.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 134 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 134.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 134 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 134 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 134 priority 0 succeeded.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 135 priority 0 for 1 subscribers.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 135 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 135.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 135 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 135 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 135 priority 0 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 136 priority 0 for 1 subscribers.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 136 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 136.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 136 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 136 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 136 priority 0 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 137 priority 0 for 1 subscribers.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 137 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 137.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 137 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 137 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 137 priority 0 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 138 priority 0 for 1 subscribers.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 138 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 138.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 138 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 138 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 138 priority 0 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 139 priority 0 for 1 subscribers.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 139 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 139.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 139 succeeded.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 139 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 139 priority 0 succeeded.

- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 140 priority 0 for 1 subscribers.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 140 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 140.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 140 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 140 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 140 priority 0 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 141 priority 0 for 1 subscribers.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 141 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 141.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 141 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 141 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 141 priority 0 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 142 priority 0 for 1 subscribers.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 142 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 142.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 142 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 142 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 142 priority 0 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 143 priority 0 for 1 subscribers.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 143 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 143.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 143 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 143 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 143 priority 0 succeeded.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 144 priority 0 for 1 subscribers.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 144 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 144.

- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 144 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 144 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 144 priority 0 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:38:41\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 145 priority 0 for 1 subscribers.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 145 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 145.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 145 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 145 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 145 priority 0 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 146 priority 0 for 1 subscribers.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 146 priority 0 (remaining 1 subscribers).

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 146.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 146 succeeded.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 146 priority 0 (remaining 0 subscribers).

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 146 priority 0 succeeded.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 147 priority 0 for 1 subscribers.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 147 priority 0 (remaining 1 subscribers).

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 147.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 147 succeeded.

Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 147 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 147 priority 0 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 148 priority 0 for 1 subscribers.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 148 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 148.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 148 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 148 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 148 priority 0 succeeded.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 149 priority 0 for 1 subscribers.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 149 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 149.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 149 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 149 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 149 priority 0 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:38:42\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 150 priority 0 for 1 subscribers.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 150 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 150.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 150 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 150 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 150 priority 0 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 151 priority 0 for 1 subscribers.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 151 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 151.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 151 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 151 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 151 priority 0 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 152 priority 0 for 1 subscribers.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 152 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 152.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 152 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 152 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 152 priority 0 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:38:42\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 153\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 153 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 153.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 153 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 153 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 153 priority 0 succeeded.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 154 priority 0 for 1 subscribers.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 154 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 154.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 154 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 154 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 154 priority 0 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:38:43\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 155 priority 0 for 1 subscribers.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 155 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 155.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 155 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 155 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 155 priority 0 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 156 priority 0 for 1 subscribers.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 156 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 156.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 156 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 156 priority 0 (remaining 0 subscribers).

- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 156 priority 0 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 157 priority 0 for 1 subscribers.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 157 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 157.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 157 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 157 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 157 priority 0 succeeded.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 158 priority 0 for 1 subscribers.

- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 158 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 158.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 158 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 158 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 158 priority 0 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 159 priority 0 for 1 subscribers.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 159 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 159.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 159 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 159 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 159 priority 0 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 160 priority 0 for 1 subscribers.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 160 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 160.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 160 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 160 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 160 priority 0 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:44\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 161 priority 0 for 1 subscribers.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 161 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 161.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 161 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 161 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 161 priority 0 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 162 priority 0 for 1 subscribers.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 162 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 162.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 162 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 162 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 162 priority 0 succeeded.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:45 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 163 priority 0 for 1 subscribers.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 163 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 163.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 163 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 163 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 163 priority 0 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 164 priority 0 for 1 subscribers.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 164 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 164.

- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 164 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 164 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 164 priority 0 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 165 priority 0 for 1 subscribers.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 165 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 165.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 165 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:45\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 165 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 165 priority 0 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 166 priority 0 for 1 subscribers.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 166 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 166.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 166 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 166 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 166 priority 0 succeeded.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ \ 2\ 18:38:45\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 167 priority 0 for 1 subscribers.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 167 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 167.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 167 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 167 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 167 priority 0 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 168 priority 0 for 1 subscribers.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 168 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 168.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 168 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 168 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 168 priority 0 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 169 priority 0 for 1 subscribers.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 169 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 169.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 169 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 169 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 169 priority 0 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 170 priority 0 for 1 subscribers.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 170 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 170.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 170 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 170 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 170 priority 0 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 171 priority 0 for 1 subscribers.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 171 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 171.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 171 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 171 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 171 priority 0 succeeded.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 172 priority 0 for 1 subscribers.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 172 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 172.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 172 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 172 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 172 priority 0 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:38:47\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 173\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 173 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 173.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 173 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 173 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 173 priority 0 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 174 priority 0 for 1 subscribers.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 174 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 174.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 174 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 174 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 174 priority 0 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 175 priority 0 for 1 subscribers.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 175 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 175.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 175 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 175 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 175 priority 0 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 176 priority 0 for 1 subscribers.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 176 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 176.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 176 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 176 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 176 priority 0 succeeded.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 177 priority 0 for 1 subscribers.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 177 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 177.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 177 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 177 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 177 priority 0 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:48\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 178 priority 0 for 1 subscribers.

- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 178 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 178.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 178 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 178 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 178 priority 0 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 179 priority 0 for 1 subscribers.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 179 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 179.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 179 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 179 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 179 priority 0 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 180 priority 0 for 1 subscribers.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 180 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 180.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 180 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 180 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 180 priority 0 succeeded.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 181 priority 0 for 1 subscribers.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 181 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 181.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 181 succeeded.

- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 181 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 181 priority 0 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 182 priority 0 for 1 subscribers.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 182 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 182.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 182 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 182 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 182 priority 0 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 183 priority 0 for 1 subscribers.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 183 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 183.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 183 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 183 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 183 priority 0 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 184 priority 0 for 1 subscribers.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 184 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 184.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 184 succeeded.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 184 priority 0 (remaining 0 subscribers).

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 184 priority 0 succeeded.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 185 priority 0 for 1 subscribers.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 185 priority 0 (remaining 1 subscribers).

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 185.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 185 succeeded.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 185 priority 0 (remaining 0 subscribers).

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 185 priority 0 succeeded.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 186 priority 0 for 1 subscribers.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 186 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 186.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 186 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 186 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 186 priority 0 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 187 priority 0 for 1 subscribers.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 187 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 187.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 187 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 187 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 187 priority 0 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 188 priority 0 for 1 subscribers.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 188 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 188.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 188 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 188 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 188 priority 0 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 189 priority 0 for 1 subscribers.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 189 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 189.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 189 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 189 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 189 priority 0 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 190 priority 0 for 1 subscribers.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 190 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 190.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 190 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 190 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 190 priority 0 succeeded.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 191 priority 0 for 1 subscribers.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 191 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 191.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 191 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 191 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 191 priority 0 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 192 priority 0 for 1 subscribers.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 192 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 192.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 192 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 192 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 192 priority 0 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 193 priority 0 for 1 subscribers.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 193 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 193.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 193 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 193 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 193 priority 0 succeeded.

- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 194 priority 0 for 1 subscribers.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 194 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 194.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 194 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 194 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 194 priority 0 succeeded.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 195 priority 0 for 1 subscribers.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 195 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 195.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 195 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 195 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 195 priority 0 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 196 priority 0 for 1 subscribers.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 196 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 196.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 196 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 196 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 196 priority 0 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 197 priority 0 for 1 subscribers.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 197 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 197.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 197 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 197 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 197 priority 0 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 198 priority 0 for 1 subscribers.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 198 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 198.

- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 198 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 198 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 198 priority 0 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 199 priority 0 for 1 subscribers.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 199 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 199.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 199 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:38:52\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 199 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 199 priority 0 succeeded.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 200 priority 0 for 1 subscribers.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 200 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 200.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 200 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 200 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 200 priority 0 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 201 priority 0 for 1 subscribers.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 201 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 201.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 201 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 201 priority 0 (remaining 0 subscribers).

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 201 priority 0 succeeded.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 202 priority 0 for 1 subscribers.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 202 priority 0 (remaining 1 subscribers).

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 202.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 202 succeeded.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 202 priority 0 (remaining 0 subscribers).

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 202 priority 0 succeeded.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 203 priority 0 for 1 subscribers.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 203 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 203.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 203 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 203 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 203 priority 0 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 204 priority 0 for 1 subscribers.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 204 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 204.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 204 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 204 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 204 priority 0 succeeded.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 205 priority 0 for 1 subscribers.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 205 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 205.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 205 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 205 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 205 priority 0 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required

- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 206 priority 0 for 1 subscribers.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 206 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 206.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 206 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 206 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 206 priority 0 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 207 priority 0 for 1 subscribers.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 207 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 207.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 207 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 207 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 207 priority 0 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 208 priority 0 for 1 subscribers.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 208 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 208.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 208 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 208 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 208 priority 0 succeeded.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:38:54\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 209 priority 0 for 1 subscribers.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 209 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 209.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 209 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 209 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 209 priority 0 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 210 priority 0 for 1 subscribers.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 210 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 210.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 210 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 210 priority 0 (remaining 0 subscribers).

- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 210 priority 0 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 211 priority 0 for 1 subscribers.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 211 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 211.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 211 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 211 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 211 priority 0 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 212 priority 0 for 1 subscribers.

- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 212 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 212.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 212 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 212 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 212 priority 0 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 213 priority 0 for 1 subscribers.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 213 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 213.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 213 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 213 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 213 priority 0 succeeded.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 214 priority 0 for 1 subscribers.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 214 priority 0 (remaining 1 subscribers).

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 214.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 214 succeeded.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 214 priority 0 (remaining 0 subscribers).

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 214 priority 0 succeeded.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 215 priority 0 for 1 subscribers.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 215 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 215.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 215 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 215 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 215 priority 0 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 216 priority 0 for 1 subscribers.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 216 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 216.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 216 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 216 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 216 priority 0 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 217 priority 0 for 1 subscribers.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 217 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 217.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 217 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 217 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 217 priority 0 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 218 priority 0 for 1 subscribers.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 218 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 218.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 218 succeeded.
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 218 priority 0 (remaining 0 subscribers).

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 218 priority 0 succeeded.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 219 priority 0 for 1 subscribers.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 219 priority 0 (remaining 1 subscribers).

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 219.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 219 succeeded.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 219 priority 0 (remaining 0 subscribers).

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 219 priority 0 succeeded.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 220 priority 0 for 1 subscribers.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 220 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 220.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 220 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 220 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 220 priority 0 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 221 priority 0 for 1 subscribers.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 221 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 221.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 221 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 221 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 221 priority 0 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 222 priority 0 for 1 subscribers.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 222 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 222.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 222 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 222 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 222 priority 0 succeeded.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 223 priority 0 for 1 subscribers.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 223 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 223.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 223 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 223 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 223 priority 0 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 224 priority 0 for 1 subscribers.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 224 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 224.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 224 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 224 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 224 priority 0 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 225 priority 0 for 1 subscribers.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 225 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 225.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 225 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 225 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 225 priority 0 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 226 priority 0 for 1 subscribers.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 226 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 226.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 226 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 226 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 226 priority 0 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 227 priority 0 for 1 subscribers.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 227 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 227.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 227 succeeded.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 227 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 227 priority 0 succeeded.

- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:59 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 228 priority 0 for 1 subscribers.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 228 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 228.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 228 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 228 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 228 priority 0 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 229 priority 0 for 1 subscribers.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 229 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 229.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 229 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 229 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 229 priority 0 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 230 priority 0 for 1 subscribers.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 230 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 230.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 230 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 230 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 230 priority 0 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 231 priority 0 for 1 subscribers.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 231 priority 0 (remaining 1 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 231.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 231 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 231 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 231 priority 0 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 232 priority 0 for 1 subscribers.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 232 priority 0 (remaining 1 subscribers).

- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 232.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 232 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 232 priority 0 (remaining 0 subscribers).
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 232 priority 0 succeeded.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:38:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 25.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 25 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 26.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 26 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 27.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 27 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 28.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 28 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 29.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 29 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 30.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 30 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 31.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 31 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 32.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 32 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 33.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 33 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 34.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 34 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 35.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 35 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 36.

- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 36 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 233 priority 0 for 1 subscribers.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 233 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 233.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 233 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 233 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 233 priority 0 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 37.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 37 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 38.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 38 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 234 priority 0 for 1 subscribers.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 234 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 234.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 234 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 234 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 234 priority 0 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 235 priority 0 for 1 subscribers.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 235 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 235.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 235 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 235 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 235 priority 0 succeeded.

- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 236 priority 0 for 1 subscribers.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 236 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 236.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 236 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 236 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 236 priority 0 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 39.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 39 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 237 priority 0 for 1 subscribers.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 237 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 237.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 237 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 237 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 237 priority 0 succeeded.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 238 priority 0 for 1 subscribers.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 238 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 238.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 238 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 238 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 238 priority 0 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 239 priority 0 for 1 subscribers.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 239 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 239.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 239 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 239 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 239 priority 0 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 240 priority 0 for 1 subscribers.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 240 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 240.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 240 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 240 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 240 priority 0 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 40.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 40 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 241 priority 0 for 1 subscribers.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 241 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 241.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 241 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 241 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 241 priority 0 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 41.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 41 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 242 priority 0 for 1 subscribers.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 242 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 242.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 242 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 242 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 242 priority 0 succeeded.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 42.
- Aug 2 18:39:01 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 42 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 243 priority 0 for 1 subscribers.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 243 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 243.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 243 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 243 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 243 priority 0 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 244 priority 0 for 1 subscribers.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 244 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 244.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 244 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 244 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 244 priority 0 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 245 priority 0 for 1 subscribers.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 245 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 245.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 245 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 245 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 245 priority 0 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 43.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 43 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 246 priority 0 for 1 subscribers.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 246 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 246.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 246 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 246 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 246 priority 0 succeeded.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 44.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 44 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 45.
- Aug 2 18:39:02 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 45 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 247 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 247 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 247.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 247 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 247 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 247 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 248 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 248 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 248.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 248 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 248 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 248 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 46.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 46 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 249 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 249 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 249.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 249 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 249 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 249 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 47.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 47 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 250 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 250 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 250.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 250 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 250 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 250 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 3 event new RPC.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 251 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 251 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 251.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 251 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 251 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 251 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 252 priority 0 for 1 subscribers.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 252 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 252.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 252 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 252 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 252 priority 0 succeeded.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 253 priority 0 for 1 subscribers.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 253 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 253.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 253 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 253 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 253 priority 0 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 254 priority 0 for 1 subscribers.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 254 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 254.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 254 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 254 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 254 priority 0 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 255 priority 0 for 1 subscribers.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 255 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 255.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 255 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 255 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 255 priority 0 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 256 priority 0 for 1 subscribers.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 256 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 256.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 256 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 256 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 256 priority 0 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not

### required.

- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 48.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 48 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 257 priority 0 for 1 subscribers.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 257 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 257.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 257 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 257 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 257 priority 0 succeeded.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 258 priority 0 for 1 subscribers.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 258 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 258.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 258 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 258 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 258 priority 0 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 259 priority 0 for 1 subscribers.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 259 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 259.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 259 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 259 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 259 priority 0 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 260 priority 0 for 1 subscribers.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 260 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 260.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 260 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 260 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 260 priority 0 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ 2\ 18:39:05\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 261 priority 0 for 1 subscribers.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 261 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 261.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 261 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 261 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 261 priority 0 succeeded.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 262 priority 0 for 1 subscribers.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 262 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 262.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 262 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 262 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 262 priority 0 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 263 priority 0 for 1 subscribers.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 263 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 263.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 263 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 263 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 263 priority 0 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 264 priority 0 for 1 subscribers.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 264 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 264.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 264 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 264 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 264 priority 0 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 265 priority 0 for 1 subscribers.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 265 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 265.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 265 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 265 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 265 priority 0 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 266 priority 0 for 1 subscribers.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 266 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 266.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 266 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 266 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 266 priority 0 succeeded.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 267 priority 0 for 1 subscribers.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 267 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 267.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 267 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 267 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 267 priority 0 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 268 priority 0 for 1 subscribers.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 268 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 268.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 268 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 268 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 268 priority 0 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 269 priority 0 for 1 subscribers.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 269 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 269.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 269 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 269 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 269 priority 0 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 270 priority 0 for 1 subscribers.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 270 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 270.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 270 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 270 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 270 priority 0 succeeded.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 271 priority 0 for 1 subscribers.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 271 priority 0 (remaining 1 subscribers).

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 271.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 271 succeeded.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 271 priority 0 (remaining 0 subscribers).

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 271 priority 0 succeeded.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 272 priority 0 for 1 subscribers.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 272 priority 0 (remaining 1 subscribers).

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 272.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 272 succeeded.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 272 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 272 priority 0 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 273 priority 0 for 1 subscribers.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 273 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 273.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 273 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 273 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 273 priority 0 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 274 priority 0 for 1 subscribers.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 274 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 274.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 274 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 274 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 274 priority 0 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- $Aug\ 2\ 18:39:08\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 275 priority 0 for 1 subscribers.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 275 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 275.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 275 succeeded.
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 275 priority 0 (remaining 0 subscribers).

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 275 priority 0 succeeded.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 276 priority 0 for 1 subscribers.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 276 priority 0 (remaining 1 subscribers).

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 276.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 276 succeeded.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 276 priority 0 (remaining 0 subscribers).

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 276 priority 0 succeeded.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 277 priority 0 for 1 subscribers.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 277 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 277.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 277 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 277 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 277 priority 0 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 278 priority 0 for 1 subscribers.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 278 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 278.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 278 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 278 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 278 priority 0 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 279 priority 0 for 1 subscribers.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 279 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 279.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 279 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 279 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 279 priority 0 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 280 priority 0 for 1 subscribers.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 280 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 280.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 280 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 280 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 280 priority 0 succeeded.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 281 priority 0 for 1 subscribers.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 281 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 281.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 281 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 281 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 281 priority 0 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 282 priority 0 for 1 subscribers.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 282 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 282.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 282 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 282 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 282 priority 0 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:10\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 283 priority 0 for 1 subscribers.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 283 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 283.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 283 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 283 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 283 priority 0 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:10\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 284 priority 0 for 1 subscribers.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 284 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 284.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 284 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 284 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 284 priority 0 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 285 priority 0 for 1 subscribers.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 285 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 285.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 285 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 285 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 285 priority 0 succeeded.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 286 priority 0 for 1 subscribers.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 286 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 286.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 286 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 286 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 286 priority 0 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 287 priority 0 for 1 subscribers.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 287 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 287.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 287 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 287 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 287 priority 0 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 288 priority 0 for 1 subscribers.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 288 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 288.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 288 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 288 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 288 priority 0 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 289 priority 0 for 1 subscribers.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 289 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 289.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 289 succeeded.

- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 289 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 289 priority 0 succeeded.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 290 priority 0 for 1 subscribers.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 290 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 290.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 290 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 290 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 290 priority 0 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 291 priority 0 for 1 subscribers.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 291 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 291.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 291 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 291 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 291 priority 0 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 292 priority 0 for 1 subscribers.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 292 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 292.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 292 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 292 priority 0 (remaining 0 subscribers).

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 292 priority 0 succeeded.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 293 priority 0 for 1 subscribers.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 293 priority 0 (remaining 1 subscribers).

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 293.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 293 succeeded.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 293 priority 0 (remaining 0 subscribers).

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 293 priority 0 succeeded.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 294 priority 0 for 1 subscribers.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 294 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 294.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 294 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 294 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 294 priority 0 succeeded.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:13 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 295 priority 0 for 1 subscribers.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 295 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 295.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 295 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 295 priority 0 (remaining 0 subscribers).

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 295 priority 0 succeeded.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 296 priority 0 for 1 subscribers.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 296 priority 0 (remaining 1 subscribers).

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 296.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 296 succeeded.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 296 priority 0 (remaining 0 subscribers).

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 296 priority 0 succeeded.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 297 priority 0 for 1 subscribers.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 297 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 297.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 297 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 297 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 297 priority 0 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 298 priority 0 for 1 subscribers.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 298 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 298.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 298 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 298 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 298 priority 0 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 299 priority 0 for 1 subscribers.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 299 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 299.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 299 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 299 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 299 priority 0 succeeded.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:13\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 300 priority 0 for 1 subscribers.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 300 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 300.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 300 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 300 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 300 priority 0 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 301 priority 0 for 1 subscribers.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 301 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 301.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 301 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 301 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 301 priority 0 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 302 priority 0 for 1 subscribers.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 302 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 302.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 302 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 302 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 302 priority 0 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 303 priority 0 for 1 subscribers.

- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 303 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 303.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 303 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 303 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 303 priority 0 succeeded.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 304 priority 0 for 1 subscribers.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 304 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 304.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 304 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 304 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 304 priority 0 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 305 priority 0 for 1 subscribers.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 305 priority 0 (remaining 1 subscribers).

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 305.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 305 succeeded.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 305 priority 0 (remaining 0 subscribers).

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 305 priority 0 succeeded.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

 $Aug\ 2\ 18:39:15\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$ 

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 306 priority 0 for 1 subscribers.

Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 306 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 306.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 306 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 306 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 306 priority 0 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 307 priority 0 for 1 subscribers.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 307 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 307.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 307 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 307 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 307 priority 0 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 308 priority 0 for 1 subscribers.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 308 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 308.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 308 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 308 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 308 priority 0 succeeded.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 309 priority 0 for 1 subscribers.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 309 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 309.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 309 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 309 priority 0 (remaining 0 subscribers).

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 309 priority 0 succeeded.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 310 priority 0 for 1 subscribers.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 310 priority 0 (remaining 1 subscribers).

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 310.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 310 succeeded.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 310 priority 0 (remaining 0 subscribers).

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 310 priority 0 succeeded.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 311 priority 0 for 1 subscribers.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 311 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 311.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 311 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 311 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 311 priority 0 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 312 priority 0 for 1 subscribers.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 312 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 312.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 312 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 312 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 312 priority 0 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 313 priority 0 for 1 subscribers.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 313 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 313.
- $Aug\ \ 2\ 18:39:16\ garuda\ daemon. info\ net opeer 2-server [846]:\ Event\ "operational"\ with\ ID\ 313\ succeeded.$
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 313 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 313 priority 0 succeeded.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 314 priority 0 for 1 subscribers.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 314 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 314.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 314 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 314 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 314 priority 0 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:39:17\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 315 priority 0 for 1 subscribers.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 315 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 315.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 315 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 315 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 315 priority 0 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 316 priority 0 for 1 subscribers.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 316 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 316.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 316 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 316 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 316 priority 0 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 317 priority 0 for 1 subscribers.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 317 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 317.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 317 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 317 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 317 priority 0 succeeded.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 318 priority 0 for 1 subscribers.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 318 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 318.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 318 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 318 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 318 priority 0 succeeded.

- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 319 priority 0 for 1 subscribers.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 319 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 319.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 319 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 319 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 319 priority 0 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 320 priority 0 for 1 subscribers.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 320 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 320.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 320 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 320 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 320 priority 0 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 321 priority 0 for 1 subscribers.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 321 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 321.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 321 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 321 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 321 priority 0 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 322 priority 0 for 1 subscribers.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 322 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 322.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 322 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 322 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 322 priority 0 succeeded.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 323 priority 0 for 1 subscribers.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 323 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 323.

- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 323 succeeded.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 323 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 323 priority 0 succeeded.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 324 priority 0 for 1 subscribers.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 324 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 324.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 324 succeeded.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 324 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 324 priority 0 succeeded.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 325 priority 0 for 1 subscribers.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 325 priority 0 (remaining 1 subscribers).

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 325.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 325 succeeded.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 325 priority 0 (remaining 0 subscribers).

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 325 priority 0 succeeded.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 326 priority 0 for 1 subscribers.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 326 priority 0 (remaining 1 subscribers).

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 326.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 326 succeeded.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 326 priority 0 (remaining 0 subscribers).

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 326 priority 0 succeeded.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 327 priority 0 for 1 subscribers.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 327 priority 0 (remaining 1 subscribers).

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 327.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 327 succeeded.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 327 priority 0 (remaining 0 subscribers).

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 327 priority 0 succeeded.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 328 priority 0 for 1 subscribers.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 328 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 328.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 328 succeeded.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 328 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 328 priority 0 succeeded.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:39:20\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 329 priority 0 for 1 subscribers.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 329 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 329.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 329 succeeded.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 329 priority 0 (remaining 0 subscribers).

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 329 priority 0 succeeded.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 330 priority 0 for 1 subscribers.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 330 priority 0 (remaining 1 subscribers).

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 330.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 330 succeeded.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 330 priority 0 (remaining 0 subscribers).

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 330 priority 0 succeeded.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 331 priority 0 for 1 subscribers.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 331 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 331.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 331 succeeded.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 331 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 331 priority 0 succeeded.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 332 priority 0 for 1 subscribers.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 332 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 332.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 332 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 332 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 332 priority 0 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 333 priority 0 for 1 subscribers.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 333 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 333.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 333 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 333 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 333 priority 0 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 334 priority 0 for 1 subscribers.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 334 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 334.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 334 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 334 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 334 priority 0 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 335 priority 0 for 1 subscribers.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 335 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 335.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 335 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 335 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 335 priority 0 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 336 priority 0 for 1 subscribers.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 336 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 336.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 336 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 336 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 336 priority 0 succeeded.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 337 priority 0 for 1 subscribers.

- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 337 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 337.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 337 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 337 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 337 priority 0 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 338 priority 0 for 1 subscribers.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 338 priority 0 (remaining 1 subscribers)
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 338.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 338 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 338 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 338 priority 0 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 339 priority 0 for 1 subscribers.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 339 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 339.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 339 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 339 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 339 priority 0 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 340 priority 0 for 1 subscribers.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 340 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 340.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 340 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 340 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 340 priority 0 succeeded.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 341 priority 0 for 1 subscribers.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 341 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 341.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 341 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 341 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 341 priority 0 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 342 priority 0 for 1 subscribers.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 342 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 342.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 342 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 342 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 342 priority 0 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 343 priority 0 for 1 subscribers.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 343 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 343.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 343 succeeded.

- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 343 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 343 priority 0 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 344 priority 0 for 1 subscribers.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 344 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 344.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 344 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 344 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 344 priority 0 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 345 priority 0 for 1 subscribers.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 345 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 345.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 345 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 345 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 345 priority 0 succeeded.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 346 priority 0 for 1 subscribers.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 346 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 346.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 346 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 346 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 346 priority 0 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 347 priority 0 for 1 subscribers.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 347 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 347.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 347 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 347 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 347 priority 0 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 348 priority 0 for 1 subscribers.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 348 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 348.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 348 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 348 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 348 priority 0 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 349 priority 0 for 1 subscribers.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 349 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 349.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 349 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 349 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 349 priority 0 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 350 priority 0 for 1 subscribers.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 350 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 350.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 350 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 350 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 350 priority 0 succeeded.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 351 priority 0 for 1 subscribers.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 351 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 351.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 351 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 351 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 351 priority 0 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 352 priority 0 for 1 subscribers.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 352 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 352.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 352 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 352 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 352 priority 0 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 353 priority 0 for 1 subscribers.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 353 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 353.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 353 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 353 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 353 priority 0 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 354 priority 0 for 1 subscribers.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 354 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 354.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 354 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 354 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 354 priority 0 succeeded.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 355 priority 0 for 1 subscribers.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 355 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 355.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 355 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 355 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 355 priority 0 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 356 priority 0 for 1 subscribers.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 356 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 356.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 356 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 356 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 356 priority 0 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 357 priority 0 for 1 subscribers.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 357 priority 0 (remaining 1

subscribers).

- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 357.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 357 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 357 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 357 priority 0 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 358 priority 0 for 1 subscribers.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 358 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 358.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 358 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 358 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 358 priority 0 succeeded.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 359 priority 0 for 1 subscribers.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 359 priority 0 (remaining 1 subscribers).

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 359.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 359 succeeded.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 359 priority 0 (remaining 0 subscribers).

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 359 priority 0 succeeded.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:27 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 360 priority 0 for 1 subscribers.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 360 priority 0 (remaining 1 subscribers).

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 360.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 360 succeeded.

- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 360 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 360 priority 0 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 361 priority 0 for 1 subscribers.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 361 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 361.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 361 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 361 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 361 priority 0 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 362 priority 0 for 1 subscribers.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 362 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 362.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 362 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 362 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 362 priority 0 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 363 priority 0 for 1 subscribers.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 363 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 363.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 363 succeeded.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 363 priority 0 (remaining 0 subscribers).

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 363 priority 0 succeeded.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 364 priority 0 for 1 subscribers.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 364 priority 0 (remaining 1 subscribers).

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 364.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 364 succeeded.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 364 priority 0 (remaining 0 subscribers).

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 364 priority 0 succeeded.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 365 priority 0 for 1 subscribers.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 365 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 365.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 365 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 365 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 365 priority 0 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 366 priority 0 for 1 subscribers.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 366 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 366.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 366 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 366 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 366 priority 0 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 367 priority 0 for 1 subscribers.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 367 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 367.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 367 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 367 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 367 priority 0 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 368 priority 0 for 1 subscribers.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 368 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 368.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 368 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 368 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 368 priority 0 succeeded.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 369 priority 0 for 1 subscribers.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 369 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 369.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 369 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 369 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 369 priority 0 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 370 priority 0 for 1 subscribers.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 370 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 370.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 370 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 370 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 370 priority 0 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 371 priority 0 for 1 subscribers.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 371 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 371.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 371 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 371 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 371 priority 0 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 372 priority 0 for 1 subscribers.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 372 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 372.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 372 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 372 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 372 priority 0 succeeded.

- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:29 garuda user.notice kernel: [ 316.445514] EXT4-fs (mmcblk0p2): error count since last fsck: 13
- Aug 2 18:39:29 garuda user.notice kernel: [ 316.451519] EXT4-fs (mmcblk0p2): initial error at time 1807679724: ext4\_lookup:1700: inode 7393
- Aug 2 18:39:29 garuda user.notice kernel: [ 316.460213] EXT4-fs (mmcblk0p2): last error at time 1807679771: ext4\_lookup:1700: inode 7393
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 373 priority 0 for 1 subscribers.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 373 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 373.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 373 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 373 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 373 priority 0 succeeded.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:29\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 374 priority 0 for 1 subscribers.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 374 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 374.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 374 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 374 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 374 priority 0 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 375 priority 0 for 1 subscribers.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 375 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 375.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 375 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 375 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 375 priority 0 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 376 priority 0 for 1 subscribers.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 376 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 376.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 376 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 376 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 376 priority 0 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 377 priority 0 for 1 subscribers.

- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 377 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 377.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 377 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 377 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 377 priority 0 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 378 priority 0 for 1 subscribers.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 378 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 378.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 378 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 378 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 378 priority 0 succeeded.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 379 priority 0 for 1 subscribers.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 379 priority 0 (remaining 1 subscribers).

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 379.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 379 succeeded.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 379 priority 0 (remaining 0 subscribers).

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 379 priority 0 succeeded.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 380 priority 0 for 1 subscribers.

Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 380 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 380.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 380 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 380 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 380 priority 0 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 381 priority 0 for 1 subscribers.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 381 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 381.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 381 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 381 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 381 priority 0 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 382 priority 0 for 1 subscribers.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 382 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 382.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 382 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 382 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 382 priority 0 succeeded.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 383 priority 0 for 1 subscribers.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 383 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 383.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 383 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 383 priority 0 (remaining 0 subscribers).

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 383 priority 0 succeeded.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 384 priority 0 for 1 subscribers.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 384 priority 0 (remaining 1 subscribers).

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 384.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 384 succeeded.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 384 priority 0 (remaining 0 subscribers).

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 384 priority 0 succeeded.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 385 priority 0 for 1 subscribers.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 385 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 385.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 385 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 385 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 385 priority 0 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 386 priority 0 for 1 subscribers.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 386 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 386.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 386 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 386 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 386 priority 0 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 387 priority 0 for 1 subscribers.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 387 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 387.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 387 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 387 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 387 priority 0 succeeded.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 388 priority 0 for 1 subscribers.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 388 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 388.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 388 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 388 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 388 priority 0 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 389 priority 0 for 1 subscribers.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 389 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 389.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 389 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 389 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 389 priority 0 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 390 priority 0 for 1 subscribers.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 390 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 390.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 390 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 390 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 390 priority 0 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 391 priority 0 for 1 subscribers.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 391 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 391.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 391 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 391 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 391 priority 0 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 392 priority 0 for 1 subscribers.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 392 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 392.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 392 succeeded.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 392 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 392 priority 0 succeeded.

- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 393 priority 0 for 1 subscribers.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 393 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 393.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 393 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 393 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 393 priority 0 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 394 priority 0 for 1 subscribers.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 394 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 394.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 394 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 394 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 394 priority 0 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 395 priority 0 for 1 subscribers.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 395 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 395.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 395 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 395 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 395 priority 0 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 396 priority 0 for 1 subscribers.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 396 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 396.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 396 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 396 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 396 priority 0 succeeded.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 397 priority 0 for 1 subscribers.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 397 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 397.

- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 397 succeeded.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 397 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 397 priority 0 succeeded.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 398 priority 0 for 1 subscribers.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 398 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 398.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 398 succeeded.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 398 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 398 priority 0 succeeded.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 399 priority 0 for 1 subscribers.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 399 priority 0 (remaining 1 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 399.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 399 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 399 priority 0 (remaining 0 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 399 priority 0 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 400 priority 0 for 1 subscribers.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 400 priority 0 (remaining 1 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 400.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 400 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 400 priority 0 (remaining 0 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 400 priority 0 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 401 priority 0 for 1 subscribers.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 401 priority 0 (remaining 1 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 401.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 401 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 401 priority 0 (remaining 0 subscribers).

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 401 priority 0 succeeded.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 402 priority 0 for 1 subscribers.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 402 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 402.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 402 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 402 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 402 priority 0 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 403 priority 0 for 1 subscribers.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 403 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 403.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 403 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 403 priority 0 (remaining 0 subscribers).

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 403 priority 0 succeeded.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 404 priority 0 for 1 subscribers.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 404 priority 0 (remaining 1 subscribers).

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 404.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 404 succeeded.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 404 priority 0 (remaining 0 subscribers).

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 404 priority 0 succeeded.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 405 priority 0 for 1 subscribers.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 405 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 405.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 405 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 405 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 405 priority 0 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 406 priority 0 for 1 subscribers.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 406 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 406.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 406 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 406 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 406 priority 0 succeeded.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 407 priority 0 for 1 subscribers.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 407 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 407.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 407 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 407 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 407 priority 0 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 408 priority 0 for 1 subscribers.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 408 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 408.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 408 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 408 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 408 priority 0 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 409 priority 0 for 1 subscribers.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 409 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 409.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 409 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 409 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 409 priority 0 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 410 priority 0 for 1 subscribers.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 410 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 410.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 410 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 410 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 410 priority 0 succeeded.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 411 priority 0 for 1 subscribers.

- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 411 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 411.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 411 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 411 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 411 priority 0 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 412 priority 0 for 1 subscribers.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 412 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 412.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 412 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 412 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 412 priority 0 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 413 priority 0 for 1 subscribers.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 413 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 413.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 413 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 413 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 413 priority 0 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 414 priority 0 for 1 subscribers.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 414 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 414.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 414 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 414 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 414 priority 0 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 415 priority 0 for 1 subscribers.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 415 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 415.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 415 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 415 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 415 priority 0 succeeded.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 416 priority 0 for 1 subscribers.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 416 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 416.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 416 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 416 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 416 priority 0 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 417 priority 0 for 1 subscribers.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 417 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 417.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 417 succeeded.

- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 417 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 417 priority 0 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 418 priority 0 for 1 subscribers.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 418 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 418.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 418 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 418 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 418 priority 0 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 419 priority 0 for 1 subscribers.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 419 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 419.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 419 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 419 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 419 priority 0 succeeded.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 420 priority 0 for 1 subscribers.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 420 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 420.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 420 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 420 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 420 priority 0 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 421 priority 0 for 1 subscribers.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 421 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 421.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 421 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 421 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 421 priority 0 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.

- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 422 priority 0 for 1 subscribers.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 422 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 422.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 422 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 422 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 422 priority 0 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 423 priority 0 for 1 subscribers.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 423 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 423.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 423 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 423 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 423 priority 0 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 424 priority 0 for 1 subscribers.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 424 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 424.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 424 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 424 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 424 priority 0 succeeded.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:41 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 425 priority 0 for 1 subscribers.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 425 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 425.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 425 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 425 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 425 priority 0 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 426 priority 0 for 1 subscribers.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 426 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 426.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 426 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 426 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 426 priority 0 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 427 priority 0 for 1 subscribers.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 427 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 427.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 427 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 427 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 427 priority 0 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 428 priority 0 for 1 subscribers.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 428 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 428.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 428 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 428 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 428 priority 0 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 429 priority 0 for 1 subscribers.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 429 priority 0 (remaining 1 subscribers)
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 429.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 429 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 429 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 429 priority 0 succeeded.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 430 priority 0 for 1 subscribers.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 430 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 430.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 430 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 430 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 430 priority 0 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 431 priority 0 for 1 subscribers.

- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 431 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 431.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 431 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 431 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 431 priority 0 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 432 priority 0 for 1 subscribers.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 432 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 432.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 432 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 432 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 432 priority 0 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 433 priority 0 for 1 subscribers.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 433 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 433.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 433 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 433 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 433 priority 0 succeeded.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 434 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 434 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 434.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 434 succeeded.

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 434 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 434 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 49.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 49 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 50.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 50 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 51.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 51 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 52.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 52 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not

#### required.

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 53.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 53 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 54.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 54 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 55.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 55 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 56.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 56 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 57.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 57 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 58.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 58 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 59.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 59 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 60.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 60 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 435 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 435 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 435.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 435 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 435 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 435 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 61.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 61 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 436 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 436 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 436.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 436 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 436 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 436 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 62.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 62 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 437 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 437 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 437.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 437 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 437 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 437 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 438 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 438 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 438.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 438 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 438 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 438 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 439 priority 0 for 1 subscribers.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 439 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 439.

- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 439 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 439 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 439 priority 0 succeeded.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 63.
- Aug 2 18:39:43 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 63 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 440 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 440 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 440.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 440 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 440 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 440 priority 0 succeeded.

- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 441 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 441 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 441.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 441 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 441 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 441 priority 0 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 64.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 64 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 442 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 442 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 442.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 442 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 442 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 442 priority 0 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 4 event new RPC.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 443 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 443 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 443.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 443 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 443 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 443 priority 0 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 444 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 444 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 444.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 444 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 444 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 444 priority 0 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not

#### required.

- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 65.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 65 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 66.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 66 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 445 priority 0 for 1 subscribers.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 445 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 445.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 445 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 445 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 445 priority 0 succeeded.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 446 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 446 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 446.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 446 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 446 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 446 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ 2\ 18:39:45\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 447 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 447 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 447.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 447 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 447 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 447 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 67.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 67 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 448 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 448 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 448.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 448 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 448 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 448 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 0 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 449 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 449 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 449.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 449 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 449 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 449 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 450 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 450 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 450.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 450 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 450 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 450 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 68.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 68 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 451 priority 0 for 1 subscribers.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 451 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 451.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 451 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 451 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 451 priority 0 succeeded.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 0 event new RPC.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 452 priority 0 for 1 subscribers.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 452 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 452.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 452 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 452 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 452 priority 0 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:46\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 453\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 453 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 453.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 453 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 453 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 453 priority 0 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 454 priority 0 for 1 subscribers.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 454 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 454.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 454 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 454 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 454 priority 0 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.

- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 69.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 69 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 455 priority 0 for 1 subscribers.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 455 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 455.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 455 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 455 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 455 priority 0 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 70.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 70 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 456 priority 0 for 1 subscribers.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 456 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 456.

- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 456 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 456 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 456 priority 0 succeeded.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 457 priority 0 for 1 subscribers.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 457 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 457.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 457 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:39:47\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 457 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 457 priority 0 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 458 priority 0 for 1 subscribers.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 458 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 458.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 458 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 458 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 458 priority 0 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 459 priority 0 for 1 subscribers.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 459 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 459.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 459 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 459 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 459 priority 0 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 71.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 71 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 460 priority 0 for 1 subscribers.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 460 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 460.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 460 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 460 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 460 priority 0 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 72.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 72 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 461 priority 0 for 1 subscribers.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 461 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 461.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 461 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 461 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 461 priority 0 succeeded.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 462 priority 0 for 1 subscribers.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 462 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 462.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 462 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 462 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 462 priority 0 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 463 priority 0 for 1 subscribers.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 463 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 463.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 463 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 463 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 463 priority 0 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 464 priority 0 for 1 subscribers.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 464 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 464.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 464 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 464 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 464 priority 0 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 465 priority 0 for 1 subscribers.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 465 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 465.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 465 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 465 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 465 priority 0 succeeded.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 466 priority 0 for 1 subscribers.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 466 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 466.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 466 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 466 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 466 priority 0 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 467 priority 0 for 1 subscribers.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 467 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 467.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 467 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 467 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 467 priority 0 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 468 priority 0 for 1 subscribers.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 468 priority 0 (remaining 1

subscribers).

- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 468.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 468 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 468 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 468 priority 0 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 469 priority 0 for 1 subscribers.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 469 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 469.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 469 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 469 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 469 priority 0 succeeded.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 470 priority 0 for 1 subscribers.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 470 priority 0 (remaining 1 subscribers).

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 470.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 470 succeeded.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 470 priority 0 (remaining 0 subscribers).

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 470 priority 0 succeeded.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 471 priority 0 for 1 subscribers.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 471 priority 0 (remaining 1 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 471.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 471 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 471 priority 0 (remaining 0 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 471 priority 0 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 472 priority 0 for 1 subscribers.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 472 priority 0 (remaining 1 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 472.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 472 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 472 priority 0 (remaining 0 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 472 priority 0 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 473 priority 0 for 1 subscribers.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 473 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 473.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 473 succeeded.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 473 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 473 priority 0 succeeded.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 474 priority 0 for 1 subscribers.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 474 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 474.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 474 succeeded.
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 474 priority 0 (remaining 0 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 474 priority 0 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 475 priority 0 for 1 subscribers.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 475 priority 0 (remaining 1 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 475.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 475 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 475 priority 0 (remaining 0 subscribers).

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 475 priority 0 succeeded.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 476 priority 0 for 1 subscribers.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 476 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 476.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 476 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 476 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 476 priority 0 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 477 priority 0 for 1 subscribers.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 477 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 477.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 477 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 477 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 477 priority 0 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 478 priority 0 for 1 subscribers.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 478 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 478.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 478 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 478 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 478 priority 0 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 479 priority 0 for 1 subscribers.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 479 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 479.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 479 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 479 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 479 priority 0 succeeded.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 480 priority 0 for 1 subscribers.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 480 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 480.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 480 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 480 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 480 priority 0 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 481 priority 0 for 1 subscribers.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 481 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 481.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 481 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 481 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 481 priority 0 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:39:52\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 482 priority 0 for 1 subscribers.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 482 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 482.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 482 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 482 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 482 priority 0 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 483 priority 0 for 1 subscribers.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 483 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 483.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 483 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 483 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 483 priority 0 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 484 priority 0 for 1 subscribers.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 484 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 484.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 484 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 484 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 484 priority 0 succeeded.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:52 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 485 priority 0 for 1 subscribers.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 485 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 485.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 485 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 485 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 485 priority 0 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 486 priority 0 for 1 subscribers.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 486 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 486.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 486 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- $Aug\ 2\ 18:39:53\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 486 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 486 priority 0 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 487 priority 0 for 1 subscribers.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 487 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 487.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 487 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 487 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 487 priority 0 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 488 priority 0 for 1 subscribers.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 488 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 488.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 488 succeeded.

- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 488 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 488 priority 0 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 489 priority 0 for 1 subscribers.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 489 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 489.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 489 succeeded.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:53 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 489 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 489 priority 0 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 490 priority 0 for 1 subscribers.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 490 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 490.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 490 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 490 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 490 priority 0 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 491 priority 0 for 1 subscribers.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 491 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 491.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 491 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 491 priority 0 (remaining 0 subscribers).

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 491 priority 0 succeeded.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 492 priority 0 for 1 subscribers.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 492 priority 0 (remaining 1 subscribers).

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 492.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 492 succeeded.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 492 priority 0 (remaining 0 subscribers).

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 492 priority 0 succeeded.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 493 priority 0 for 1 subscribers.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 493 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 493.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 493 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 493 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 493 priority 0 succeeded.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:54 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 494 priority 0 for 1 subscribers.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 494 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 494.
- Aug 2 18:39:55 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 494 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 494 priority 0 (remaining 0 subscribers).

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 494 priority 0 succeeded.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 495 priority 0 for 1 subscribers.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 495 priority 0 (remaining 1 subscribers).

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 495.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 495 succeeded.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 495 priority 0 (remaining 0 subscribers).

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 495 priority 0 succeeded.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 496 priority 0 for 1 subscribers.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 496 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 496.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 496 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 496 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 496 priority 0 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 497 priority 0 for 1 subscribers.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 497 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 497.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 497 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 497 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 497 priority 0 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 498 priority 0 for 1 subscribers.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 498 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 498.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 498 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 498 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 498 priority 0 succeeded.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:55 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 499 priority 0 for 1 subscribers.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 499 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 499.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 499 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 499 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 499 priority 0 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 500 priority 0 for 1 subscribers.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 500 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 500.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 500 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 500 priority 0 (remaining 0 subscribers).

- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 500 priority 0 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 501 priority 0 for 1 subscribers.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 501 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 501.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 501 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 501 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 501 priority 0 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 502 priority 0 for 1 subscribers.

- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 502 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 502.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 502 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 502 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 502 priority 0 succeeded.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:56 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 503 priority 0 for 1 subscribers.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 503 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 503.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 503 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 503 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 503 priority 0 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 504 priority 0 for 1 subscribers.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 504 priority 0 (remaining 1 subscribers).

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 504.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 504 succeeded.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 504 priority 0 (remaining 0 subscribers).

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 504 priority 0 succeeded.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 505 priority 0 for 1 subscribers.

Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 505 priority 0 (remaining 1 subscribers).

- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 505.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 505 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 505 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 505 priority 0 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 506 priority 0 for 1 subscribers.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 506 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 506.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 506 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 506 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 506 priority 0 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

## required.

- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 507 priority 0 for 1 subscribers.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 507 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 507.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 507 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 507 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 507 priority 0 succeeded.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:57 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 508 priority 0 for 1 subscribers.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 508 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 508.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 508 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 508 priority 0 (remaining 0 subscribers).

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 508 priority 0 succeeded.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 509 priority 0 for 1 subscribers.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 509 priority 0 (remaining 1 subscribers).

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 509.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 509 succeeded.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 509 priority 0 (remaining 0 subscribers).

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 509 priority 0 succeeded.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 510 priority 0 for 1 subscribers.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 510 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 510.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 510 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 510 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 510 priority 0 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 511 priority 0 for 1 subscribers.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 511 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 511.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 511 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 511 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 511 priority 0 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 512 priority 0 for 1 subscribers.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 512 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 512.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 512 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 512 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 512 priority 0 succeeded.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:58 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 513 priority 0 for 1 subscribers.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 513 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 513.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 513 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 513 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 513 priority 0 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 514 priority 0 for 1 subscribers.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 514 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 514.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 514 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 514 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 514 priority 0 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 515 priority 0 for 1 subscribers.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 515 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 515.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 515 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 515 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 515 priority 0 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 516 priority 0 for 1 subscribers.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 516 priority 0 (remaining 1 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 516.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 516 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 516 priority 0 (remaining 0 subscribers).
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 516 priority 0 succeeded.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:39:59 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:40:00\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 517\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 517 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 517.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 517 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 517 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 517 priority 0 succeeded.

- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 518 priority 0 for 1 subscribers.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 518 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 518.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 518 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 518 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 518 priority 0 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 519 priority 0 for 1 subscribers.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 519 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 519.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 519 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 519 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 519 priority 0 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 520 priority 0 for 1 subscribers.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 520 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 520.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 520 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 520 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 520 priority 0 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 521 priority 0 for 1 subscribers.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 521 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 521.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 521 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 521 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 521 priority 0 succeeded.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:00 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 522 priority 0 for 1 subscribers.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 522 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 522.

- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 522 succeeded.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 522 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 522 priority 0 succeeded.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 523 priority 0 for 1 subscribers.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 523 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 523.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 523 succeeded.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 523 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 523 priority 0 succeeded.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 524 priority 0 for 1 subscribers.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 524 priority 0 (remaining 1 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 524.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 524 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 524 priority 0 (remaining 0 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 524 priority 0 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 525 priority 0 for 1 subscribers.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 525 priority 0 (remaining 1 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 525.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 525 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 525 priority 0 (remaining 0 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 525 priority 0 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 526 priority 0 for 1 subscribers.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 526 priority 0 (remaining 1 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 526.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 526 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 526 priority 0 (remaining 0 subscribers).

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 526 priority 0 succeeded.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:01 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 527 priority 0 for 1 subscribers.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 527 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 527.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 527 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 527 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 527 priority 0 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:40:02\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 528 priority 0 for 1 subscribers.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 528 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 528.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 528 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 528 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 528 priority 0 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 529 priority 0 for 1 subscribers.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 529 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 529.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 529 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 529 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 529 priority 0 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 530 priority 0 for 1 subscribers.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 530 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 530.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 530 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 530 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 530 priority 0 succeeded.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:02 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 531 priority 0 for 1 subscribers.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 531 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 531.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 531 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 531 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 531 priority 0 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 532 priority 0 for 1 subscribers.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 532 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 532.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 532 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 532 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 532 priority 0 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 533 priority 0 for 1 subscribers.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 533 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 533.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 533 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 533 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 533 priority 0 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 534 priority 0 for 1 subscribers.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 534 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 534.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 534 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 534 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 534 priority 0 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 535 priority 0 for 1 subscribers.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 535 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 535.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 535 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 535 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 535 priority 0 succeeded.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:03 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 536 priority 0 for 1 subscribers.

- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 536 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 536.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 536 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 536 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 536 priority 0 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:40:04\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 537 priority 0 for 1 subscribers.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 537 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 537.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 537 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 537 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 537 priority 0 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 538 priority 0 for 1 subscribers.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 538 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 538.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 538 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 538 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 538 priority 0 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 539 priority 0 for 1 subscribers.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 539 priority 0 (remaining 1 subscribers).

- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 539.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 539 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 539 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 539 priority 0 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 540 priority 0 for 1 subscribers.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 540 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 540.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 540 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 540 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 540 priority 0 succeeded.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:04 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 541 priority 0 for 1 subscribers.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 541 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 541.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 541 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 541 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 541 priority 0 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 542 priority 0 for 1 subscribers.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 542 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 542.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 542 succeeded.

- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 542 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 542 priority 0 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 543 priority 0 for 1 subscribers.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 543 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 543.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 543 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 543 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 543 priority 0 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 544 priority 0 for 1 subscribers.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 544 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 544.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 544 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 544 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 544 priority 0 succeeded.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 545 priority 0 for 1 subscribers.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 545 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 545.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 545 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 545 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 545 priority 0 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 546 priority 0 for 1 subscribers.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 546 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 546.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 546 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 546 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 546 priority 0 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 547 priority 0 for 1 subscribers.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 547 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 547.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 547 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 547 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 547 priority 0 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ 2\ 18:40:06\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 548 priority 0 for 1 subscribers.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 548 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 548.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 548 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 548 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 548 priority 0 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 549 priority 0 for 1 subscribers.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 549 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 549.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 549 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 549 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 549 priority 0 succeeded.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:06 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 550 priority 0 for 1 subscribers.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 550 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 550.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 550 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 550 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 550 priority 0 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 551 priority 0 for 1 subscribers.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 551 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 551.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 551 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 551 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 551 priority 0 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 552 priority 0 for 1 subscribers.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 552 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 552.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 552 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 552 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 552 priority 0 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 553 priority 0 for 1 subscribers.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 553 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 553.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 553 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 553 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 553 priority 0 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 554 priority 0 for 1 subscribers.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 554 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 554.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 554 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 554 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 554 priority 0 succeeded.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:07 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 555 priority 0 for 1 subscribers.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 555 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 555.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 555 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 555 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 555 priority 0 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 556 priority 0 for 1 subscribers.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 556 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 556.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 556 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 556 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 556 priority 0 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 557 priority 0 for 1 subscribers.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 557 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 557.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 557 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 557 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 557 priority 0 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 558 priority 0 for 1 subscribers.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 558 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 558.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 558 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 558 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 558 priority 0 succeeded.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:08 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 559 priority 0 for 1 subscribers.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 559 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 559.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 559 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 559 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 559 priority 0 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:09 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 560 priority 0 for 1 subscribers.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 560 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 560.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 560 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 560 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 560 priority 0 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 561 priority 0 for 1 subscribers.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 561 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 561.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 561 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 561 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 561 priority 0 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 562 priority 0 for 1 subscribers.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 562 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 562.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 562 succeeded.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 562 priority 0 (remaining 0 subscribers).

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 562 priority 0 succeeded.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 563 priority 0 for 1 subscribers.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 563 priority 0 (remaining 1 subscribers).

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]; Published event "operational" "/o-ran-sync:sync" with ID 563.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 563 succeeded.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 563 priority 0 (remaining 0 subscribers).

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 563 priority 0 succeeded.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:09 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 564 priority 0 for 1 subscribers.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 564 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 564.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 564 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 564 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 564 priority 0 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 565 priority 0 for 1 subscribers.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 565 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 565.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 565 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 565 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 565 priority 0 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 566 priority 0 for 1 subscribers.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 566 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 566.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 566 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 566 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 566 priority 0 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 567 priority 0 for 1 subscribers.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 567 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 567.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 567 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 567 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 567 priority 0 succeeded.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:10 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 568 priority 0 for 1 subscribers.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 568 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 568.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 568 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 568 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 568 priority 0 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 569 priority 0 for 1 subscribers.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 569 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 569.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 569 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 569 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 569 priority 0 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 570 priority 0 for 1 subscribers.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 570 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 570.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 570 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 570 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 570 priority 0 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 571 priority 0 for 1 subscribers.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 571 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 571.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 571 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 571 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 571 priority 0 succeeded.

- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 572 priority 0 for 1 subscribers.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 572 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 572.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 572 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 572 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 572 priority 0 succeeded.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:11 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 573 priority 0 for 1 subscribers.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 573 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 573.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 573 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 573 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 573 priority 0 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 574 priority 0 for 1 subscribers.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 574 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 574.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 574 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 574 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 574 priority 0 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 575 priority 0 for 1 subscribers.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 575 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 575.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 575 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 575 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 575 priority 0 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 576 priority 0 for 1 subscribers.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 576 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 576.

- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 576 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 576 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 576 priority 0 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 577 priority 0 for 1 subscribers.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 577 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 577.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 577 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:40:12\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 577 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 577 priority 0 succeeded.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:12 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 578 priority 0 for 1 subscribers.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 578 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 578.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 578 succeeded.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 578 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 578 priority 0 succeeded.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ \ 2\ 18:40:13\ garuda\ daemon. info\ net opeer 2-server [846]:\ Trying\ to\ connect\ via\ IPv4\ to\ 192.168.4.15:4334.$
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 579 priority 0 for 1 subscribers.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 579 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 579.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 579 succeeded.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 579 priority 0 (remaining 0 subscribers).

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 579 priority 0 succeeded.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 580 priority 0 for 1 subscribers.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 580 priority 0 (remaining 1 subscribers).

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 580.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 580 succeeded.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 580 priority 0 (remaining 0 subscribers).

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 580 priority 0 succeeded.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 581 priority 0 for 1 subscribers.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 581 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 581.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 581 succeeded.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 581 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 581 priority 0 succeeded.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:13 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:40:14\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 582 priority 0 for 1 subscribers.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 582 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 582.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 582 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 582 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 582 priority 0 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 583 priority 0 for 1 subscribers.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 583 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 583.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 583 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 583 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 583 priority 0 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 584 priority 0 for 1 subscribers.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 584 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 584.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 584 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 584 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 584 priority 0 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:40:14\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 585\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 585 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 585.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 585 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 585 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 585 priority 0 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 586 priority 0 for 1 subscribers.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 586 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 586.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 586 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 586 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 586 priority 0 succeeded.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:14 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 587 priority 0 for 1 subscribers.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 587 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 587.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 587 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 587 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 587 priority 0 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ 2\ 18:40:15\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 588 priority 0 for 1 subscribers.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 588 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 588.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 588 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 588 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 588 priority 0 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 589 priority 0 for 1 subscribers.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 589 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 589.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 589 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 589 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 589 priority 0 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 590 priority 0 for 1 subscribers.

- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 590 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 590.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 590 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 590 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 590 priority 0 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 591 priority 0 for 1 subscribers.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 591 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 591.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 591 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 591 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 591 priority 0 succeeded.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:15 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 592 priority 0 for 1 subscribers.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 592 priority 0 (remaining 1 subscribers).

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 592.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 592 succeeded.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:oran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 592 priority 0 (remaining 0 subscribers).

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 592 priority 0 succeeded.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 593 priority 0 for 1 subscribers.

Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 593 priority 0 (remaining 1 subscribers).

- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 593.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 593 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 593 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 593 priority 0 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 594 priority 0 for 1 subscribers.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 594 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 594.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 594 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 594 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 594 priority 0 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 595 priority 0 for 1 subscribers.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 595 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 595.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 595 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 595 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 595 priority 0 succeeded.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:16 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 596 priority 0 for 1 subscribers.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 596 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 596.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 596 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 596 priority 0 (remaining 0 subscribers).

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 596 priority 0 succeeded.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 597 priority 0 for 1 subscribers.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 597 priority 0 (remaining 1 subscribers).

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 597.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 597 succeeded.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 597 priority 0 (remaining 0 subscribers).

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 597 priority 0 succeeded.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 598 priority 0 for 1 subscribers.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 598 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 598.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 598 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 598 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 598 priority 0 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 599 priority 0 for 1 subscribers.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 599 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 599.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 599 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 599 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 599 priority 0 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 600 priority 0 for 1 subscribers.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 600 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 600.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 600 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 600 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 600 priority 0 succeeded.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:17 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 601 priority 0 for 1 subscribers.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 601 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 601.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 601 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 601 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 601 priority 0 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 602 priority 0 for 1 subscribers.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 602 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 602.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 602 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 602 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 602 priority 0 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 603 priority 0 for 1 subscribers.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 603 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 603.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 603 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 603 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 603 priority 0 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 604 priority 0 for 1 subscribers.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 604 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 604.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 604 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 604 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 604 priority 0 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ 2\ 18:40:18\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 605\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 605 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 605.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 605 succeeded.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 605 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 605 priority 0 succeeded.

- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:18 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 606 priority 0 for 1 subscribers.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 606 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 606.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 606 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 606 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 606 priority 0 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 607 priority 0 for 1 subscribers.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 607 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 607.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 607 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 607 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 607 priority 0 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 608 priority 0 for 1 subscribers.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 608 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 608.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 608 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 608 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 608 priority 0 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 609 priority 0 for 1 subscribers.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 609 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 609.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 609 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 609 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 609 priority 0 succeeded.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:19 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 610 priority 0 for 1 subscribers.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 610 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 610.

- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 610 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 610 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 610 priority 0 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 611 priority 0 for 1 subscribers.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 611 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 611.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 611 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 611 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 611 priority 0 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 612 priority 0 for 1 subscribers.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 612 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 612.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 612 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 612 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 612 priority 0 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 613 priority 0 for 1 subscribers.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 613 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 613.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 613 succeeded.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 613 priority 0 (remaining 0 subscribers).

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 613 priority 0 succeeded.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 614 priority 0 for 1 subscribers.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 614 priority 0 (remaining 1 subscribers).

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 614.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 614 succeeded.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 614 priority 0 (remaining 0 subscribers).

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 614 priority 0 succeeded.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:20 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 615 priority 0 for 1 subscribers.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 615 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 615.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 615 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 615 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 615 priority 0 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:40:21\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 616 priority 0 for 1 subscribers.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 616 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 616.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 616 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 616 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 616 priority 0 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 617 priority 0 for 1 subscribers.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 617 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 617.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 617 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 617 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 617 priority 0 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 618 priority 0 for 1 subscribers.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 618 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 618.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 618 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 618 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 618 priority 0 succeeded.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:21 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 619 priority 0 for 1 subscribers.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 619 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 619.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 619 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 619 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 619 priority 0 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 620 priority 0 for 1 subscribers.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 620 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 620.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 620 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 620 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 620 priority 0 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 621 priority 0 for 1 subscribers.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 621 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 621.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 621 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 621 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 621 priority 0 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ 2\ 18:40:22\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 622 priority 0 for 1 subscribers.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 622 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 622.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 622 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 622 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 622 priority 0 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 623 priority 0 for 1 subscribers.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 623 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 623.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 623 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 623 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 623 priority 0 succeeded.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:22 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:23 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 624 priority 0 for 1 subscribers.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 624 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 624.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 624 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 624 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 624 priority 0 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 625 priority 0 for 1 subscribers.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 625 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 625.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 625 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 625 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 625 priority 0 succeeded.

- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 626 priority 0 for 1 subscribers.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 626 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 626.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 626 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 626 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 626 priority 0 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 627 priority 0 for 1 subscribers.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 627 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 627.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 627 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 627 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 627 priority 0 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 628 priority 0 for 1 subscribers.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 628 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 628.
- $Aug\ \ 2\ 18:40:23\ garuda\ daemon. info\ net opeer 2-server [846]:\ Event\ "operational"\ with\ ID\ 628\ succeeded.$
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 628 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 628 priority 0 succeeded.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:23 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 629 priority 0 for 1 subscribers.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 629 priority 0 (remaining 1 subscribers).

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 629.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 629 succeeded.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 629 priority 0 (remaining 0 subscribers).

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 629 priority 0 succeeded.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 630 priority 0 for 1 subscribers.

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 630 priority 0 (remaining 1 subscribers).

Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 630.

- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 630 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 630 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 630 priority 0 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 631 priority 0 for 1 subscribers.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 631 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 631.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 631 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 631 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 631 priority 0 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 632 priority 0 for 1 subscribers.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 632 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 632.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 632 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 632 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 632 priority 0 succeeded.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:24 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ \ 2\ 18:40:25\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 633 priority 0 for 1 subscribers.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 633 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 633.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 633 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 633 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 633 priority 0 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 634 priority 0 for 1 subscribers.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 634 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 634.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 634 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 634 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 634 priority 0 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 635 priority 0 for 1 subscribers.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 635 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 635.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 635 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 635 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 635 priority 0 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 636 priority 0 for 1 subscribers.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 636 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 636.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 636 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 636 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 636 priority 0 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 637 priority 0 for 1 subscribers.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 637 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 637.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 637 succeeded.
- $Aug\ 2\ 18:40:25\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 637 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 637 priority 0 succeeded.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:25 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 73.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 73 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 74.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 74 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 75.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 75 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 76.
- $Aug\ \ 2\ 18:40:26\ garuda\ daemon. info\ net opeer 2-server [846]:\ Successful\ processing\ of\ "notif"\ event\ with\ ID\ 76\ priority\ 0\ (remaining\ 0\ subscribers).$
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 77.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 77 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 78.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 78 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 79.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 79 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 80.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 80 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 81.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 81 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 82.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 82 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 83.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 83 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 84.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 84 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 638 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 638 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 638.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 638 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 638 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 638 priority 0 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 639 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 639 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 639.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 639 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 639 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 639 priority 0 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 640 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 640 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 640.

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 640 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 640 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 640 priority 0 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/radio\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 85.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 85 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 641 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 641 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 641.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 641 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 641 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 641 priority 0 succeeded.

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 2 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 642 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 642 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 642.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 642 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 642 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 642 priority 0 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/um\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 86.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 86 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/file\_manager", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 87.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 87 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 643 priority 0 for 1 subscribers.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 643 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 643.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 643 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 643 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 643 priority 0 succeeded.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:26 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:40:26\ garuda\ daemon. info\ net opeer 2-server [846]:\ Session\ 8:\ thread\ 1\ event\ new\ RPC.$
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 644 priority 0 for 1 subscribers.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 644 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 644.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 644 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 644 priority 0 (remaining 0 subscribers).

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 644 priority 0 succeeded.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 645 priority 0 for 1 subscribers.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 645 priority 0 (remaining 1 subscribers).

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 645.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 645 succeeded.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 645 priority 0 (remaining 0 subscribers).

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 645 priority 0 succeeded.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/supervision", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 88.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 88 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 646 priority 0 for 1 subscribers.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 646 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 646.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 646 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 646 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 646 priority 0 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:40:27\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 3 event new RPC.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sys\_monitor", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 89.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 89 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 647 priority 0 for 1 subscribers.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 647 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 647.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 647 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 647 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 647 priority 0 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fw\_manager", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 90.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 90 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 648 priority 0 for 1 subscribers.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 648 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 648.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 648 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

### required.

- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 648 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 648 priority 0 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/sync\_manager", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 91.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 91 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 649 priority 0 for 1 subscribers.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 649 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 649.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 649 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 649 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 649 priority 0 succeeded.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:27 garuda daemon.info netopeer2-server[846]: Session 8: thread 3 event new RPC.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 650 priority 0 for 1 subscribers.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 650 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 650.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 650 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 650 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 650 priority 0 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 651 priority 0 for 1 subscribers.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 651 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 651.

- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 651 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 651 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 651 priority 0 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/fault\_manager", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 92.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 92 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/operations\_manager", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 93.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 93 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 652 priority 0 for 1 subscribers.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 652 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 652.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 652 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 652 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 652 priority 0 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 653 priority 0 for 1 subscribers.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 653 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 653.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 653 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 653 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 653 priority 0 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 654 priority 0 for 1 subscribers.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 654 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 654.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 654 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 654 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 654 priority 0 succeeded.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:28 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/log\_manager", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 94.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 94 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 655 priority 0 for 1 subscribers.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 655 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 655.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 655 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 655 priority 0 (remaining 0 subscribers).

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 655 priority 0 succeeded.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 656 priority 0 for 1 subscribers.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 656 priority 0 (remaining 1 subscribers).

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 656.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 656 succeeded.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 656 priority 0 (remaining 0 subscribers).

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 656 priority 0 succeeded.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 657 priority 0 for 1 subscribers.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 657 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 657.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 657 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 657 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 657 priority 0 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 658 priority 0 for 1 subscribers.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 658 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 658.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 658 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 658 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 658 priority 0 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/pm\_manager", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 95.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 95 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 659 priority 0 for 1 subscribers.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 659 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 659.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 659 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 659 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 659 priority 0 succeeded.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:29 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 660 priority 0 for 1 subscribers.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 660 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 660.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 660 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 660 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 660 priority 0 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 661 priority 0 for 1 subscribers.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 661 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 661.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 661 succeeded.

- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 661 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 661 priority 0 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 662 priority 0 for 1 subscribers.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 662 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 662.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 662 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 662 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 662 priority 0 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 663 priority 0 for 1 subscribers.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 663 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 663.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 663 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 663 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 663 priority 0 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no instance of "/stli\_giru-wdm:system-apps/nw\_manager", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 96.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 96 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 664 priority 0 for 1 subscribers.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 664 priority 0 (remaining 1 subscribers).

- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 664.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 664 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 664 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 664 priority 0 succeeded.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:30 garuda daemon.info netopeer2-server[846]: Session 8: thread 0 event new RPC.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 665 priority 0 for 1 subscribers.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 665 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 665.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 665 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 665 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 665 priority 0 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 666 priority 0 for 1 subscribers.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 666 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 666.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 666 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 666 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 666 priority 0 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 667 priority 0 for 1 subscribers.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 667 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 667.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 667 succeeded.

- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 667 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 667 priority 0 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 668 priority 0 for 1 subscribers.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 668 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 668.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 668 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 668 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 668 priority 0 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 669 priority 0 for 1 subscribers.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 669 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 669.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 669 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 669 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 669 priority 0 succeeded.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:31 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 670 priority 0 for 1 subscribers.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 670 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 670.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 670 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 670 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 670 priority 0 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 671 priority 0 for 1 subscribers.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 671 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]; Published event "operational" "/o-ran-sync:sync" with ID 671.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 671 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 671 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 671 priority 0 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 672 priority 0 for 1 subscribers.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 672 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 672.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 672 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 672 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 672 priority 0 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 673 priority 0 for 1 subscribers.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 673 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 673.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 673 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 673 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 673 priority 0 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 674 priority 0 for 1 subscribers.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 674 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 674.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 674 succeeded.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:32 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 674 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 674 priority 0 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 675 priority 0 for 1 subscribers.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 675 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 675.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 675 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 675 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 675 priority 0 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 676 priority 0 for 1 subscribers.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 676 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 676.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 676 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 676 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 676 priority 0 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 677 priority 0 for 1 subscribers.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 677 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 677.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 677 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 677 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 677 priority 0 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 678 priority 0 for 1 subscribers.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 678 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 678.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 678 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 678 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 678 priority 0 succeeded.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:33 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 679 priority 0 for 1 subscribers.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 679 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 679.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 679 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 679 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 679 priority 0 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 680 priority 0 for 1 subscribers.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 680 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 680.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 680 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 680 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 680 priority 0 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 681 priority 0 for 1 subscribers.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 681 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 681.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 681 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 681 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 681 priority 0 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 682 priority 0 for 1 subscribers.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 682 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 682.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 682 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 682 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 682 priority 0 succeeded.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 683 priority 0 for 1 subscribers.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 683 priority 0 (remaining 1 subscribers).

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 683.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 683 succeeded.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 683 priority 0 (remaining 0 subscribers).

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 683 priority 0 succeeded.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:34 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 684 priority 0 for 1 subscribers.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 684 priority 0 (remaining 1 subscribers).

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 684.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 684 succeeded.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 684 priority 0 (remaining 0 subscribers).

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 684 priority 0 succeeded.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 685 priority 0 for 1 subscribers.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 685 priority 0 (remaining 1 subscribers).

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 685.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 685 succeeded.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 685 priority 0 (remaining 0 subscribers).

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 685 priority 0 succeeded.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 686 priority 0 for 1 subscribers.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 686 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 686.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 686 succeeded.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 686 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 686 priority 0 succeeded.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ \ 2\ 18:40:35\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 687 priority 0 for 1 subscribers.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 687 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 687.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 687 succeeded.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 687 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 687 priority 0 succeeded.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:35 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 688 priority 0 for 1 subscribers.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 688 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 688.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 688 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 688 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 688 priority 0 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 689 priority 0 for 1 subscribers.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 689 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 689.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 689 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 689 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 689 priority 0 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 690 priority 0 for 1 subscribers.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 690 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 690.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 690 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 690 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 690 priority 0 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 691 priority 0 for 1 subscribers.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 691 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 691.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 691 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 691 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 691 priority 0 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 692 priority 0 for 1 subscribers.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 692 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 692.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 692 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 692 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 692 priority 0 succeeded.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:36 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:37 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 693 priority 0 for 1 subscribers.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 693 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 693.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 693 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 693 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 693 priority 0 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 694 priority 0 for 1 subscribers.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 694 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 694.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 694 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 694 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 694 priority 0 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 695 priority 0 for 1 subscribers.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 695 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 695.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 695 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 695 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 695 priority 0 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 696 priority 0 for 1 subscribers.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 696 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 696.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 696 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 696 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 696 priority 0 succeeded.

- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 697 priority 0 for 1 subscribers.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 697 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 697.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 697 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 697 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 697 priority 0 succeeded.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:37 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 698 priority 0 for 1 subscribers.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 698 priority 0 (remaining 1

#### subscribers).

- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 698.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 698 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 698 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 698 priority 0 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 699 priority 0 for 1 subscribers.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 699 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 699.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 699 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 699 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 699 priority 0 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 700 priority 0 for 1 subscribers.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 700 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 700.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 700 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 700 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 700 priority 0 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 701 priority 0 for 1 subscribers.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 701 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 701.

- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 701 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 701 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 701 priority 0 succeeded.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:38 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 702 priority 0 for 1 subscribers.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 702 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 702.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 702 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- $Aug\ 2\ 18:40:39\ garuda\ daemon.info\ netopeer 2-server [846]:\ There\ is\ no\ leafref$
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 702 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 702 priority 0 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 703 priority 0 for 1 subscribers.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 703 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 703.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 703 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 703 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 703 priority 0 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 704 priority 0 for 1 subscribers.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 704 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 704.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 704 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 704 priority 0 (remaining 0 subscribers).

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 704 priority 0 succeeded.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 705 priority 0 for 1 subscribers.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 705 priority 0 (remaining 1 subscribers).

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 705.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 705 succeeded.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 705 priority 0 (remaining 0 subscribers).

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 705 priority 0 succeeded.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 706 priority 0 for 1 subscribers.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 706 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 706.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 706 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 706 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 706 priority 0 succeeded.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:39 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 707 priority 0 for 1 subscribers.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 707 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 707.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 707 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 707 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 707 priority 0 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 708 priority 0 for 1 subscribers.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 708 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 708.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 708 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 708 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 708 priority 0 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 709 priority 0 for 1 subscribers.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 709 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 709.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 709 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 709 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 709 priority 0 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 710 priority 0 for 1 subscribers.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 710 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 710.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 710 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 710 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 710 priority 0 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 711 priority 0 for 1 subscribers.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 711 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 711.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 711 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 711 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 711 priority 0 succeeded.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:40:40\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:40 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 712 priority 0 for 1 subscribers.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 712 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 712.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 712 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 712 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 712 priority 0 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 713 priority 0 for 1 subscribers.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 713 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 713.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 713 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 713 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 713 priority 0 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 714 priority 0 for 1 subscribers.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 714 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 714.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 714 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 714 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 714 priority 0 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 715 priority 0 for 1 subscribers.

- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 715 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 715.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 715 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 715 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 715 priority 0 succeeded.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:41 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 716 priority 0 for 1 subscribers.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 716 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 716.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 716 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 716 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 716 priority 0 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 717 priority 0 for 1 subscribers.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 717 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 717.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 717 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 717 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 717 priority 0 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 718 priority 0 for 1 subscribers.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 718 priority 0 (remaining 1 subscribers).

- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 718.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 718 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 718 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 718 priority 0 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 719 priority 0 for 1 subscribers.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 719 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 719.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 719 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 719 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 719 priority 0 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 720 priority 0 for 1 subscribers.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 720 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 720.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 720 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 720 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 720 priority 0 succeeded.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:42 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 721 priority 0 for 1 subscribers.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 721 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 721.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 721 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 721 priority 0 (remaining 0 subscribers).

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 721 priority 0 succeeded.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 722 priority 0 for 1 subscribers.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 722 priority 0 (remaining 1 subscribers).

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 722.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 722 succeeded.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 722 priority 0 (remaining 0 subscribers).

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 722 priority 0 succeeded.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 723 priority 0 for 1 subscribers.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 723 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 723.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 723 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 723 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 723 priority 0 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 724 priority 0 for 1 subscribers.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 724 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 724.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 724 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 724 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 724 priority 0 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 725 priority 0 for 1 subscribers.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 725 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 725.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 725 succeeded.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 725 priority 0 (remaining 0 subscribers).
- $Aug\ \ 2\ 18:40:43\ garuda\ daemon. info\ net opeer 2-server [846]:\ Event\ "rpc"\ with\ ID\ 725\ priority\ 0\ succeeded.$
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:43 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.

- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 726 priority 0 for 1 subscribers.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 726 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 726.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 726 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 726 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 726 priority 0 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 727 priority 0 for 1 subscribers.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 727 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 727.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 727 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 727 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 727 priority 0 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 728 priority 0 for 1 subscribers.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 728 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 728.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 728 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 728 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 728 priority 0 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 729 priority 0 for 1 subscribers.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 729 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 729.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 729 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 729 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 729 priority 0 succeeded.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:44 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 730 priority 0 for 1 subscribers.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 730 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 730.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 730 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 730 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 730 priority 0 succeeded.

- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 731 priority 0 for 1 subscribers.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 731 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 731.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 731 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 731 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 731 priority 0 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 732 priority 0 for 1 subscribers.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 732 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 732.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 732 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 732 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 732 priority 0 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 733 priority 0 for 1 subscribers.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 733 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 733.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 733 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 733 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 733 priority 0 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 734 priority 0 for 1 subscribers.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 734 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 734.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 734 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 734 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 734 priority 0 succeeded.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:45 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 735 priority 0 for 1 subscribers.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 735 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 735.

- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 735 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 735 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 735 priority 0 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 736 priority 0 for 1 subscribers.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 736 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 736.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 736 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 736 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 736 priority 0 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 737 priority 0 for 1 subscribers.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 737 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 737.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 737 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 737 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 737 priority 0 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 738 priority 0 for 1 subscribers.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 738 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 738.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 738 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 738 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 738 priority 0 succeeded.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:46 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 739 priority 0 for 1 subscribers.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 739 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 739.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 739 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 739 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 739 priority 0 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 740 priority 0 for 1 subscribers.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 740 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 740.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 740 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 740 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 740 priority 0 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- $Aug\ \ 2\ 18:40:47\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 741 priority 0 for 1 subscribers.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 741 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 741.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 741 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 741 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 741 priority 0 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 742 priority 0 for 1 subscribers.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 742 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 742.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 742 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 742 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 742 priority 0 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 743 priority 0 for 1 subscribers.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 743 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 743.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 743 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 743 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 743 priority 0 succeeded.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:47 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- $Aug\ \ 2\ 18:40:48\ garuda\ daemon. info\ net opeer 2-server [846]:\ Published\ event\ "rpc"\ "/ietf-net conf: get"\ with\ ID\ 744\ priority\ 0\ for\ 1\ subscribers.$
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 744 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 744.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 744 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 744 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 744 priority 0 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:nterface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 745 priority 0 for 1 subscribers.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 745 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 745.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 745 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 745 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 745 priority 0 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 746 priority 0 for 1 subscribers.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 746 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 746.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 746 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 746 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 746 priority 0 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- $Aug\ 2\ 18:40:48\ garuda\ daemon. info\ net opeer 2-server [846]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 747 priority 0 for 1 subscribers.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 747 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 747.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 747 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 747 priority 0 (remaining 0 subscribers).

- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 747 priority 0 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 748 priority 0 for 1 subscribers.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 748 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 748.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 748 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 748 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 748 priority 0 succeeded.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:48 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 749 priority 0 for 1 subscribers.

- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 749 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 749.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 749 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 749 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 749 priority 0 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 750 priority 0 for 1 subscribers.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 750 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 750.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 750 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 750 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 750 priority 0 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 751 priority 0 for 1 subscribers.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 751 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 751.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 751 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 751 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 751 priority 0 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 752 priority 0 for 1 subscribers.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 752 priority 0 (remaining 1 subscribers).

- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 752.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 752 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 752 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 752 priority 0 succeeded.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:49 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 753 priority 0 for 1 subscribers.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 753 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 753.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 753 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 753 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 753 priority 0 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not

#### required.

- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 754 priority 0 for 1 subscribers.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 754 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 754.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 754 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 754 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 754 priority 0 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 755 priority 0 for 1 subscribers.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 755 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 755.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 755 succeeded.

- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 755 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 755 priority 0 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 756 priority 0 for 1 subscribers.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 756 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 756.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 756 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 756 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 756 priority 0 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref

- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 757 priority 0 for 1 subscribers.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 757 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 757.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 757 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 757 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 757 priority 0 succeeded.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:50 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:51 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:40:51 garuda user.notice SYNCMNGR[1160]: PTP Lock state : LOCKED
- Aug 2 18:40:51 garuda user.notice SYNCMNGR[1160]: SYNC Lock state: LOCKED
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/ptp-status/lock-state" with the value "LOCKED", but it is not required.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 2.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Published event "rpc" "/ietf-netconf:get" with ID 758 priority 0 for 1 subscribers.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Processing "/ietf-netconf:get" "rpc" event with ID 758 priority 0 (remaining 1 subscribers).
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Published event "operational" "/o-ran-sync:sync" with ID 759.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Event "operational" with ID 759 succeeded.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Successful processing of "rpc" event with ID 758 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Event "rpc" with ID 758 priority 0 succeeded.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:51 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:52 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:52 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:53 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:53 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:54 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:54 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/sync-status/sync-state" with the value "LOCKED", but it is not required.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 3.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:55 garuda user.err FAULT MANAGER[860]: sendData : Source ID: 15
- Aug 2 18:40:55 garuda user.err FAULT MANAGER[860]: sendData: Fault ID: 18
- Aug 2 18:40:55 garuda user.err FAULT MANAGER[860]: sendData : FAULT\_IS\_CLEARED: TRUE
- Aug 2 18:40:55 garuda user.err FAULT MANAGER[860]: sendData : FAULT\_SEVERITY: 0
- Aug 2 18:40:55 garuda user.err FAULT MANAGER[860]: sendData : FAULT\_TIME: 2022-08-02T18:40:55Z
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: There is no instance of

- "/notification\_history:history/module-notification[module-name='Module']/notif-error", but it is not required.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 97.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 97 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: There is no instance of
- "/notification\_history:history/module-notification[module-name='Module']/alert", but it is not required.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 98.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 98 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-fm" event with ID 1.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: There is no instance of
- "/notification\_history:history/module-notification[module-name='Module']/epochtime", but it is not required.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 99.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 99 priority 0 (remaining 0 subscribers).
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:55 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:56 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:56 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:57 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:57 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:58 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:58 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:40:59 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:40:59 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:00 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:00 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:01 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:01 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:02 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:02 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:03 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:03 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:04 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:04 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:05 garuda user.notice SYNCMNGR[1160]: Received message from S-Plane
- Aug 2 18:41:05 garuda user.notice SYNCMNGR[1160]: SYNCE Lock state: UNLOCKED
- Aug 2 18:41:05 garuda user.notice SYNCMNGR[1160]: PTP Lock state: UNLOCKED
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/synce-status/lock-state" with the value "UNLOCKED", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 4.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

- Aug 2 18:41:05 garuda user.notice SYNCMNGR[1160]: SYNC Lock state: HOLDOVER
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/ptp-status/lock-state" with the value "UNLOCKED", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 5.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no leafref "/sync/sync-status/sync-state" with the value "HOLDOVER", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-sync" event with ID 6.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda user.err FAULT MANAGER[860]: sendData : Source ID: 15
- Aug 2 18:41:05 garuda user.err FAULT MANAGER[860]: sendData : Fault ID: 17
- Aug 2 18:41:05 garuda user.err FAULT MANAGER[860]: sendData: FAULT\_IS\_CLEARED: FALSE
- Aug 2 18:41:05 garuda user.err FAULT MANAGER[860]: sendData: FAULT\_SEVERITY: 2
- Aug 2 18:41:05 garuda user.err FAULT MANAGER[860]: sendData: FAULT\_TIME: 2022-08-02T18:41:05Z
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no instance of
- "/notification\_history:history/module-notification[module-name='Module']/notif-error", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 100.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 100 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no instance of
- "/notification\_history:history/module-notification[module-name='Module']/alert", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 101.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 101 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There is no instance of
- "/notification\_history:history/module-notification[module-name='Module']/epochtime", but it is not required.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "ietf-netconf-notifications" event with ID 102.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 102 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Processing "notif" "o-ran-fm" event with ID 2.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event new RPC.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Session 8: thread 1 event session terminated.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Aug 2 18:41:05 garuda daemon.info netopeer2-server[846]: Generated new event (netconf-session-end).

# **QA TEST REPORT**

## **M PLANE CONFORMANCE**

Aug 2 18:41:05 garuda auth.info sshd[5947]: Accepted password for operator from 192.168.4.15 port 59572 ssh2

Aug 2 18:41:05 garuda authpriv.info sshd[5947]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : After a while (time depends on implementation) the O-RU NETCONF		
SERVER sends a notific	cation for alarm 17: No external sync source.	
		======
*************** Actua	al Result ************** =======================	======
=======================================		:=======
ALARM_17	= SUCCESS	