@ FILE NAME: M_CTC_ID_008.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1:   v1.0.1

Test Description : This test validates that the O-RU manages the connection supervision process correctly.

===

********** Connect to the NETCONF Server ***********

===

> connect --ssh --host 192.168.170.38 --port 830 --login operator

       Interactive SSH Authentication

       Type your password:

       Password:

       > status

       Current NETCONF session:

       ID   : 8

       Host   : 192.168.170.38

       Port   : 830

       Transport : SSH

       Capabilities:

        urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

==
**********step 1 and 2 Retrival of ru information with filter **********
==

==
ncclient timed out while waiting for an rpc reply.
==
Error occured in line number 201
==
***************** Actual Result *****************
==

Expected Result : TER NETCONF Client can change the value of the supervision timer in the supervision watchdog reset message. The O-RU NETCONF server must adjust the timer accordingly if this optional test is performed.

==

############ SYSTEM LOGS #############

==

==

****************** FAIL_REASON ******************

==

ncclient timed out while waiting for an rpc reply.

==

M-Plane Connection Supervision (positive case)   =   FAIL

==

==

local variable 'Error_Info' referenced before assignment

==

Error occured in line number 294