



@ FILE NAME: M_CTC_ID_009_.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda_RevD: v5.0.0

Test Description : This test validates that the O-RU manages the connection supervision process correctly.

***** Connect to the NETCONF Server *****

```
> connect --ssh --host 192.168.4.46 --port 830 --login operator
```

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 12

Host : 192.168.4.46

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

```
=====
> subscribe
=====
```

Ok

```
=====
  TER NETCONF Client responds with <rpc supervision-watchdog-reset></rpc> to the O-RU
NETCONF Server
=====
```

```
=====
> user-rpc
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<supervision-watchdog-reset xmlns="urn:o-ran:supervision:1.0">
  <supervision-notification-interval>4</supervision-notification-interval>
  <guard-timer-overhead>4</guard-timer-overhead>
</supervision-watchdog-reset>
```

=====

SYSTEM LOGS

=====

Aug 2 18:33:53 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:53 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:54 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:54 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:55 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:55 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:56 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:56 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:57 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:57 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:58 garuda daemon.info netopeer2-server[848]: Trying to connect via IPv4 to 192.168.4.15:4334.
Aug 2 18:33:58 garuda daemon.info netopeer2-server[848]: getsockopt() error (Connection refused).
Aug 2 18:33:58 garuda user.notice supervision[1214]: O-RU has entered "supervision-failure" state Resetting...
Aug 2 18:33:58 garuda user.notice supervision[1214]: Exiting
Aug 2 18:33:58 garuda user.notice supervision[1214]: Waiting for pending jobs
Aug 2 18:33:58 garuda user.info supervision[1214]: O-RU going for reboot
Apr 14 05:15:53 garuda syslog.info syslogd started: BusyBox v1.31.0
Apr 14 05:15:53 garuda user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)
Apr 14 05:15:53 garuda user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]
Apr 14 05:15:53 garuda user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP
Thu Jul 28 09:11:51 UTC 2022
Apr 14 05:15:53 garuda user.info kernel: [0.000000] Machine model: xlnx,zynqmp
Apr 14 05:15:53 garuda user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')
Apr 14 05:15:53 garuda user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled
Apr 14 05:15:53 garuda user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:
Apr 14 05:15:53 garuda user.info kernel: [0.000000] efi: UEFI not found.
Apr 14 05:15:53 garuda user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x000000002fc00000
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] On node 0 totalpages: 261888
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] DMA32 zone: 4092 pages used for memmap
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] DMA32 zone: 0 pages reserved
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] DMA32 zone: 261888 pages, LIFO batch:63
Apr 14 05:15:53 garuda user.info kernel: [0.000000] psci: probing for conduit method from DT.
Apr 14 05:15:53 garuda user.info kernel: [0.000000] psci: PSCIv1.1 detected in firmware.
Apr 14 05:15:53 garuda user.info kernel: [0.000000] psci: Using standard PSCI v0.2 function IDs
Apr 14 05:15:53 garuda user.info kernel: [0.000000] psci: MIGRATE_INFO_TYPE not supported.
Apr 14 05:15:53 garuda user.info kernel: [0.000000] psci: SMC Calling Convention v1.1
Apr 14 05:15:53 garuda user.info kernel: [0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] percpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Apr 14 05:15:53 garuda user.debug kernel: [0.000000] percpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Apr 14 05:15:53 garuda user.info kernel: [0.000000] Detected VIPT I-cache on CPU0
Apr 14 05:15:53 garuda user.info kernel: [0.000000] CPU features: detected: ARM erratum 845719
Apr 14 05:15:53 garuda user.info kernel: [0.000000] Speculative Store Bypass Disable mitigation not required
Apr 14 05:15:53 garuda user.info kernel: [0.000000] Built 1 zonelists, mobility grouping on. Total pages: 257796

Apr 14 05:15:53 garuda user.notice kernel: [0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1 root=/dev/mmcblk0p2 rw rootwait

Apr 14 05:15:53 garuda user.info kernel: [0.000000] Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [0.000000] Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off

Apr 14 05:15:53 garuda user.info kernel: [0.000000] Memory: 749684K/1047552K available (10172K kernel code, 656K rwd data, 3016K ro data, 704K init, 539K bss, 35724K reserved, 262144K cma-reserved)

Apr 14 05:15:53 garuda user.info kernel: [0.000000] rcu: Hierarchical RCU implementation.

Apr 14 05:15:53 garuda user.info kernel: [0.000000] rcu: RCU event tracing is enabled.

Apr 14 05:15:53 garuda user.info kernel: [0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.

Apr 14 05:15:53 garuda user.info kernel: [0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0

Apr 14 05:15:53 garuda user.warn kernel: [0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000

Apr 14 05:15:53 garuda user.info kernel: [0.000000] GIC: Using split EOI/Deactivate mode

Apr 14 05:15:53 garuda user.notice kernel: [0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0

Apr 14 05:15:53 garuda user.info kernel: [0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).

Apr 14 05:15:53 garuda user.info kernel: [0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b, max_idle_ns: 440795202655 ns

Apr 14 05:15:53 garuda user.info kernel: [0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns

Apr 14 05:15:53 garuda user.info kernel: [0.008271] Console: colour dummy device 80x25

Apr 14 05:15:53 garuda user.info kernel: [0.012390] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS (lpj=200000)

Apr 14 05:15:53 garuda user.info kernel: [0.022753] pid_max: default: 32768 minimum: 301

Apr 14 05:15:53 garuda user.info kernel: [0.027476] Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [0.034695] Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [0.043447] ASID allocator initialised with 32768 entries

Apr 14 05:15:53 garuda user.info kernel: [0.047895] rcu: Hierarchical SRCU implementation.

Apr 14 05:15:53 garuda user.info kernel: [0.052829] EFI services will not be available.

Apr 14 05:15:53 garuda user.info kernel: [0.057226] smp: Bringing up secondary CPUs ...

Apr 14 05:15:53 garuda user.info kernel: [0.061917] Detected VIPT I-cache on CPU1

Apr 14 05:15:53 garuda user.info kernel: [0.061949] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]

Apr 14 05:15:53 garuda user.info kernel: [0.062286] Detected VIPT I-cache on CPU2

Apr 14 05:15:53 garuda user.info kernel: [0.062304] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]

Apr 14 05:15:53 garuda user.info kernel: [0.062611] Detected VIPT I-cache on CPU3

Apr 14 05:15:53 garuda user.info kernel: [0.062628] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]

Apr 14 05:15:53 garuda user.info kernel: [0.062671] smp: Brought up 1 node, 4 CPUs

Apr 14 05:15:53 garuda user.info kernel: [0.097055] SMP: Total of 4 processors activated.

Apr 14 05:15:53 garuda user.info kernel: [0.101727] CPU features: detected: 32-bit EL0 Support

Apr 14 05:15:53 garuda user.info kernel: [0.106831] CPU features: detected: CRC32 instructions

Apr 14 05:15:53 garuda user.info kernel: [0.111962] CPU: All CPU(s) started at EL2

Apr 14 05:15:53 garuda user.info kernel: [0.116011] alternatives: patching kernel code

Apr 14 05:15:53 garuda user.info kernel: [0.121204] devtmpfs: initialized

Apr 14 05:15:53 garuda user.info kernel: [0.127934] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 7645041785100000 ns

Apr 14 05:15:53 garuda user.info kernel: [0.133400] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [0.145630] xor: measuring software checksum speed

Apr 14 05:15:53 garuda user.info kernel: [0.184298] 8regs : 2622.000 MB/sec

Apr 14 05:15:53 garuda user.info kernel: [0.224322] 32regs : 3008.000 MB/sec

Apr 14 05:15:53 garuda user.info kernel: [0.264351] arm64_neon: 2612.000 MB/sec
Apr 14 05:15:53 garuda user.info kernel: [0.264389] xor: using function: 32regs (3008.000 MB/sec)
Apr 14 05:15:53 garuda user.info kernel: [0.268298] pinctrl core: initialized pinctrl subsystem
Apr 14 05:15:53 garuda user.info kernel: [0.273835] DMI not present or invalid.
Apr 14 05:15:53 garuda user.info kernel: [0.277503] NET: Registered protocol family 16
Apr 14 05:15:53 garuda user.info kernel: [0.282845] DMA: preallocated 256 KiB pool for atomic allocations
Apr 14 05:15:53 garuda user.info kernel: [0.287742] audit: initializing netlink subsys (disabled)
Apr 14 05:15:53 garuda user.notice kernel: [0.293150] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Apr 14 05:15:53 garuda user.info kernel: [0.293534] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Apr 14 05:15:53 garuda user.info kernel: [0.307656] Serial: AMBA PL011 UART driver
Apr 14 05:15:53 garuda user.info kernel: [0.321793] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Apr 14 05:15:53 garuda user.info kernel: [0.322844] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Apr 14 05:15:53 garuda user.info kernel: [0.329512] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Apr 14 05:15:53 garuda user.info kernel: [0.336168] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Apr 14 05:15:53 garuda user.info kernel: [0.347450] cryptd: max_cpu_qlen set to 1000
Apr 14 05:15:53 garuda user.info kernel: [0.421588] raid6: neonx8 gen() 1709 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.489609] raid6: neonx8 xor() 1619 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.557670] raid6: neonx4 gen() 1642 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.625681] raid6: neonx4 xor() 1579 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.693712] raid6: neonx2 gen() 1251 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.761760] raid6: neonx2 xor() 1313 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.829792] raid6: neonx1 gen() 815 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.897833] raid6: neonx1 xor() 989 MB/s
Apr 14 05:15:53 garuda user.info kernel: [0.965879] raid6: int64x8 gen() 1285 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.033930] raid6: int64x8 xor() 842 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.101985] raid6: int64x4 gen() 1085 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.170029] raid6: int64x4 xor() 817 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.238095] raid6: int64x2 gen() 754 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.306099] raid6: int64x2 xor() 664 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.374147] raid6: int64x1 gen() 499 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.442190] raid6: int64x1 xor() 511 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.442229] raid6: using algorithm neonx8 gen() 1709 MB/s
Apr 14 05:15:53 garuda user.info kernel: [1.446179] raid6: xor() 1619 MB/s, rmw enabled
Apr 14 05:15:53 garuda user.info kernel: [1.451109] raid6: using neon recovery algorithm
Apr 14 05:15:53 garuda user.info kernel: [1.456060] iommu: Default domain type: Translated
Apr 14 05:15:53 garuda user.notice kernel: [1.460749] SCSI subsystem initialized
Apr 14 05:15:53 garuda user.debug kernel: [1.464279] libata version 3.00 loaded.
Apr 14 05:15:53 garuda user.info kernel: [1.464390] usbcore: registered new interface driver usbfs
Apr 14 05:15:53 garuda user.info kernel: [1.469731] usbcore: registered new interface driver hub
Apr 14 05:15:53 garuda user.info kernel: [1.475006] usbcore: registered new device driver usb
Apr 14 05:15:53 garuda user.info kernel: [1.480037] pps_core: LinuxPPS API ver. 1 registered
Apr 14 05:15:53 garuda user.info kernel: [1.484931] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti
<giometti@linux.it>
Apr 14 05:15:53 garuda user.info kernel: [1.494020] PTP clock support registered
Apr 14 05:15:53 garuda user.info kernel: [1.497915] EDAC MC: Ver: 3.0.0
Apr 14 05:15:53 garuda user.info kernel: [1.501398] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.

Apr 14 05:15:53 garuda user.info kernel: [1.509699] FPGA manager framework

Apr 14 05:15:53 garuda user.info kernel: [1.513512] clocksource: Switched to clocksource arch_sys_counter

Apr 14 05:15:53 garuda user.notice kernel: [1.519015] VFS: Disk quotas dquot_6.6.0

Apr 14 05:15:53 garuda user.info kernel: [1.522857] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)

Apr 14 05:15:53 garuda user.info kernel: [1.533324] NET: Registered protocol family 2

Apr 14 05:15:53 garuda user.info kernel: [1.534318] tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [1.542305] TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [1.550028] TCP bind hash table entries: 8192 (order: 5, 131072 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [1.557258] TCP: Hash tables configured (established 8192 bind 8192)

Apr 14 05:15:53 garuda user.info kernel: [1.563540] UDP hash table entries: 512 (order: 2, 16384 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [1.570068] UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)

Apr 14 05:15:53 garuda user.info kernel: [1.577152] NET: Registered protocol family 1

Apr 14 05:15:53 garuda user.info kernel: [1.581634] RPC: Registered named UNIX socket transport module.

Apr 14 05:15:53 garuda user.info kernel: [1.587263] RPC: Registered udp transport module.

Apr 14 05:15:53 garuda user.info kernel: [1.591933] RPC: Registered tcp transport module.

Apr 14 05:15:53 garuda user.info kernel: [1.596604] RPC: Registered tcp NFSv4.1 backchannel transport module.

Apr 14 05:15:53 garuda user.info kernel: [1.603010] PCI: CLS 0 bytes, default 64

Apr 14 05:15:53 garuda user.info kernel: [1.632873] workingset: timestamp_bits=46 max_order=18 bucket_order=0

Apr 14 05:15:53 garuda user.notice kernel: [1.634427] NFS: Registering the id_resolver key type

Apr 14 05:15:53 garuda user.notice kernel: [1.638704] Key type id_resolver registered

Apr 14 05:15:53 garuda user.notice kernel: [1.642838] Key type id_legacy registered

Apr 14 05:15:53 garuda user.info kernel: [1.646821] nfs4filelayout_init: NFSv4 File Layout Driver Registering...

Apr 14 05:15:53 garuda user.info kernel: [1.653490] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.

Apr 14 05:15:53 garuda user.info kernel: [1.660755] NET: Registered protocol family 38

Apr 14 05:15:53 garuda user.info kernel: [1.664923] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 247)

Apr 14 05:15:53 garuda user.info kernel: [1.672250] io scheduler mq-deadline registered

Apr 14 05:15:53 garuda user.info kernel: [1.676745] io scheduler kyber registered

Apr 14 05:15:53 garuda user.info kernel: [1.682397] ps_pcie_dma init()

Apr 14 05:15:53 garuda user.info kernel: [1.706439] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled

Apr 14 05:15:53 garuda user.info kernel: [1.708165] Serial: AMBA driver

Apr 14 05:15:53 garuda user.warn kernel: [1.712363] cacheinfo: Unable to detect cache hierarchy for CPU 0

Apr 14 05:15:53 garuda user.info kernel: [1.720325] brd: module loaded

Apr 14 05:15:53 garuda user.info kernel: [1.724665] loop: module loaded

Apr 14 05:15:53 garuda user.err kernel: [1.725457] mtdoops: mtd device (mtddev=name/number) must be supplied

Apr 14 05:15:53 garuda user.info kernel: [1.730089] libphy: Fixed MDIO Bus: probed

Apr 14 05:15:53 garuda user.info kernel: [1.733937] tun: Universal TUN/TAP device driver, 1.6

Apr 14 05:15:53 garuda user.info kernel: [1.738851] usbcore: registered new interface driver asix

Apr 14 05:15:53 garuda user.info kernel: [1.743345] usbcore: registered new interface driver ax88179_178a

Apr 14 05:15:53 garuda user.info kernel: [1.749380] usbcore: registered new interface driver cdc_ether

Apr 14 05:15:53 garuda user.info kernel: [1.755175] usbcore: registered new interface driver net1080

Apr 14 05:15:53 garuda user.info kernel: [1.760798] usbcore: registered new interface driver cdc_subset

Apr 14 05:15:53 garuda user.info kernel: [1.766678] usbcore: registered new interface driver zaurus

Apr 14 05:15:53 garuda user.info kernel: [1.772225] usbcore: registered new interface driver cdc_ncm

Apr 14 05:15:53 garuda user.info kernel: [1.778580] usbcore: registered new interface driver uas

Apr 14 05:15:53 garuda user.info kernel: [1.783123] usbcore: registered new interface driver usb-storage

Apr 14 05:15:53 garuda user.info kernel: [1.789472] rtc_zynqmp ffa60000.rtc: registered as rtc0

Apr 14 05:15:53 garuda user.info kernel: [1.794303] SFP: i2c device initialization

Apr 14 05:15:53 garuda user.info kernel: [1.798236] SFP: alloc_chrdev_region completed, Major number : 245
Apr 14 05:15:53 garuda user.info kernel: [1.804385] SFP: class_create() completed
Apr 14 05:15:53 garuda user.info kernel: [1.808354] SFP: Device memory allocation completed
Apr 14 05:15:53 garuda user.info kernel: [1.813211] SFP: i2c_add_driver() completed
Apr 14 05:15:53 garuda user.info kernel: [1.817350] SFP: sfp_i2c_init_driver() Completed Successfully
Apr 14 05:15:53 garuda user.info kernel: [1.823059] i2c /dev entries driver
Apr 14 05:15:53 garuda user.info kernel: [1.826923] pps pps0: new PPS source ptp0
Apr 14 05:15:53 garuda user.info kernel: [1.830523] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Apr 14 05:15:53 garuda user.info kernel: [1.838027] EDAC MC: ECC not enabled
Apr 14 05:15:53 garuda user.info kernel: [1.841264] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller
zynqmp_ocm: DEV ff960000.memory-controller (INTERRUPT)
Apr 14 05:15:53 garuda user.info kernel: [1.853652] sdhci: Secure Digital Host Controller Interface driver
Apr 14 05:15:53 garuda user.info kernel: [1.859391] sdhci: Copyright(c) Pierre Ossman
Apr 14 05:15:53 garuda user.info kernel: [1.863714] sdhci-pltfm: SDHCI platform and OF driver helper
Apr 14 05:15:53 garuda user.info kernel: [1.869595] zynqmp_firmware_probe Platform Management API v1.1
Apr 14 05:15:53 garuda user.info kernel: [1.875137] zynqmp_firmware_probe Trustzone version v1.0
Apr 14 05:15:53 garuda user.info kernel: [1.903350] securefw securefw: securefw probed^M
Apr 14 05:15:53 garuda user.info kernel: [1.903571] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Apr 14 05:15:53 garuda user.info kernel: [1.907938] zynqmp_aes zynqmp_aes: AES Successfully Registered
Apr 14 05:15:53 garuda user.info kernel: [1.907938] ^M
Apr 14 05:15:53 garuda user.info kernel: [1.915289] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Apr 14 05:15:53 garuda user.info kernel: [1.921495] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Apr 14 05:15:53 garuda user.info kernel: [1.927037] usbcore: registered new interface driver usbhid
Apr 14 05:15:53 garuda user.info kernel: [1.932347] usbhid: USB HID core driver
Apr 14 05:15:53 garuda user.info kernel: [1.938332] ARM CCI_400_r1 PMU driver probed
Apr 14 05:15:53 garuda user.info kernel: [1.938783] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Apr 14 05:15:53 garuda user.info kernel: [1.947077] pktgen: Packet Generator for packet performance testing. Version: 2.75
Apr 14 05:15:53 garuda user.info kernel: [1.954844] Initializing XFRM netlink socket
Apr 14 05:15:53 garuda user.info kernel: [1.958635] NET: Registered protocol family 10
Apr 14 05:15:53 garuda user.info kernel: [1.963360] Segment Routing with IPv6
Apr 14 05:15:53 garuda user.info kernel: [1.966706] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Apr 14 05:15:53 garuda user.info kernel: [1.972788] NET: Registered protocol family 17
Apr 14 05:15:53 garuda user.info kernel: [1.976905] NET: Registered protocol family 15
Apr 14 05:15:53 garuda user.info kernel: [1.981319] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to load br_netfilter if you need this.
Apr 14 05:15:53 garuda user.info kernel: [1.994221] 8021q: 802.1Q VLAN Support v1.8
Apr 14 05:15:53 garuda user.info kernel: [1.998429] 9pnet: Installing 9P2000 support
Apr 14 05:15:53 garuda user.notice kernel: [2.002600] Key type dns_resolver registered
Apr 14 05:15:53 garuda user.info kernel: [2.007070] registered taskstats version 1
Apr 14 05:15:53 garuda user.info kernel: [2.011819] Btrfs loaded, crc32c=crc32c-generic
Apr 14 05:15:53 garuda user.info kernel: [2.023875] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a uartps
Apr 14 05:15:53 garuda user.info kernel: [2.032896] printk: console [ttyPS0] enabled
Apr 14 05:15:53 garuda user.info kernel: [2.037191] printk: bootconsole [cdns0] disabled
Apr 14 05:15:53 garuda user.info kernel: [2.046499] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a uartps
Apr 14 05:15:53 garuda user.info kernel: [2.059918] of-fpga-region fpga-full: FPGA Region probed
Apr 14 05:15:53 garuda user.info kernel: [2.065814] XGpio: gpio@b0040000: registered, base is 509
Apr 14 05:15:53 garuda user.info kernel: [2.071508] XGpio: gpio@b0040000: dual channel registered, base is 497


```

Apr 14 05:15:53 garuda user.info kernel: [ 2.078610] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.085708] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.092796] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.099888] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.106981] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.114070] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.121165] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.128249] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.135412] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.142507] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.149604] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.156697] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.163794] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.170881] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.177972] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.info kernel: [ 2.185064] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Apr 14 05:15:53 garuda user.warn kernel: [ 2.193092] -----[ cut here ]-----
Apr 14 05:15:53 garuda user.warn kernel: [ 2.197707] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Apr 14 05:15:53 garuda user.warn kernel: [ 2.205063] WARNING: CPU: 1 PID: 30 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.213051] Modules linked in:
Apr 14 05:15:53 garuda user.warn kernel: [ 2.216094] CPU: 1 PID: 30 Comm: kworker/1:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Apr 14 05:15:53 garuda user.warn kernel: [ 2.223475] Hardware name: xlnx,zynqmp (DT)
Apr 14 05:15:53 garuda user.warn kernel: [ 2.227648] Workqueue: events deferred_probe_work_func
Apr 14 05:15:53 garuda user.warn kernel: [ 2.232773] pstate: 60000005 (nZCv daif -PAN -UAO)
Apr 14 05:15:53 garuda user.warn kernel: [ 2.237547] pc : spidev_probe+0xf8/0x1c8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.241453] lr : spidev_probe+0xf8/0x1c8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.245357] sp : ffff80001104b7d0
Apr 14 05:15:53 garuda user.warn kernel: [ 2.248656] x29: ffff80001104b7d0 x28: ffff00003fcea270
Apr 14 05:15:53 garuda user.warn kernel: [ 2.253951] x27: ffff00002e718410 x26: ffff00002d223400
Apr 14 05:15:53 garuda user.warn kernel: [ 2.259245] x25: 0000000000000000 x24: 0000000000000019
Apr 14 05:15:53 garuda user.warn kernel: [ 2.264540] x23: ffff800010e778c8 x22: 0000000000000000
Apr 14 05:15:53 garuda user.warn kernel: [ 2.269835] x21: ffff800010e778a8 x20: ffff00002d22a800
Apr 14 05:15:53 garuda user.warn kernel: [ 2.275130] x19: 0000000000000000 x18: 0000000000000010
Apr 14 05:15:53 garuda user.warn kernel: [ 2.280424] x17: 0000000000000000 x16: 0000000000000000
Apr 14 05:15:53 garuda user.warn kernel: [ 2.285719] x15: ffff00002e6c1568 x14: ffffffff
Apr 14 05:15:53 garuda user.warn kernel: [ 2.291014] x13: ffff80009104b517 x12: ffff80001104b51f
Apr 14 05:15:53 garuda user.warn kernel: [ 2.296309] x11: ffff800010e44000 x10: 0000000000000000
Apr 14 05:15:53 garuda user.warn kernel: [ 2.301604] x9 : ffff800010ece000 x8 : 00000000000000dc
Apr 14 05:15:53 garuda user.warn kernel: [ 2.306899] x7 : 0000000000000006 x6 : ffff800010ece0f2
Apr 14 05:15:53 garuda user.warn kernel: [ 2.312193] x5 : 0000000000000007 x4 : 0000000000000000
Apr 14 05:15:53 garuda user.warn kernel: [ 2.317488] x3 : 0000000000000000 x2 : 00000000ffffff
Apr 14 05:15:53 garuda user.warn kernel: [ 2.322783] x1 : e02ac4c77d328100 x0 : 0000000000000000
Apr 14 05:15:53 garuda user.warn kernel: [ 2.328078] Call trace:
Apr 14 05:15:53 garuda user.warn kernel: [ 2.330510] spidev_probe+0xf8/0x1c8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.334070] spi_drv_probe+0x7c/0xd8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.337627] really_probe+0xd8/0x2f8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.341186] driver_probe_device+0x54/0xe8

```

```

Apr 14 05:15:53 garuda user.warn kernel: [ 2.345266] __device_attach_driver+0x80/0xb8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.349608] bus_for_each_drv+0x74/0xc0
Apr 14 05:15:53 garuda user.warn kernel: [ 2.353433] __device_attach+0xdc/0x138
Apr 14 05:15:53 garuda user.warn kernel: [ 2.357252] device_initial_probe+0x10/0x18
Apr 14 05:15:53 garuda user.warn kernel: [ 2.361419] bus_probe_device+0x90/0x98
Apr 14 05:15:53 garuda user.warn kernel: [ 2.365239] device_add+0x334/0x600
Apr 14 05:15:53 garuda user.warn kernel: [ 2.368710] spi_add_device+0xac/0x170
Apr 14 05:15:53 garuda user.warn kernel: [ 2.372443] of_register_spi_device+0x204/0x388
Apr 14 05:15:53 garuda user.warn kernel: [ 2.376959] spi_register_controller+0x4b4/0x718
Apr 14 05:15:53 garuda user.warn kernel: [ 2.381567] cdns_spi_probe+0x28c/0x368
Apr 14 05:15:53 garuda user.warn kernel: [ 2.385386] platform_drv_probe+0x50/0xa0
Apr 14 05:15:53 garuda user.warn kernel: [ 2.389377] really_probe+0xd8/0x2f8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.392936] driver_probe_device+0x54/0xe8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.397016] __device_attach_driver+0x80/0xb8
Apr 14 05:15:53 garuda user.warn kernel: [ 2.401357] bus_for_each_drv+0x74/0xc0
Apr 14 05:15:53 garuda user.warn kernel: [ 2.405175] __device_attach+0xdc/0x138
Apr 14 05:15:53 garuda user.warn kernel: [ 2.408994] device_initial_probe+0x10/0x18
Apr 14 05:15:53 garuda user.warn kernel: [ 2.413160] bus_probe_device+0x90/0x98
Apr 14 05:15:53 garuda user.warn kernel: [ 2.416980] deferred_probe_work_func+0x6c/0xa0
Apr 14 05:15:53 garuda user.warn kernel: [ 2.421496] process_one_work+0x1c4/0x338
Apr 14 05:15:53 garuda user.warn kernel: [ 2.425495] worker_thread+0x260/0x488
Apr 14 05:15:53 garuda user.warn kernel: [ 2.429229] kthread+0x120/0x128
Apr 14 05:15:53 garuda user.warn kernel: [ 2.432441] ret_from_fork+0x10/0x18
Apr 14 05:15:53 garuda user.warn kernel: [ 2.435997] ---[ end trace 9ff6af5d69474ba8 ]---
Apr 14 05:15:53 garuda user.warn kernel: [ 2.440744]zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Apr 14 05:15:53 garuda user.info kernel: [ 2.448279] macb ff0d0000.ethernet: Not enabling partial store and forward
Apr 14 05:15:53 garuda user.info kernel: [ 2.455670] libphy: MACB_mii_bus: probed
Apr 14 05:15:53 garuda user.err kernel: [ 2.461720] macb ff0d0000.ethernet eth0: no PHY found
Apr 14 05:15:53 garuda user.err kernel: [ 2.482207] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Apr 14 05:15:53 garuda user.info kernel: [ 2.488473] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Apr 14 05:15:53 garuda user.warn kernel: [ 2.495433] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Apr 14 05:15:53 garuda user.info kernel: [ 2.502186] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Apr 14 05:15:53 garuda user.info kernel: [ 2.508701] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Apr 14 05:15:53 garuda user.info kernel: [ 2.515171] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Apr 14 05:15:53 garuda user.info kernel: [ 2.521653] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Apr 14 05:15:53 garuda user.info kernel: [ 2.528289] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Apr 14 05:15:53 garuda user.info kernel: [ 2.534670] SFP: In sfp_i2c device probe
Apr 14 05:15:53 garuda user.info kernel: [ 2.538585] SFP: device name : sfp0
Apr 14 05:15:53 garuda user.info kernel: [ 2.542065] SFP: minor number : 00
Apr 14 05:15:53 garuda user.info kernel: [ 2.545451] SFP: Driver name : sfp0
Apr 14 05:15:53 garuda user.info kernel: [ 2.548929] SFP: I2C Bus number : 1
Apr 14 05:15:53 garuda user.info kernel: [ 2.552470] SFP: construct_sfp_device() with minor number 0 completed
Apr 14 05:15:53 garuda user.info kernel: [ 2.558903] SFP: add i2c client : 0
Apr 14 05:15:53 garuda user.info kernel: [ 2.562405] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Apr 14 05:15:53 garuda user.info kernel: [ 2.568616] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Apr 14 05:15:53 garuda user.info kernel: [ 2.576022] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Apr 14 05:15:53 garuda user.warn kernel: [ 2.583592] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz

```

Apr 14 05:15:53 garuda user.err kernel: [2.590989] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)

Apr 14 05:15:53 garuda user.warn kernel: [2.599720] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz

Apr 14 05:15:53 garuda user.err kernel: [2.608250] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)

Apr 14 05:15:53 garuda user.info kernel: [2.650229] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit

Apr 14 05:15:53 garuda user.info kernel: [2.660220] rtc_zynqmp ffa60000.rtc: setting system clock to 2027-04-14T05:15:36 UTC (1807679736)

Apr 14 05:15:53 garuda user.info kernel: [2.669084] of_cfs_init

Apr 14 05:15:53 garuda user.info kernel: [2.671546] of_cfs_init: OK

Apr 14 05:15:53 garuda user.warn kernel: [2.674449] clk: Not disabling unused clocks

Apr 14 05:15:53 garuda user.info kernel: [2.679431] Waiting for root device /dev/mmcblk0p2...

Apr 14 05:15:53 garuda user.info kernel: [2.759734] mmc0: new HS200 MMC card at address 0001

Apr 14 05:15:53 garuda user.info kernel: [2.765124] mmcblk0: mmc0:0001 DG4008 7.28 GiB

Apr 14 05:15:53 garuda user.info kernel: [2.769844] mmcblk0boot0: mmc0:0001 DG4008 partition 1 4.00 MiB

Apr 14 05:15:53 garuda user.info kernel: [2.775960] mmcblk0boot1: mmc0:0001 DG4008 partition 2 4.00 MiB

Apr 14 05:15:53 garuda user.info kernel: [2.781944] mmcblk0rmpb: mmc0:0001 DG4008 partition 3 4.00 MiB, chardev (244:0)

Apr 14 05:15:53 garuda user.info kernel: [2.791173] mmcblk0: p1 p2 p3 p4

Apr 14 05:15:53 garuda user.notice kernel: [2.833861] random: fast init done

Apr 14 05:15:53 garuda user.warn kernel: [2.851422] EXT4-fs (mmcblk0p2): warning: mounting fs with errors, running e2fsck is recommended

Apr 14 05:15:53 garuda user.info kernel: [2.860944] EXT4-fs (mmcblk0p2): recovery complete

Apr 14 05:15:53 garuda user.info kernel: [2.866253] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)

Apr 14 05:15:53 garuda user.info kernel: [2.874375] VFS: Mounted root (ext4 filesystem) on device 179:2.

Apr 14 05:15:53 garuda user.info kernel: [2.882960] devtmpfs: mounted

Apr 14 05:15:53 garuda user.info kernel: [2.886184] Freeing unused kernel memory: 704K

Apr 14 05:15:53 garuda user.info kernel: [2.890679] Run /sbin/init as init process

Apr 14 05:15:53 garuda daemon.info kernel: [3.091512] udevd[314]: starting version 3.2.8

Apr 14 05:15:53 garuda user.notice kernel: [3.098352] random: udevd: uninitialized urandom read (16 bytes read)

Apr 14 05:15:53 garuda user.notice kernel: [3.105071] random: udevd: uninitialized urandom read (16 bytes read)

Apr 14 05:15:53 garuda user.notice kernel: [3.111799] random: udevd: uninitialized urandom read (16 bytes read)

Apr 14 05:15:53 garuda daemon.info kernel: [3.130799] udevd[315]: starting eudev-3.2.8

Apr 14 05:15:53 garuda user.info kernel: [3.506295] EXT4-fs (mmcblk0p3): recovery complete

Apr 14 05:15:53 garuda user.info kernel: [3.511181] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)

Apr 14 05:15:53 garuda user.info kernel: [3.705352] EXT4-fs (mmcblk0p4): 1 orphan inode deleted

Apr 14 05:15:53 garuda user.info kernel: [3.710583] EXT4-fs (mmcblk0p4): recovery complete

Apr 14 05:15:53 garuda user.info kernel: [3.719075] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)

Apr 14 05:15:53 garuda user.info kernel: [3.789055] EXT4-fs (mmcblk0p2): re-mounted. Opts: (null)

Apr 14 05:15:54 garuda user.warn kernel: [20.943230] export_store: invalid GPIO 0

Apr 14 05:15:54 garuda user.warn kernel: [21.050048] export_store: invalid GPIO 0

Apr 14 05:15:54 garuda user.warn kernel: [21.054204] export_store: invalid GPIO 0

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Reading module "ietf-yang-metadata".

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Reading module "yang".

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "yang" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "yang" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "yang@2017-02-20" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Reading module "ietf-inet-types".

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving derived type "union" failed, it will be attempted later.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving derived type "union" failed, it will be attempted later.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving derived type "union" failed, it will be attempted later.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving derived type "union" failed, it will be attempted later.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-inet-types" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Reading module "ietf-yang-types".

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-yang-types@2013-07-15" already in context.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "sysrepo" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe21" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe2" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe1" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe55" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe57" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe16" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe54" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe40" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe47" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe12" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe20" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe46" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe51" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe11" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe32" after a crashed subscription.

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Removing event pipe "sr_evpipe44" after a crashed subscription.

[illegible]

Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 6 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 4 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 14 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 8 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 9 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 7 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 1 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 19 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 2 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 13 is dead.
Apr 14 05:15:55 garuda daemon.warn netopeer2-server[846]: Connection with CID 3 is dead.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Applying scheduled changes.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/.yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-inet-types@2013-07-15" already in context.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "sysrepo-monitoring" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-origin" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "notifications@2008-07-14" successfully parsed as imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "notifications@2008-07-14" now implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-keystore" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-ssh-common@2019-07-02" successfully parsed as imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "iana-crypt-hash@2014-08-06" successfully parsed as imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-ssh-server@2019-07-02" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-tls-server" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-tls-common" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-tls-common@2019-07-02" successfully parsed as imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/iana.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/ietf.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/system.

[illegible]

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/stli_giru-wdm@2021-05-06.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "stli_giru-wdm@2021-05-06" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "stli_giru-opm" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/stli_giru-opm@2020-11-08.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "stli_giru-opm@2020-11-08" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "notification_history" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "ietf-hardware" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-interfaces" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-transceiver" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-processing-element" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-hardware" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-sync" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in

/etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-module-cap" schema nodes and constraints resolved.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-operations" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-operations" schema nodes and constraints resolved.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-uplane-conf" schema nodes and constraints resolved.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.
Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-file-management" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in
/etc/sysrepo/yang/yang_models/imported/iana.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in
/etc/sysrepo/yang/yang_models/imported/ietf.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in
/etc/sysrepo/yang/yang_models/o-ran/operations.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in
/etc/sysrepo/yang/yang_models/o-ran/interfaces.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-file-management" in
/etc/sysrepo/yang/yang_models/o-ran/system.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-software-management" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from
"/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-performance-management@2019-07-03" successfully parsed as

implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-trace" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: No scheduled changes.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Datastore copied from <startup> to <running>.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Connection 1 created.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Session 1 (user "root", CID 1) created.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: There is no leafref

"ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Listening on :::830 for SSH connections.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-server" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-keystore" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-truststore" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Apr 14 05:15:55 garuda daemon.info netopeer2-server[846]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Apr 14 05:15:55 garuda user.err SYS_MONITOR[860]: previous boot not done by BMC

Apr 14 05:15:56 garuda user.notice nw_manager[872]: Process started

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Processing "ietf-netconf-acm" "done" event with ID 1 priority 0 (remaining 4 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 14 05:15:56 garuda user.notice nw_manager[872]: Replaced the running datastore with basic user configuration

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Listening on :::830 for SSH connections.

Apr 14 05:15:56 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 14 05:15:56 garuda user.notice nw_manager[872]: Read basic system interface details

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: Event change changes to: ietf-hardware

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component : ru-module for component ru-module

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component oran name: ru-module for component ru-module

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component : ru-port0 for component ru-port0

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component parent: ru-module for component ru-port0

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component : ru-port1 for component ru-port1

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component parent: ru-module for component ru-port1

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: Event done changes to: ietf-hardware
Apr 14 05:15:56 garuda user.info nw_manager[872]: SR_HW: Config has changed in :ietf-hardware
Apr 14 05:15:56 garuda user.notice nw_manager[872]: Application subscribed for edit-config,get
Apr 14 05:15:56 garuda user.notice kernel: [22.780321] random: crng init done
Apr 14 05:15:56 garuda user.notice kernel: [22.783755] random: 7 urandom warning(s) missed due to ratelimiting
Apr 14 05:15:56 garuda user.info FAULT MANAGEMENT[893]: ===== LISTENING FOR CHANGES =====
Apr 14 05:15:57 garuda daemon.info netopeer2-server[846]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).
Apr 14 05:15:57 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).
Apr 14 05:15:57 garuda user.notice USERMGMT[903]: Complete copying o-ran-usermgmt startup configurations
Apr 14 05:15:57 garuda user.notice USERMGMT[903]: LISTENING FOR CHANGES
Apr 14 05:15:57 garuda user.notice fw_manager[914]: Process started
Apr 14 05:15:58 garuda user.notice fw_manager[914]: Listening for RPCs
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: LISTENING FOR CHANGES
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: EVENT change CHANGES
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 255
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 248
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 165
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 160
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 150
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 140
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 135
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 7
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Accepted-clock-classes : 6
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM PRC
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM EEC1
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM DNU
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM NONE
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM PRC
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM EEC1
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM DNU
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM NONE
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM PRC
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM EEC1
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM DNU
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Acceptance SSM NONE
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: ssm_timeout : 5
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Change in Configuration of S plane
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: END OF CHANGES
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: EVENT done CHANGES
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: Writing Configuration of S plane
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: END OF CHANGES
Apr 14 05:15:58 garuda user.notice SYNCMNGR[1160]: SYNC-LOCK-STATE CHANGE NOTIFICATION
Apr 14 05:15:58 garuda user.notice OPM[1171]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations
Apr 14 05:15:58 garuda user.notice OPM[1171]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element
Apr 14 05:15:58 garuda user.notice OPM[1171]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf
Apr 14 05:15:58 garuda user.notice SR_OP[1171]: Event change detected on o-ran-operations

Apr 14 05:15:58 garuda user.notice SR_OP[1171]: [config]timezone name changed to GMT [event: change]
Apr 14 05:15:58 garuda user.notice SR_OP[1171]: Event change detected on o-ran-operations
Apr 14 05:15:58 garuda user.notice SR_OP[1171]: [config]timezone name changed to GMT [event: done]
Apr 14 05:15:59 garuda user.notice file_manager[1202]: Process started
Apr 14 05:15:59 garuda user.notice file_manager[1202]: Listening for RPCs
Apr 14 05:15:59 garuda user.notice supervision[1213]: Process started
Apr 14 05:15:59 garuda user.notice supervision[1213]: Listening for RPCs
Apr 14 05:16:00 garuda user.notice PM_MNGER[1223]: Waiting for performance manager results
Apr 14 05:16:01 garuda user.notice log_manager[1251]: Process started
Apr 14 05:16:01 garuda user.notice log_manager[1251]: Listening for RPCs
Apr 14 05:16:02 garuda user.notice wd_manager[1277]: Started monitoring
Apr 14 05:16:05 garuda daemon.info dhclient: DHCPREQUEST for 192.168.4.46 on eth0 to 255.255.255.255 port 67
Apr 14 05:16:05 garuda daemon.info dhclient: DHCPACK of 192.168.4.46 from 192.168.4.15
Apr 14 05:16:05 garuda daemon.info netopeer2-server[846]: Resolving unresolved data nodes and their constraints...
Apr 14 05:16:05 garuda daemon.info netopeer2-server[846]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
Apr 14 05:16:05 garuda daemon.info netopeer2-server[846]: All data nodes and constraints resolved.
Apr 14 05:16:05 garuda daemon.info netopeer2-server[846]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22 subscribers).
Apr 14 05:16:05 garuda daemon.info netopeer2-server[846]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).
Apr 14 05:16:06 garuda user.info nw_manager[872]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Apr 14 05:16:06 garuda user.info nw_manager[872]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Apr 14 05:16:06 garuda user.info nw_manager[872]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Apr 14 05:16:06 garuda user.info nw_manager[872]: Interface : eth0 Netmask : 255.255.255.0
Apr 14 05:16:06 garuda user.info nw_manager[872]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Apr 14 05:16:06 garuda daemon.info dhclient[1292]: eth0: : IP=192.168.4.46/255.255.255.0 router=192.168.4.15 domain="vvdntech.com" dns="192.168.4.15" lease=7200
Apr 14 05:16:06 garuda daemon.info dhclient: bound to 192.168.4.46 -- renewal in 3011 seconds.
Apr 14 05:16:06 garuda daemon.info netopeer2-server[846]: Call Home client "default-client" connecting...
Apr 14 05:16:06 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:06 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:07 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:07 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:08 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:08 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:09 garuda daemon.info dhclient: XMT: Solicit on eth0, interval 1040ms.
Apr 14 05:16:09 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:09 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:10 garuda daemon.info dhclient: Max retransmission duration exceeded.
Apr 14 05:16:10 garuda daemon.info init: Entering runlevel: 5
Apr 14 05:16:10 garuda user.err vlan_scan[1356]: if_name eth0
Apr 14 05:16:10 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:10 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:11 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:11 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:12 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:12 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:13 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:13 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:14 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:14 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:15 garuda user.info ADRV[1240]: JESD Link established successfully!

Apr 14 05:16:15 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:15 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:16 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:16 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:17 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:17 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:18 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:18 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:19 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator

Apr 14 05:16:19 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Apr 14 05:16:19 garuda daemon.debug rngd: xread_jitter gets 2500 bytes

Apr 14 05:16:19 garuda daemon.debug rngd: Added 2613/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 2752/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 2878/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 2992/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3031/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3067/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3099/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3129/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3155/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3179/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3201/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3221/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3239/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3255/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3270/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3283/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3295/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3242/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3258/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3273/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3286/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3298/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3308/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3318/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3327/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3335/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3342/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3349/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3355/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3360/4096 bits entropy

Apr 14 05:16:19 garuda daemon.debug rngd: Added 3429/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3491/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3548/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3599/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3646/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3688/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3726/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3761/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3792/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator
Apr 14 05:16:19 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Apr 14 05:16:19 garuda daemon.debug rngd: xread_jitter gets 2500 bytes
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3820/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3846/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3870/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3891/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3910/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3927/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3943/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3957/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3970/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3982/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 3992/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 4002/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 4011/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 4019/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 4026/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Added 4032/4096 bits entropy
Apr 14 05:16:19 garuda daemon.debug rngd: Pool full at 4096, sleeping!
Apr 14 05:16:19 garuda daemon.notice haveged: haveged starting up
Apr 14 05:16:19 garuda auth.info sshd[1531]: Server listening on 0.0.0.0 port 22.
Apr 14 05:16:19 garuda auth.info sshd[1531]: Server listening on :: port 22.
Apr 14 05:16:19 garuda daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Apr 14 05:16:19 garuda daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Apr 14 05:16:19 garuda daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 8.00034
Apr 14 05:16:19 garuda daemon.info haveged: haveged: fills: 0, generated: 0
Apr 14 05:16:19 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:19 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:20 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:20 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:21 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:21 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:22 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:22 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:23 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.
Apr 14 05:16:23 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).
Apr 14 05:16:24 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:24 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:25 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:25 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:26 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:26 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:27 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:27 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:28 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:28 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:29 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:29 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:30 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:30 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:31 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:31 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:32 garuda user.info kernel: [58.957805] device eth0 entered promiscuous mode

Apr 14 05:16:32 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:32 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:33 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:33 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:34 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:34 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:35 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:35 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:36 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:36 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:37 garuda daemon.info netopeer2-server[846]: Trying to connect via IPv4 to 192.168.4.15:4334.

Apr 14 05:16:37 garuda daemon.info netopeer2-server[846]: getsockopt() error (Connection refused).

Apr 14 05:16:38 garuda auth.info sshd[1821]: Accepted password for operator from 192.168.4.15 port 59338 ssh2

Apr 14 05:16:38 garuda authpriv.info sshd[1821]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The TER NETCONF Client does not issue <rpc supervision-watchdog-reset></rpc> to the O-RU NETCONF Server and causes the watchdog timer to expire on the O-RU.

=====

***** **Actual Result** *****

=====

=====

***** **FAIL_REASON** *****

=====

ERROR

error-type : application

error-tag : operation-failed

error-severity : error

message' : There are no matching subscribers for RPC/action "/o-ran-supervision:supervision-watchdog-reset".