



@ FILE NAME: M_CTC_ID_018.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for LPRU: v1.1.0

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that user management model can be used to add users to the O-RU

This scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

=====

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

=====

=====

******* Connect to the NETCONF Server *******

=====

> connect --ssh --host 192.168.214.37 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 2

Host : 192.168.214.37

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
##### Initial Get #####
```

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
</users>
</data>
```

STEP 2. The TER NETCONF Client configures three new user accounts in addition to the default sudo account already present and passwords these three accounts using o-ran-user.mgmt.yang

```
> edit-config --target running --config --defop merge
```

```
***** Replace with below xml *****
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
<users xmlns="urn:o-ran:user-mgmt:1.0">
```

```

<user>
  <name>operator10804206543</name>
  <account-type>PASSWORD</account-type>
  <password>O!(d_$cA-dTY$ETjY^9zxDtaF7Wm7UCey{kDj</password>
  <enabled>true</enabled>
</user>
<user>
  <name>operator27689832</name>
  <account-type>PASSWORD</account-type>
  <password>64Zm9$y8k}LG8h(VIsH</password>
  <enabled>true</enabled>
</user>
<user>
  <name>operator569496134733421925922</name>
  <account-type>PASSWORD</account-type>
  <password>49SOtS}RqIt!bd1q2UrUUfLm3P(rD)IVcBnOngGJWTLw$1~[yn)n</password>
  <enabled>true</enabled>
</user>
</users>
</config>

```

```

=====
##### RPC Reply #####
=====

```

Ok

```

=====
##### NOTIFICATIONS #####
=====

```

```

<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:01:27Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>2</session-id>
    </changed-by>
    <datastore>running</datastore>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator10804206543']</t
arget>
      <operation>create</operation>
    </edit>
    <edit>
      <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator10804206543']/o-
ran-usermgmt:name</target>
      <operation>create</operation>

```

```
</edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator10804206543']/o-
ran-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator10804206543']/o-
ran-usermgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator10804206543']/o-
ran-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator27689832']</targ
et>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator27689832']/o-ran
-usermgmt:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator27689832']/o-ran
-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator27689832']/o-ran
-usermgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator27689832']/o-ran
-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
```

```
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator56949613473342
1925922']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator56949613473342
1925922']/o-ran-usermgmt:name</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator56949613473342
1925922']/o-ran-usermgmt:account-type</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator56949613473342
1925922']/o-ran-usermgmt:password</target>
    <operation>create</operation>
  </edit>
<edit>
  <target
xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0"/>o-ran-usermgmt:users/o-ran-usermgmt:user[o-ran-usermgmt:name='operator56949613473342
1925922']/o-ran-usermgmt:enabled</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>
```

```
=====
##### STEP 3. The TER NETCONF Client configures user account to group mappings for the
three
    new accounts using ietf-netconf-acm.yang respectively one with "nms", one with "fm-pm" and one
    with "swm" privilege. #####
=====
```

```
=====
> edit-config --target running --config --defop merge
=====
```

```
=====
***** Replace with below xml *****
=====
```

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>fm-pm</name>
        <user-name>operator10804206543</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>operator27689832</user-name>
      </group>
      <group>
        <name>swm</name>
        <user-name>operator569496134733421925922</user-name>
      </group>
    </groups>
  </nacm>
</config>
```

```
=====
STEP 4. The O-RU NETCONF Server confirms the operations for the above transactions.
=====
```

Ok

```
=====
##### NOTIFICATIONS #####
=====
```

```
<?xml version="1.0" ?>
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2000-11-04T00:01:27Z</eventTime>
  <netconf-config-change xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-notifications">
    <changed-by>
      <username>root</username>
      <session-id>2</session-id>
    </changed-by>
  </netconf-config-change>
</notification>
```

```

</changed-by>
<datastore>running</datastore>
<edit>
  <target>
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"/>nacm:nacm/nacm:groups/nacm:group[nacm:name='fm-pm']/nacm:user-name[.='operator10804206543']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target>
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"/>nacm:nacm/nacm:groups/nacm:group[nacm:name='nms']/nacm:user-name[.='operator27689832']</target>
    <operation>create</operation>
  </edit>
<edit>
  <target>
xmlns:nacm="urn:ietf:params:xml:ns:yang:ietf-netconf-acm"/>nacm:nacm/nacm:groups/nacm:group[nacm:name='swm']/nacm:user-name[.='operator569496134733421925922']</target>
    <operation>create</operation>
  </edit>
</netconf-config-change>
</notification>

```

```

=====
> get --filter-xpath /ietf-netconf-acm:nacm/groups
=====

```

```

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <groups>
      <group>
        <name>sudo</name>
        <user-name>operator</user-name>
      </group>
      <group>
        <name>fm-pm</name>
        <user-name>observer</user-name>
        <user-name>operator10804206543</user-name>
      </group>
      <group>
        <name>nms</name>
        <user-name>installer</user-name>
        <user-name>operator27689832</user-name>
      </group>
      <group>
        <name>swm</name>
        <user-name>operator569496134733421925922</user-name>
      </group>
    </groups>
  </nacm>
</data>

```



```
</nacm>
</data>
```

=====

STEP 5. The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

=====

```
> get --filter-xpath /o-ran-usermgmt:users/user
```

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator10804206543</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator27689832</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator569496134733421925922</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
  </users>
</data>
```

</users>

</data>

=====

SYSTEM LOGS

=====

Nov 4 00:01:24 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:24 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:01:25 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:25 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Successfully connected to 192.168.214.234:4334 over IPv4.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 87 (user "root", CID 1) created.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: User "operator" authenticated.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session 2 established.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 88 (user "root", CID 1) created.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Nov 4 00:01:26 vvdn_lpru user.notice fw_manager[929]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:26 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:27 vvdn_lpru user.notice SYNCMNGR[1175]: Received message from S-Plane

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "change" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator10804206543 added successfully !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator10804206543 enabled !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator27689832 added successfully !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator27689832 enabled !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator569496134733421925922 added successfully !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: operator569496134733421925922 enabled !!

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: END OF CHANGES

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "change" with ID 1 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "done" "o-ran-usermgmt" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru user.notice USERMGMT[918]: END OF CHANGES

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator10804206543']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator10804206543']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator10804206543']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator10804206543']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator10804206543']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator27689832']",

but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator569496134733421925922']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator569496134733421925922']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator569496134733421925922']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator569496134733421925922']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator569496134733421925922']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator10804206543']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator10804206543']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator10804206543']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator10804206543']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator10804206543']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator27689832']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator27689832']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator569496134733421925922']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator569496134733421925922']/name", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator569496134733421925922']/account-type", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator569496134733421925922']/password", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/o-ran-usermgmt:users/user[name='operator569496134733421925922']/enabled", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:edit-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "done" "ietf-netconf-acm" with ID 3 priority 0 for 4 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "done" event with ID 3 priority 0 (remaining 4 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "notif" "ietf-netconf-notifications" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='fm-pm']/user-name[.='operator10804206543']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='nms']/user-name[.='operator27689832']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='swm']/user-name[.='operator569496134733421925922']", but it is not required.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:27 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 4 event new RPC.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:28 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 4 event new RPC.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/nw_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/pm_manager", but it is not

required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/um_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/sys_monitor", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 9.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/fault_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 10.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 11.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/supervision", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 12.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/sync_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 13.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/log_manager", but it is not

required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 14.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/radio_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 15.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 16.

Nov 4 00:01:31 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/supervision", but it is not required.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 17.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: There is no instance of "/vvdn_lpru-wdm:system-apps/pm_manager", but it is not required.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Processing "notif" "ietf-netconf-notifications" event with ID 18.

Nov 4 00:01:32 vvdn_lpru daemon.info netopeer2-server[858]: Successful processing of "notif" event with ID 18 priority 0 (remaining 0 subscribers).

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 4 event new RPC.

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: Session 2: thread 4 event session terminated.

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.214.234:4334.

Nov 4 00:01:33 vvdn_lpru daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Nov 4 00:01:33 vvdn_lpru authpriv.debug sshd[2791]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:01:33 vvdn_lpru auth.info sshd[2791]: Accepted password for operator from 192.168.214.234 port 50534 ssh2

Nov 4 00:01:33 vvdn_lpru authpriv.info sshd[2791]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The TER NETCONF Client retrieves a list of users from O-RU NETCONF Server. The newly created user accounts and mappings are validated.

=====

***** Actual Result *****

=====

=====

Sudo on Hybrid M-plane Architecture (positive case) = SUCCESS

=====