



@ FILE NAME: M_CTC_ID_020.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control user privileges.

The scenario corresponds to the following chapters in [3]:

3.4 NETCONF Access Control

```
=====
***** Initial Get *****
=====
```

```
> connect --ssh --host 192.168.17.37 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
=====
> get --filter-xpath /o-ran-usermgmt:users/user
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator94470462419347</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator1069</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator299391533376092729390</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
  </users>
</data>
```

</user>
</users>
</data>

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
> listen --ssh --login installer
```

```
Waiting 60s for an SSH Call Home connection on port 4334...
```

```
The authenticity of the host '::ffff:192.168.17.37' cannot be established.
```

```
ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83
```

```
Interactive SSH Authentication done.
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 3
```

```
Host    : 192.168.17.37
```

```
Port    : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
```

```
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
```

```
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
```

```
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
```

```
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
```

```
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
```

```
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
```

```
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
```

```
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
```

```
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
```

```
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
```

```
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
```

```
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
```

```
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
```

```
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
```

```
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
```

```
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
```

```
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
=====
> subscribe
=====
```

Ok

=====

Step 2 TER NETCONF client attempts to configure a new user/password.

=====

=====

```
> edit-config --target running --config --defop merge
```

=====

=====

******* Replace with below xml *******

=====

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>operator57208272870848</name>
      <account-type>PASSWORD</account-type>

      <password>WFM){ nUufr~% Zb[Rq1B4I+BrvyMnemlmjkb9aI9ID)XMk!l-+ }vf.[MZ0+(q%-X7Ng$UHby2]+0f9iwCcP2_bWU.HG0[HsjIfmDQm
      2yY</password>

      <enabled>true</enabled>
    </user>
  </users>
</config>
```

=====

Step 3 NETCONF server replies rejecting the protocol operation with an 'access-denied' error

=====

ERROR

```
type      : protocol
tag       : access-denied
severity  : error
path      : /o-ran-usermgmt:users/user
message   : Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.
```

=====

SYSTEM LOGS

=====

Nov 4 00:01:11 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:01:11 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:01:12 mcb1 user.notice SYNCMNGR[1321]: Received message from S-Plane

Nov 4 00:01:12 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:01:12 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.17.155:4334 over IPv4.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Session 143 (user "root", CID 1) created.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: User "installer" authenticated.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 3 established.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Session 144 (user "root", CID 1) created.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 6 priority 0 for 1 subscribers.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 6 priority 0 succeeded.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 4 event new RPC.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 7 priority 0 for 1 subscribers.

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Nov 4 00:01:13 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Nov 4 00:01:13 mcb1 user.notice fw_manager[1075]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 3 succeeded.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 7 priority 0 succeeded.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 0 event new RPC.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 6 priority 0 for 1 subscribers.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 6 priority 0 succeeded.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 4 event new RPC.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Accepted a connection on :::830.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 149 (user "root", CID 1) created.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 150 (user "root", CID 1) created.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 8 priority 0 for 1 subscribers.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 8 priority 0 succeeded.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 4 event new RPC.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 3 event new RPC.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 3 event session terminated.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:14 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 3 priority 1 for 1 subscribers.

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 3.

Nov 4 00:01:19 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 3.

Nov 4 00:01:19 mcb1 user.notice supervision[1375]: Checking to enable supervision default-timer

Nov 4 00:01:19 mcb1 user.notice supervision[1375]: Received supervision-notification #3 from "installer" user.path
->/notifications:create-subscription

Nov 4 00:01:19 mcb1 user.notice supervision[1375]: Received supervision-notification

Nov 4 00:01:19 mcb1 user.notice supervision[1375]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:01:19 mcb1 user.notice supervision[1375]: Internal Supervision timer value : 60 seconds. Internal Guard timer value : 10 seconds

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 3 priority 1 succeeded.

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:01:20 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 4 event new RPC.

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:20 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:01:22 mcb1 daemon.err netopeer2-server[985]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Failed processing of "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:01:22 mcb1 daemon.err netopeer2-server[985]: Access to the data model "o-ran-usermgmt" is denied because "installer" NACM authorization failed.

Nov 4 00:01:22 mcb1 daemon.warn netopeer2-server[985]: Event "rpc" with ID 3 priority 0 failed (User callback failed).

Nov 4 00:01:22 mcb1 daemon.err netopeer2-server[985]: Failed to send an RPC (User callback failed).

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 3 event new RPC.

Nov 4 00:01:22 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 3 event reply error.

Nov 4 00:01:22 mcb1 user.notice SYNCMNGR[1321]: Received message from S-Plane

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 0 event new RPC.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: Session 3: thread 0 event session terminated.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:01:27 mcb1 authpriv.debug sshd[2472]: pam_unix(sshd:account): account installer has password changed in future

Nov 4 00:01:27 mcb1 auth.info sshd[2472]: Accepted password for installer from 192.168.17.155 port 50184 ssh2

Nov 4 00:01:27 mcb1 authpriv.info sshd[2472]: pam_unix(sshd:session): session opened for user installer by (uid=0)

Expected Result : The NETCONF server replies rejecting the protocol operation with an "access-denied" error.

=====

***** Actual Result *****

=====

=====

Access Control NMS (negative case)	=	SUCCESS
---	----------	----------------

=====